MINISTRY OF TRANSPORT, INFRASTRUCTURE, HOUSING, URBAN DEVELOPMENT AND PUBLIC WORKS
STATE DEPARTMENT OF PUBLIC WORKS

Works Building
Ngong Road
Email: info@publicworks.go.ke
NAIROBI-KENYA

P.O Box 30743-00100
Tel: +254 (0) 20 272 3101/271 6960
Fax: +254 (0) 20 273 7659

REF: SDPW/SB/53/8 **DATE:** 22nd July, 2021

TO: ALL GOVERNMENT MINISTRIES/DEPARTMENTS
ALL PUBLIC INSTITUTIONS

RE: CIRCULAR NO. SDPW/SB/036/2020-2023 – SUPPLY OF FIRE FIGHTING EQUIPMENT

The Framework Contracts for Supply of Firefighting Equipment to user Ministries/Departments and all Public Institutions on "As and When Required" basis have been concluded and awarded for the period of Two (2) years ending 17th July, 2023 as per the details below: -

NAME; EQUIP AGENCIES LTD
P.O. BOX; 18093-00500 NAIROBI
TEL: 020-3560655
CONTRACT NO; SB/036/001/2021

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1(a)	**Water CO2 Fire Extinguisher**	**Water CO2 Fire Extinguisher** 9Litre water CO2 fire extinguisher (cartridge type) complete with squeeze grip head cap with piercer and washer, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	5,900.00
						NYERI	5,900.00
						EMBU	5,900.00
						GRSS	5,900.00
						NKR	5,900.00
						KSM	5,900.00
						KKMG	5,900.00
						MSA	5,900.00
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge**	No.	Naffco	UAE	NRB	2,800.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		55g CO2 cartridge fully charged to BS EN3				NYERI	2,800.00
						EMBU	2,800.00
						GRSS	2,800.00
						NKR	2,800.00
						KSM	2,800.00
						KKMG	2,800.00
						MSA	2,800.00
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.	Naffco	UAE	NRB	2,800.00
						NYERI	2,800.00
						EMBU	2,800.00
						GRSS	2,800.00
						NKR	2,800.00
						KSM	2,800.00
						KKMG	2,800.00
						MSA	2,800.00
1(d)	**Wall bracket**	**Wall bracket** Hook type	No.	Naffco	UAE	NRB	400.00
						NYERI	400.00
						EMBU	400.00
						GRSS	400.00
						NKR	400.00
						KSM	400.00
						KKMG	400.00
						MSA	400.00
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	6,100.00
						NYERI	6,100.00
						EMBU	6,100.00
						GRSS	6,100.00
						NKR	6,100.00
						KSM	6,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	6,100.00
						MSA	6,100.00
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	Naffco	UAE	NRB	2,800.00
						NYERI	2,800.00
						EMBU	2,800.00
						GRSS	2,800.00
						NKR	2,800.00
						KSM	2,800.00
						KKMG	2,800.00
						MSA	2,800.00
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,600.00
						NYERI	10,600.00
						EMBU	10,600.00
						GRSS	10,600.00
						NKR	10,600.00
						KSM	10,600.00
						KKMG	10,600.00
						MSA	10,600.00
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	2,400.00
						NYERI	2,400.00
						EMBU	2,400.00
						GRSS	2,400.00
						NKR	2,400.00
						KSM	2,400.00
						KKMG	2,400.00
						MSA	2,400.00
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	Naffco	UAE	NRB	3,100.00
						NYERI	3,100.00
						EMBU	3,100.00
						GRSS	3,100.00
						NKR	3,100.00
						KSM	3,100.00
						KKMG	3,100.00
						MSA	3,100.00
3(d)	**CO2 cartridge**	**CO2 cartridge**	No.	Naffco	UAE	NRB	2,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent				NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,400.00
						NYERI	10,400.00
						EMBU	10,400.00
						GRSS	10,400.00
						NKR	10,400.00
						KSM	10,400.00
						KKMG	10,400.00
						MSA	10,400.00
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve** Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	12,400.00
						NYERI	12,400.00
						EMBU	12,400.00
						GRSS	12,400.00
						NKR	12,400.00
						KSM	12,400.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	12,400.00
						MSA	12,400.00
5(b)	**Automatic D.C.P. Cold fire extinguisher**	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	Naffco	UAE	NRB	8,100.00
						NYERI	8,100.00
						EMBU	8,100.00
						GRSS	8,100.00
						NKR	8,100.00
						KSM	8,100.00
						KKMG	8,100.00
						MSA	8,100.00
5(c)	**Fire Extinguishing Dry Chemical Powder**	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	Naffco	UAE	NRB	9,100.00
						NYERI	9,100.00
						EMBU	9,100.00
						GRSS	9,100.00
						NKR	9,100.00
						KSM	9,100.00
						KKMG	9,100.00
						MSA	9,100.00
5(d)	**Fire Extinguisher Operating Valve**	**Fire Extinguisher Operating Valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
5(e)	**CO2 Cartridge**	**CO2 Cartridge** 90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	6,100.00
						NYERI	6,100.00
						EMBU	6,100.00
						GRSS	6,100.00
						NKR	6,100.00
						KSM	6,100.00
						KKMG	6,100.00
						MSA	6,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
6(a)	**4.5Kgs dry chemical powder stored pressure fire extinguisher**	**4.5Kgs dry chemical powder stored pressure fire extinguisher** 4.5Kgs dry chemical powder stored pressure fire extinguisher c/w cap washer discharge rubber hose, nozzle, and fixing wall bracket toBS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	9,600.00
						NYERI	9,600.00
						EMBU	9,600.00
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
6(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	Naffco	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
7(a)	**9 Kgs Cold Fire extinguisher**	**9 Kgs Cold Fire extinguisher** 9 Kgs dry Cold Fire extinguisher c/w cap, washer, discharge rubber hose, nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	15,100.00
						NYERI	15,100.00
						EMBU	15,100.00
						GRSS	15,100.00
						NKR	15,100.00
						KSM	15,100.00
						KKMG	15,100.00
						MSA	15,100.00
7(b)	**Fire Extinguisher Dry Chemical Powder**	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00
7(c)	**Dry chemical powder fire**	**Dry chemical powder fire extinguisher operating valve**	No.	Naffco	UAE	NRB	4,200.00
						NYERI	4,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	extinguisher operating valve	Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004				EMBU	4,200.00
						GRSS	4,200.00
						NKR	4,200.00
						KSM	4,200.00
						KKMG	4,200.00
						MSA	4,200.00
7(d)	**CO2 Cartridge**	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
8(a)	**9 Kgs dry chemical powder stored pressure fire extinguisher**	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00
						KSM	8,600.00
						KKMG	8,600.00
						MSA	8,600.00
8(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge nozzle, and siphon for item 8(a) above to BS 1004	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
9(a)	**2 kg dry chemical, stored pressure fire extinguisher**	**2 kg dry chemical, stored pressure fire extinguisher** 2 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	6,900.00
						NYERI	6,900.00
						EMBU	6,900.00
						GRSS	6,900.00
						NKR	6,900.00
						KSM	6,900.00
						KKMG	6,900.00
						MSA	6,900.00
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	1,900.00
						NYERI	1,900.00
						EMBU	1,900.00
						GRSS	1,900.00
						NKR	1,900.00
						KSM	1,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	1,900.00
						MSA	1,950.00
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	9,900.00
						NYERI	9,900.00
						EMBU	9,900.00
						GRSS	9,900.00
						NKR	9,900.00
						KSM	9,900.00
						KKMG	9,900.00
						MSA	9,900.00
11(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for item 11(a) above to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,400.00
						NYERI	4,400.00
						EMBU	4,400.00
						GRSS	4,400.00
						NKR	4,400.00
						KSM	4,400.00
						KKMG	4,400.00
						MSA	4,400.00
11(c)	**CO_2 gas discharge horn**	**CO_2 gas discharge horn** CO_2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	7,000.00
						NYERI	7,000.00
						EMBU	7,000.00
						GRSS	7,000.00
						NKR	7,000.00
						KSM	7,000.00
						KKMG	7,000.00
						MSA	7,000.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	11,600.00
						NYERI	11,600.00
						EMBU	11,600.00
						GRSS	11,600.00
						NKR	11,600.00
						KSM	11,600.00
						KKMG	11,600.00
						MSA	11,600.00
12(b)	**CO_2 gas squeeze grip operating head**	**CO_2 gas squeeze grip operating head**	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		CO_2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent				EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
12(d)	**Throwing Fire Extinguisher**	**Throwing Fire Extinguisher** Throw –In fire extinguisher capable of extinguishment of Fire by production of copious amounts of Carbon Dioxide and Nitrous Gases. Throw-In action onto the fire and the landing shall initiate production of the extinguishment gases through chemical reactions.	No.	Naffco	UAE	NRB	5,500.00
						NYERI	5,500.00
						EMBU	5,500.00
						GRSS	5,500.00
						NKR	5,500.00
						KSM	5,500.00
						KKMG	5,500.00
						MSA	5,500.00
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid-valve – actuated pilot cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve	No.	Naffco	UAE	NRB	65,500.00
						NYERI	65,500.00
						EMBU	65,500.00
						GRSS	65,500.00
						NKR	65,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.				KSM	65,500.00
						KKMG	65,500.00
						MSA	65,500.00
13(a)	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher** 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	110,000.00
						NYERI	110,000.00
						EMBU	110,000.00
						GRSS	110,000.00
						NKR	110,000.00
						KSM	110,000.00
						KKMG	110,000.00
						MSA	110,000.00
13(b)	**Discharge nozzle**	**Discharge nozzle** Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	25,600.00
						NYERI	25,600.00
						EMBU	25,600.00
						GRSS	25,600.00
						NKR	25,600.00
						KSM	25,600.00
						KKMG	25,600.00
						MSA	25,600.00
14(a)	**45 Kg CO2 gas fire extinguisher**	**45 Kg CO2 gas fire extinguisher** 45 Kg CO2 gas fire extinguisher c/w, trolley, operating valve, hose and discharge horn BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	85,200.00
						NYERI	85,200.00
						EMBU	85,200.00
						GRSS	85,200.00
						NKR	85,200.00
						KSM	85,200.00
						KKMG	85,200.00
						MSA	85,200.00
14(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
14(c)	**Discharge horn**	**Discharge horn**	No.	Naffco	UAE	NRB	6,600.00
						NYERI	6,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent				EMBU	6,600.00
						GRSS	6,600.00
						NKR	6,600.00
						KSM	6,600.00
						KKMG	6,600.00
						MSA	6,600.00
15(a)	**45 Litres Air Foam Trolley Type Fire Extinguisher**	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	80,200.00
						NYERI	80,200.00
						EMBU	80,200.00
						GRSS	80,200.00
						NKR	80,200.00
						KSM	80,200.00
						KKMG	80,200.00
						MSA	80,200.00
15(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
15(c)	**Spray Nozzle**	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	18,600.00
						NYERI	18,600.00
						EMBU	18,600.00
						GRSS	18,600.00
						NKR	18,600.00
						KSM	18,600.00
						KKMG	18,600.00
						MSA	18,600.00
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m	No.	Naffco	UAE	NRB	11,600.00
						NYERI	11,600.00
						EMBU	11,600.00
						GRSS	11,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket				NKR	11,600.00
						KSM	11,600.00
						KKMG	11,600.00
						MSA	11,600.00
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges	No.	Naffco	UAE	NRB	15,550.00
						NYERI	15,550.00
						EMBU	15,550.00
						GRSS	15,550.00
						NKR	15,550.00
						KSM	15,550.00
						KKMG	15,550.00
						MSA	15,550.00
17	**9" wall mounted hand operated alarm bell (Gong)**	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	Naffco	UAE	NRB	19,600.00
						NYERI	19,600.00
						EMBU	19,600.00
						GRSS	19,600.00
						NKR	19,600.00
						KSM	19,600.00
						KKMG	19,600.00
						MSA	19,600.00
18	**½ mile range tripod mounted alarm sounder**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110+2 dB at 1.0 metres and an output frequency of 600+20 hertz single tone and to BS	No.	Naffco	UAE	NRB	95,200.00
						NYERI	95,200.00
						EMBU	95,200.00
						GRSS	95,200.00
						NKR	95,200.00
						KSM	95,200.00
						KKMG	95,200.00
						MSA	95,200.00
19(a)	**A fully portable self-contained diesel engine fire pump**	**A fully portable self-contained diesel engine fire pump** Capable of continuous duty of minimum 1200litres per minute at delivery head of 10 bars at 3 metres suction lift. The pump unit shall be of aluminium construction with a wrap round stainless steel frame and shall have the following features: 4-stroke engine with electronic ignition system Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive	No.	Naffco	UAE	NRB	2,900,100.00
						NYERI	2,900,100.00
						EMBU	2,900,100.00
						GRSS	2,900,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories.					
						NKR	2,900,100.00
						KSM	2,900,100.00
						KKMG	2,900,100.00
						MSA	2,900,100.00
19(b)	**Suction Fire Hose**	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements Shall be semi rigid with internal metal reinforcements(steel wire helix) Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum	No.	Naffco	UAE	NRB	52,100.00
						NYERI	52,100.00
						EMBU	52,100.00
						GRSS	52,100.00
						NKR	52,100.00
						KSM	52,100.00
						KKMG	52,100.00
						MSA	52,100.00
19(c)	**100mm diameter suction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ring Shall come with 150mm female short hand coupling	No.	Naffco	UAE	NRB	62,100.00
						NYERI	62,100.00
						EMBU	62,100.00
						GRSS	62,100.00
						NKR	62,100.00
						KSM	62,100.00
						KKMG	62,100.00
						MSA	62,100.00
20(a)	**A fully portable self-contained petrol /**	**A fully portable self-contained petrol / diesel**	No.	Naffco	UAE	NRB	11,200,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	diesel engine fire pump trailer mounted, complete with tank (foam / water)	**engine fire pump trailer mounted, complete with tank (foam / water)** Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations. Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features: 4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to provide one hour running duty Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel				NYERI	11,200,100.00
						EMBU	11,200,100.00
						GRSS	11,200,100.00
						NKR	11,200,100.00
						KSM	11,200,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		and four Industrial, fully adjustable stabilizers. The Foam Tank(s) shall be of total capacity 900 litres and shall have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank. The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.				KKMG MSA	11,200,100.00 11,200,100.00
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	48,100.00 48,100.00 48,100.00 48,100.00 48,100.00 48,100.00 48,100.00 48,100.00
20(c)	**65mm dia. Male Coupling**	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00
20(d)	**65mm dia. Female coupling**	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar Shall come complete with 2 spring loaded catches to release the adaptor	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00 8,700.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	Naffco	UAE	NRB	54,000.00
						NYERI	54,000.00
						EMBU	54,000.00
						GRSS	54,000.00
						NKR	54,000.00
						KSM	54,000.00
						KKMG	54,000.00
						MSA	54,000.00
20(f)	**Alloy solid water branch pipe**	**Alloy solid water branch pipe** Alloy solid water branch pipe (various sizes) BS 336	No.	Naffco	UAE	NRB	95,200.00
						NYERI	95,200.00
						EMBU	95,200.00
						GRSS	95,200.00
						NKR	95,200.00
						KSM	95,200.00
						KKMG	95,200.00
						MSA	95,200.00
20(g)	**Hand Controlled Branch Pipe**	**Hand Controlled Branch Pipe** 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	Naffco	UAE	NRB	85,500.00
						NYERI	85,500.00
						EMBU	85,500.00
						GRSS	85,500.00
						NKR	85,500.00
						KSM	85,500.00
						KKMG	85,500.00
						MSA	85,500.00
21(a)	**swinging type hose reel**	**swinging type hose reel** 20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995	No.	Naffco	UAE	NRB	45,100.00
						NYERI	45,100.00
						EMBU	45,100.00
						GRSS	45,100.00
						NKR	45,100.00
						KSM	45,100.00
						KKMG	45,100.00
						MSA	45,100.00
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	Naffco	UAE	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	25,100.00
21(c)	**Nylon Nozzle**	**Nylon Nozzle** Red Nylon Nozzle with at least 15 metres throw EN 694	No.	Naffco	UAE	NRB	9,600.00
						NYERI	9,600.00
						EMBU	9,600.00
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
22	**Fixed Type Hose Reel**	**Fixed Type Hose Reel** 20mm. dia x 30 metres long fixed type hose reel c/w nozzle	No.	Naffco	UAE	NRB	23,000.00
						NYERI	23,000.00
						EMBU	23,000.00
						GRSS	23,000.00
						NKR	23,000.00
						KSM	23,000.00
						KKMG	23,000.00
						MSA	23,000.00
23(a)	**Underground Fire Hydrant**	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel	No.	Naffco	UAE	NRB	65,100.00
						NYERI	65,100.00
						EMBU	65,100.00
						GRSS	65,100.00
						NKR	65,100.00
						KSM	65,100.00
						KKMG	65,100.00
						MSA	65,100.00
							65,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
23b)	Outlet stand pipe	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	Naffco	UAE	NRB	45,200.00
						NYERI	45,200.00
						EMBU	45,200.00
						GRSS	45,200.00
						NKR	45,200.00
						KSM	45,200.00
						KKMG	45,200.00
						MSA	45,200.00
23(c)	Poker and key	**Poker and key** Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel	No.	Naffco	UAE	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00
						MSA	25,100.00
23(d)	Poker	**Poker** Poker for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,400.00
						NYERI	12,400.00
						EMBU	12,400.00
						GRSS	12,400.00
						NKR	12,400.00
						KSM	12,400.00
						KKMG	12,400.00
						MSA	12,400.00
23(e)	Key	**Key** Key for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,600.00
						NYERI	12,600.00
						EMBU	12,600.00
						GRSS	12,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	12,600.00
						KSM	12,600.00
						KKMG	12,600.00
						MSA	12,600.00
23(f)	**Dividing breech**	**Dividing breech** Dividing Breech having 63mm Male Instantaneous Inlet &2 nos. 63mm Female Instantaneous Outlet Made using quality grade gun metal, aluminum or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	45,000.00
						NYERI	45,000.00
						EMBU	45,000.00
						GRSS	45,000.00
						NKR	45,000.00
						KSM	45,000.00
						KKMG	45,000.00
						MSA	45,000.00
23(g)	**Collecting breech**	**Collecting breech** Collecting Breech having 1 no. 63mm Female InstantaneousInlet and 2 nos. 63mm Male Instantaneous Outlet Made using quality grade gun metal, aluminium or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	35,100.00
						NYERI	35,100.00
						EMBU	35,100.00
						GRSS	35,100.00
						NKR	35,100.00
						KSM	35,100.00
						KKMG	35,100.00
						MSA	35,100.00
24(a)	**Fluorine Free (FF) Foam Concentrate 3%**	**Fluorine Free (FF) Foam Concentrate 3%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C	Litres	Naffco	UAE	NRB	31,500.00
						NYERI	31,500.00
						EMBU	31,500.00
						GRSS	31,500.00
						NKR	31,500.00
						KSM	31,500.00
						KKMG	31,500.00
						MSA	31,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		· Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 20 Litres Container					
24(b)	**Fluorine Free (FF) Foam Concentrate 6%**	**Fluorine Free (FF) Foam Concentrate 6%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 210 Litres Container	Litres	Naffco	UAE	NRB	241,000.00
						NYERI	241,000.00
						EMBU	241,000.00
						GRSS	241,000.00
						NKR	241,000.00
						KSM	241,000.00
						KKMG	241,000.00
						MSA	241,000.00
25 (a)	**Fluoro Protein foam 3%**	**Fluoro Protein foam 3%** Proprietary mixture of protein hydrolysate, fluorosurfactants, inorganic salts, and water(Chloroprene) conforming to Underwriters Laboratories Standard UL162, latestedition Appearance…… Dark brown liquidDensity 1.15 g/ml... ± 0.03 pH .....6 .0 – 8.0 Viscosity .....10 ± 4 centistokes	Litres	Naffco	UAE	NRB	241,000.00
						NYERI	241,000.00
						EMBU	241,000.00
						GRSS	241,000.00
						NKR	241,000.00
						KSM	241,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Freezing Point ..... 5 °F (–15 °C) Sediment Volume.....0.20 % maximum				KKMG	241,000.00
						MSA	241,000.00
25 (b)	**Fluoro Protein foam 6%**	**Fluoro Protein foam 6%** Fluoro Protein foam in 20 lts containers marked G.K to BSEN3/BS1449/BS1004 or equivalent	No.	Naffco	UAE	NRB	35,200.00
						NYERI	35,200.00
						EMBU	35,200.00
						GRSS	35,200.00
						NKR	35,200.00
						KSM	35,200.00
						KKMG	35,200.00
						MSA	35,200.00
26	**Water/Foam Trailers 900Litres**	**Water/Foam Trailers 900Litres** Water Foam Trailer suitable for mounting in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tank(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as we as jockey wheel and for industrial fully adjustable stabilizers. The form concentrate tank(s) shall be of total capacity 900 litres and shall have self-inducing foam/water monitor, mounted/bolted onto the top of the tank, with the following features; Foam production of 1800 litres/min at a water flow of 180litres/min and water inlet pressure of 5 bar. Approximate running time-minutes Foam throw from branchpipe-14metres	No.	Agri 68412	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
27		**Mobile foam Generator**	No.		UAE	NRB	8,500,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Mobile foam Generator	Mobile foam trolley unit on 2No. solid rubber wheels minimum 400mm dia. comprising a chemically resistant minimum 120 litres glass fibre foam concentrate tank and with hose storage compartment. The unit shall comprise of: 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-off valve capable of producing 1800 litres/min of foam with a water flowof 180 litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above.		SW1060 MATTS TYPE MF 140		NYERI EMBU GRSS NKR KSM KKMG MSA	8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00
28	**Graz mist hydrants**	**Graz mist hydrants** Water-Mist generating hydrant station for production of water mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc The hydrant system shall be capable of water usage rate of 6 liters / minute to produce droplets of max. 25 microns. The hydrant shall be suitable for connection to both water and pressurized air supply each at 2.0 bar pressure to produce 4 Cu Metres of mist per minute. The installation shall comprise: - Drum/ Winder and 30 metres long x 20mm diam. Air-Water Hose Jet complete with mist nozzle suitable for production of 4 Cu Metres of mist per minute of max. 25 microns at a water flow rateof 6 litres/min. Instantaneous connection outlets for both water and compressed air C/W isolation valves, including a set of flow andpressure controls.	No.	TELESTO TYPE 1246	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Sheet metal cabinet for housing of the above equipment. The cabinet shall be of robust construction with legs suitable for grouting into a concrete ground level slab, and shall have a breakable transparent glass door. Production of 4 cu Metres of mist per minute of max. 25 microns at a water flow rate of 6 litres/min, with the mist being mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc **FOAM PRODUCTION** Production of 1800 litres/min of foam with a water flow of 180 litres/ min. at 5 bar inlet pressure The unit shall comprise the following:- Diesel/Petrol pump to power the Water Pump and the Air Compressor, Water Pump capable of duty 10 Litres/ minute at deliverypressure of 4 bar at 3 metres lift Compressor capable of duty 140 CFM at & 7.0 Bar delivery pressure Water (minimum 200 Litres.) and Diesel fuel (Minimum120 Litres) storage tanks, Drum/ Winder C/W 60 metres Air- Water Hose Jet equipped with mist generating Nozzle capable of production of 4 Cu Metres of mist per minute of max. 25 microns at awater flow rate of 6 Litres/min. 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-offvalve capable of producing 1800 Litres/min of foam with a water flow of 180 Litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the					

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		inductor conditions mentioned above. 120 Litres Foam Concentrate tankControls and Control Panel The above components shall be housed in a strong framed wrap around chassis with sheet metal side panels and be complete with lifting lugs for loading onto a light truck.					
29	**Portable compact mist and foam units**	**Portable compact mist and foam units** Self- Contained portable Water- Mist/and foam generating unit made of lightweight aluminium plastic lined cylinders capable of foam/ mist production to EN3 and EN1866 water jet capacity reach - 16 m horizontal and 10 m vertical Operating time 44 seconds (based on 10 litre back pack) Single nozzle for all applications including electrical fires to 1000 volts	No.	TELESTO	UAE	NRB	3,800,000.00
						NYERI	3,800,000.00
						EMBU	3,800,000.00
						GRSS	3,800,000.00
						NKR	3,800,000.00
						KSM	3,800,000.00
						KKMG	3,800,000.00
						MSA	3,800,000.00
30	**Stationary mist system**	**Stationary mist system** Mist Nozzles with Colliding Jets Long-Range Mist Nozzles Water Supply (Minimum 2-3 Bar) Pressurized Air Supply (Minimum 2 -3 Bar) System of Detector Communication System between detectors and nozzles	No.	TELESTO MODEL 6343.2	UAE	NRB	4,500,200.00
						NYERI	4,500,200.00
						EMBU	4,500,200.00
						GRSS	4,500,200.00
						NKR	4,500,200.00
						KSM	4,500,200.00
						KKMG	4,500,200.00
						MSA	4,500,200.00
31	**Portable ground monitor nozzle**	**Portable ground monitor nozzle** Portable automatic action Ground Monitor Nozzle capable of flow of 2000 litres/ min. at 7.0 bar water inlet pressure. The monitor shall be of gun-metal construction with base and 4No. Stainless steel foldable legs with carbide tipped spikes. The monitor shall have a carrying handle and a hand wheel for adjustment of vertical inclination of the nozzle The monitor shall be complete with: Dual - Pressure 500GPM Max Force, Automatic Nozzle	No.	BLATZ FIRE SAFE TAK 11	UAE	NRB	2,500,100.00
						NYERI	2,500,100.00
						EMBU	2,500,100.00
						GRSS	2,500,100.00
						NKR	2,500,100.00
						KSM	2,500,100.00
						KKMG	2,500,100.00
						MSA	2,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Pivoting outlets allowing 20 degrees of motion either side of Centre and 40 degree of motion from 10 degrees above horizontalto 50 degrees Butterfly Valve with automatic operation capable of cutting off flow thereby reducing reaction force should the monitor start to tipfor any reason.					
32	**Lifting pads – Up to 4000Kgs**	Set of 2No Lifting Bags suitable for lifting Cars, Buses, Vans, Emergency bracing in work pits, floating sunken loads etc, without damage to thin walled vehicle bodywork. The bags shallbe manufactured in reinforced Neoprene Nylon Fabric in 8no. loops and shall satisfy the following conditions: - Operation Pressure-1.0 Bar No single point loaded more than 1000g/cm2 Variable operating pressure from 0.1 through 0.5 bar to 1 Bar Bursting pressure 4.5 times the MAX. allowableworking pressure Lifting Power-58KN Lifting Height 48Cm/18 InchDiameter 61 cm/24 Inch Testing Pressure – 4.0 bar The set shall come complete with: - 2No. oil resistant Inflation Hos dual safety controller fitting fo the 2No.Lifting Bags C/W 2Nc 1No. Pressure Reducer- 200/3C with protection cap, locking va Compressed Air Hose. Air Bags Pressurization Kit as **AIR BAGS PRESSURIZATI** The Air Bags set shall be suppl following:- ➢ 2No. 300bar Capacity 6 litr strapped onto a compact carrie ➢ Bottle connector 300 bar C/ Valve 8 Bar with dead man co ➢ 2no. Auto – Retracting infla long. The carrier frame shall be whe	No.	SITCO MODEL 3467-11-20	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	1,700,100.00 1,700,100.00 1,700,100.00 1,700,100.00 1,700,100.00 1,700,100.00 1,700,100.00 1,700,100.00
33(a)	**Collapsible fuel/water & liquid foam tanks(10,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (10,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings	No.	CP 4000	UAE	NRB NYERI EMBU	4,000,100.00 4,000,100.00 4,000,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		(filing & discharge) 10,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.				GRSS	4,000,100.00
						NKR	4,000,100.00
						KSM	4,000,100.00
						KKMG	4,000,100.00
						MSA	4,000,100.00
33(b)	**Collapsible fuel/water & liquid foam tanks(50,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (50,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 50,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 9000	UAE	NRB	8,500,000.00
						NYERI	8,500,000.00
						EMBU	8,500,000.00
						GRSS	8,500,000.00
						NKR	8,500,000.00
						KSM	8,500,000.00
						KKMG	8,500,000.00
						MSA	8,500,000.00
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes) 2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated wounddressings (18cm x 18cm) vii) 1No. pair of disposable gloves	No.	HEALTHCARE CP 364	UAE	NRB	15,200.00
						NYERI	15,200.00
						EMBU	15,200.00
						GRSS	15,200.00
						NKR	15,200.00
						KSM	15,200.00
						KKMG	15,200.00
						MSA	15,200.00
35	**Canvas rubber lined lay flat hose**	**Canvas rubber lined lay flat hose** 150mm dia. x 25 meters long, with alloy joints and Victaulic	No.	Flexco	UAE	NRB	135,100.00
						NYERI	135,100.00
						EMBU	135,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		couplings and rubber seals to the BS6391 Type 3 specification with instantaneous couplings to BS366 wired on Shall have high chemical resistance, abrasion resistance, lightweight and be flexible				GRSS	135,100.00
						NKR	135,100.00
						KSM	135,100.00
						KKMG	135,100.00
						MSA	135,100.00
36	**Knapsack firefighting 20 liters with mixing nozzles**	**Knapsack firefighting 20 litres with mixing nozzles** Knapsack Fire Fighting unit comprising of high resistant 20 liter Polyethylene tank with reinforced chassis. The unit shall have nylon padded carrying straps with self-regulating buckles for strapping onto the fire-fighter's back. The unit shall include a brass hand pump and delivery hose and tube C/W an adjustable nozzle for adjustment for short and long jet discharges	No.	GUARANY	UAE	NRB	75,100.00
						NYERI	75,100.00
						EMBU	75,100.00
						GRSS	75,100.00
						NKR	75,100.00
						KSM	75,100.00
						KKMG	75,100.00
						MSA	75,100.00
37	**Drip torches 5 liters**	**Drip torches 5 liters** Drip torch of tank capacity 5 liters, suitable for safe and easy setting of prescribed burns. The unit shall comprise a StainlessSteel tank and have a curved discharge pipe and a protected Asbestos wick. The carrying handle and the drip pipe to the tank shall be of aluminum metal. The tank shall be complete with a threaded filling cap for fuel loading.	No.	GUARANY	UAE	NRB	35,100.00
						NYERI	35,100.00
						EMBU	35,100.00
						GRSS	35,100.00
						NKR	35,100.00
						KSM	35,100.00
						KKMG	35,100.00
						MSA	35,100.00
38	**Pick-up Truck Fire Fighting Set complete with 400 lts Tank**	**Pick-up Truck Fire Fighting Set complete with 400 lts Tank** Pick-up Truck Fire Fighting Set for quick access to fire locations. The set shall be compact, practical and light weight suitable for setting up in any Pick-Up truck. The set shall comprise of the following:- Low profile PVC flexible water tank C/W internal bafflesfor maximum stability of the carrying Pick-Up		GUARANY	UAE	NRB	4,500,100.00
						NYERI	4,500,100.00
						EMBU	4,500,100.00
						GRSS	4,500,100.00
						NKR	4,500,100.00
						KSM	4,500,100.00
						KKMG	4,500,100.00
						MSA	4,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		the tank shall be of minimum 400 liters capacitySelf-priming pump with 2 -Stroke Petrol Engine Foam Inductor Kit with minimum 4 liter foam concentratetank capacity Suction and Discharge Hoses					
39	**Fire beaters / Fire Swatter / McLeod/ Pulaski set**	**Fire beaters / Fire Swatter / McLeod / Pulaski set** The set shall comprise 1No. of items of each of the following items; Fire swatter constructed of heavy canvas material withangled iron support frame attached to a 1.52metre fire resistant wooden handle Rake and Adze hoe in one combination, with 12 gauge steelhoe C/W 1.24 meter Fire Resistant wooden handle Mattock and Axe in one combination tool , made of highgrade tempered steel and with approximately 910-mm long fire resistant wooden handle	No.	GUARANY	UAE	NRB	65,200.00
						NYERI	65,200.00
						EMBU	65,200.00
						GRSS	65,200.00
						NKR	65,200.00
						KSM	65,200.00
						KKMG	65,200.00
						MSA	65,200.00
40	**Power Chain Saw**	**Power Chain Saw** Petrol Engine Powered Chain Saw suitable for cutting of trees and complete with all features necessary for safe operation and having the following specifications: . Displacement (CC) 25. 4 Form of Carburetor - DiaphragmMaxed Fuel Ratio 25.1 Tank Capacity 0.23 LtsLength – 250mm All to BS 6916 part II 1989	No.	YONSIA	UAE	NRB	150,200.00
						NYERI	150,200.00
						EMBU	150,200.00
						GRSS	150,200.00
						NKR	150,200.00
						KSM	150,200.00
						KKMG	150,200.00
						MSA	150,200.00
41	**Hydraulic rescue tools complete set**	**Hydraulic rescue tools complete set** Hydraulic Rescue Hand Tools set comprising of hand tools suitable for Spreading, Cutting	No.	ROTERS LUCAS SP 35	UAE	NRB	850,200.00
						NYERI	850,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		and Pulling to the following specifications: Top Expansion Capability 38 - 47KN Working surface Capability 68 - 114KNPull 38KN Expansion surface 620mmHydraulic combi Shears Fast stop safe tie-in 360° adjustable and moveable handle Hand pump two pole operation of high pressure and low pressure. The hand pump set shall come complete with 5 metershose and coupling for connection to the tools and shall be as manufactured by WEBER or approved equivalent.					
						EMBU	850,200.00
						GRSS	850,200.00
						NKR	850,200.00
						KSM	850,200.00
						KKMG	850,200.00
						MSA	850,200.00
42	**Booster pump for hydraulic hose reel**	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.	No.	Naffco	UAE	NRB	350,100.00
						NYERI	350,100.00
						EMBU	350,100.00
						GRSS	350,100.00
						NKR	350,100.00
						KSM	350,100.00
						KKMG	350,100.00
						MSA	350,100.00
43	**Trailer water bowser 2000 liters capacity**	**Trailer water bowser 2000 liters capacity** Mounted in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The water tank shall be 2000 liters cylindrical welded onto the trailer bed and with internal baffles plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses	No.	SGS/600 AGRI	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as well as jockey wheel and four industrial, fully adjustable stabilizers.				KKMG	3,500,100.00
						MSA	3,500,100.00
44	**Fire Fighting aluminum extension ladders**	**Fire Fighting aluminum extension ladders** 2.50M Long x Internal Width 360mm aluminum type extension ladder	No.	Naffco	UAE	NRB	195,000.00
						NYERI	195,000.00
						EMBU	195,000.00
						GRSS	195,000.00
						NKR	195,000.00
						KSM	195,000.00
						KKMG	195,000.00
						MSA	195,000.00
45	**Disaster pouch (Treated Casualty bag)**	**Disaster pouch (Treated Casualty bag)** Full- Length- Adult size Zip Disaster Pouch fabricated from heavy duty Vinyl-Coated Nylon fabric / laminated polyester fabric. The pouch shall have six (8No.) padded carrying handles and shall be of dimensions 2000mm long x 850 mm wide Capacity: 675 # Lift Zipper shall be completely sewn with nylon thread for greater durability. Each pouch shall contain bio-hazard tag. All seams shall be dielectrically sealed to prevent leakage. Burst strength of material (lbs./sq.) 206 lbs. Each pouch shall be individually packaged in a 24" x 24" heavy duty viscera bag. Mil Thickness - 12 mil	No.	SEPCO CPA	UAE	NRB	5,900.00
						NYERI	5,900.00
						EMBU	5,900.00
						GRSS	5,900.00
						NKR	5,900.00
						KSM	5,900.00
						KKMG	5,900.00
						MSA	5,900.00
46	**H/D rubber gloves**	**H/D rubber gloves** Multipurpose gloves made of PVC Fully lined with a Soft cotton tricot Length 350mm Size large (10)	No.	CRMO T1461	UAE	NRB	4,900.00
						NYERI	4,900.00
						EMBU	4,900.00
						GRSS	4,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	4,900.00
						KSM	4,900.00
						KKMG	4,900.00
						MSA	4,900.00
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	CORMO 6413	UAE	NRB	280,100.00
						NYERI	280,100.00
						EMBU	280,100.00
						GRSS	280,100.00
						NKR	280,100.00
						KSM	280,100.00
						KKMG	280,100.00
						MSA	280,100.00
48	**Fireman's Fire Fitting clothing (Fire Tunic)**	**Fireman's Fire Fitting clothing (Fire Tunic)** Fireman's Fire Fitting clothing (Fire Tunic) as TOPSPEC FIREAMN'S TUNIC manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining **or equivalent and approved**	No.	CORMO 541B2	UAE	NRB	65,100.00
						NYERI	65,100.00
						EMBU	65,100.00
						GRSS	65,100.00
						NKR	65,100.00
						KSM	65,100.00
						KKMG	65,100.00
						MSA	65,100.00
49	**Fire-fighting rescue action top 9sizes Boots**	**Fire-fighting rescue action top 9sizes Boots** Fire-fighting rescue action top 9sizes Boots (Sizes 38-48) to CSN EN 345 S3 HRO specification. Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation insert, resistant to oil, fuels, acids and anatomic 300o C temperature, replaceable washable innersole, stiffened with steel toe cap.	No.	CORMO F641	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
50	**Head Helmets**	**Head Helmets** suitable for Fire Fighting and Rescue services and having the following features: Shell manufactured from Flame Retardant material withgood shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior Basket in flame retardant material and allowing foradjustment for head size and shape (from 52 to 63 cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quickrelease snap connection Retractable face protector visor in flame retardant polycarbonate material, Scratch resistant and with anti-foggingprotection Neck protection of genuine leather material with separableshell connection	No.	BIC CORMO T412	UAE	NRB	48,100.00
						NYERI	48,100.00
						EMBU	48,100.00
						GRSS	48,100.00
						NKR	48,100.00
						KSM	48,100.00
						KKMG	48,100.00
						MSA	48,100.00
51	**Breathing apparatus**	**Breathing apparatus** Breathing apparatus suitable for strapping as a back pack complete with waist and chest straps. The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN137 CLASS II standards. The apparatus shall be complete with a positive pressure Face Mask Self-contained breathing apparatus (SCBA) shall contain: facemask, flow regulator, reducer, 1No. 6 litres / 300 bar cylinder with compressed air for 45 minutes nominal duration and be c/w charging connection outlet, and back frame with harness	No.	BIC CORMO BT 6424	UAE	NRB	345,200.00
						NYERI	345,200.00
						EMBU	345,200.00
						GRSS	345,200.00
						NKR	345,200.00
						KSM	345,200.00
						KKMG	345,200.00
						MSA	345,200.00
52	**Ear mutts**	**Ear mutts** Ear protection mutts suitable for protection against	No.	BIC CORMO T641	UAE	NRB	6,600.00
						NYERI	6,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		dangerous noise levels. The equipment shall have the following features:- Durable, Lightweight, Non-Electrical conductivity plastic material Universal fit headband Soft Foam filled cushionsLarge ear cup openings				EMBU	6,600.00
						GRSS	6,600.00
						NKR	6,600.00
						KSM	6,600.00
						KKMG	6,600.00
						MSA	6,600.00
53	**Leggings**	**Leggings** Lower legs protection leggings suitable for fire fighting and rescue services and having the following features; Pull on fitting ,with adjustable elastic bracesKnee protection Suitable for sewing onto both trouser legsReflective strips	No.	BIC CORMO C426	UAE	NRB	66,000.00
						NYERI	66,000.00
						EMBU	66,000.00
						GRSS	66,000.00
						NKR	66,000.00
						KSM	66,000.00
						KKMG	66,000.00
						MSA	66,000.00
54	**Gas Masks**	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	BIC CORMO 7424TC	UAE	NRB	15,500.00
						NYERI	15,500.00
						EMBU	15,500.00
						GRSS	15,500.00
						NKR	15,500.00
						KSM	15,500.00
						KKMG	15,500.00
						MSA	15,500.00
55	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot**	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot** Made using the aluminized FR Fabric, Fire Proof, ThermalInsulate, Penetration resist of radiation Heat sect type conforming to EN 1486	No.	CORMO RPG 97	UAE	NRB	325,100.00
						NYERI	325,100.00
						EMBU	325,100.00
						GRSS	325,100.00
						NKR	325,100.00
						KSM	325,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	325,100.00
						MSA	325,100.00
56	**Fire fluorescent waist coat**	**Fire fluorescent waist coat** Fireman's Fire Fighting clothing Waist Coat as manufactured from Nomex□ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Proban□ cotton lining and with fluorescent material	No.	GAPCO C46	UAE	NRB	28,500.00
						NYERI	28,500.00
						EMBU	28,500.00
						GRSS	28,500.00
						NKR	28,500.00
						KSM	28,500.00
						KKMG	28,500.00
						MSA	28,500.00
57	**Hydraulic Pressure tester complete with kits components for fire extinguishers**	**Hydraulic Pressure tester complete with kits components for fire extinguishers** With adaptors up to 6" diameter lines and upto 2400 ft of hose atone time. With 1 ½ " Manifold Assy to allow for fast filling of the hoses from the Hydrant or stand Pipe Twin Piston pump pressure upto 500PSI at a 3 GPM Flow Rate	No.	HPY 36L3	UAE	NRB	921,000.00
						NYERI	921,000.00
						EMBU	921,000.00
						GRSS	921,000.00
						NKR	921,000.00
						KSM	921,000.00
						KKMG	921,000.00
						MSA	921,000.00
58(a)	**15mm dia. Marine Ropes**	**15mm dia. Marine Ropes** 1 No. Roll of 15mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	342,200.00
						NYERI	342,200.00
						EMBU	342,200.00
						GRSS	342,200.00
						NKR	342,200.00
						KSM	342,200.00
						KKMG	342,200.00
						MSA	342,200.00
58(b)	**20mm dia. Marine Ropes**	**20mm dia. Marine Ropes** 1 No. Roll of 20mm diameter x 70meter long Marine Ropes	No.	SEAMENS	UAE	NRB	439,100.00
						NYERI	439,100.00
						EMBU	439,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		suitable for use in sea, river and special conditions				GRSS	439,100.00
						NKR	439,100.00
						KSM	439,100.00
						KKMG	439,100.00
						MSA	439,100.00
58(c)	**25mm dia. Marine Ropes**	**25mm dia. Marine Ropes** 1 No. Roll of 25mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	589,200.00
						NYERI	589,200.00
						EMBU	589,200.00
						GRSS	589,200.00
						NKR	589,200.00
						KSM	589,200.00
						KKMG	589,200.00
						MSA	589,200.00
58(d)	**32mm dia. Marine Ropes**	**32mm dia. Marine Ropes** 1 No. Roll of 32mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	751,000.00
						NYERI	751,000.00
						EMBU	751,000.00
						GRSS	751,000.00
						NKR	751,000.00
						KSM	751,000.00
						KKMG	751,000.00
						MSA	751,000.00
58(e)	**50mm dia. Marine Ropes**	**50mm dia. Marine Ropes** 1 No. Roll of 50mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	1,200,200.00
						NYERI	1,200,200.00
						EMBU	1,200,200.00
						GRSS	1,200,200.00
						NKR	1,200,200.00
						KSM	1,200,200.00
						KKMG	1,200,200.00
						MSA	1,200,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
58(f)	**65mm dia. Marine Ropes**	**65mm dia. Marine Ropes** 1 No. Roll of 65mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	1,352,000.00
						NYERI	1,352,000.00
						EMBU	1,352,000.00
						GRSS	1,352,000.00
						NKR	1,352,000.00
						KSM	1,352,000.00
						KKMG	1,352,000.00
						MSA	1,352,000.00
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas. Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two generators in a duo pack The material shall be odorless and flame retardant VO grade to UL94 standards Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes The mast shall have the following features. Rubber face piece Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes Self-serving breathing hole which does not utilize external air Oxygen generating chemical cartilage for generation of therequisite Oxygen Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing	No.	CILLICO EGM 43-11	UAE	NRB	26,000.00
						NYERI	26,000.00
						EMBU	26,000.00
						GRSS	26,000.00
						NKR	26,000.00
						KSM	26,000.00
						KKMG	26,000.00
						MSA	26,000.00
60	**Battery Powered Rope Ascender**	**Battery Powered Rope Ascender** Shall be powered by high density lithium battery and be	No.	FAST ROPE	UAE	NRB	4,200,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		suitable for scaling heights and with the following features: Robe grab system to EN 1891 and weigh 1.5kg with dimensions of 40x30x25cm Shall be able to work within 200kg safe load Shall have an automatic switch to monitor overload Speed adjustment range of 0 to 22m /min and emergency speed= 0.5m/s Temperature working range -200C to 500C Raising a weight of minimum 450kg at a speed of not lessthan 3metres per second. Rope/Climbing Cable assembly capable of ascending a100metres High Storied building. Rechargeable Battery capable attaining 90% of maximumcharge within 5 minutes					
						NYERI	4,200,200.00
						EMBU	4,200,200.00
						GRSS	4,200,200.00
						NKR	4,200,200.00
						KSM	4,200,200.00
		Operation control shall be both manual trigger on hand grip buttons and by remote controller.				KKMG	4,200,200.00
						MSA	4,200,200.00
61	**Field Mobile Tough Notebook Computer**	**Field Mobile Tough Notebook Computer** Fully Rugged Tough Notebook/Laptop Computer designed for Military Police, Fire professionals with 13.3inch Display/Screen withthe following specifications: Microsoft Windows XP professional Intel Core 7 Duo Processor L2400 mobile technology (2MBL2 Cache, 1.66 GHZ, 667MHZ FSB) Intel 945GM Express Chipset RAM512 MB(4GB Max), UMA 128MB, 80GB Hard Drive (7200RPM) Combo Drive DVD Multi Drive Built-in-Intel PRO/Wireless 3945BG network connection 802. 11. a/b/g/weight 3.8Kg max.	No.	EXXON CP30	UAE	NRB	840,200.00
						NYERI	840,200.00
						EMBU	840,200.00
						GRSS	840,200.00
						NKR	840,200.00
						KSM	840,200.00
						KKMG	840,200.00
						MSA	840,200.00
62	**Unifold shelter**	**Unifold shelter** Foldable Fabric and Tent Frame Structure with 8 different shelter sizes ranging from 10'x6' to 11.5'x22' - ideal for decontamination, triage or command post uses; which when unfolded forms into a full enclosure	No.	FERNOMIR 1027	UAE	NRB	380,200.00
						NYERI	380,200.00
						EMBU	380,200.00
						GRSS	380,200.00
						NKR	380,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		comprising roof, sidewalls, floor and end walls, ready for occupation by people, equipment and supplies all assembled within seconds. Shall weigh less than 140lbs and capable of being stored in 6x8ftarea Shall not have air power fragile mechanisms Shall have easy to cut access holes for below ground operations The unifold structure shall be foldable into a flat pancake for easy storage and transport. Length - 6metres Width - 3 metres Height of Side wall - 1.7 metres Height of apex of roof - 2.4metres The unifold shelter should fold into a flat pancake Max. 1.8m x 1..8mx 0.6metre thick. The shelter should be complete with a door, a window and clip pointsfor hanging items. Material of construction should be water proof and the assembled structure shall be capable of withstanding wind speeds of 70miles per hour The unit shall come complete with a re-usable storage bag for transportation and storage.				KSM	380,200.00
						KKMG	380,200.00
						MSA	380,200.00
							380,200.00
63	**Emergency Sleeping Bag**	**Emergency Sleeping Bag** Re-usable Emergency Survival protection bag for outdoor use toprovide protection from harsh natural elements. Size (vacuum packed): 21 x 11 x 4 cm. Volume: 0.9 Litres. Weight: 385 grams. Size (unpacked): 2.1 metres. Made of a layer of aluminized PVC bonded to a layer of thin non- woven nylon fibers. The seams shall be reinforced with the same multilayer material for added strength. The bag shall have an air layer formed by corrugations to form channels between outer and inner layers for provision of air gap insulation.	No.	NEXTCO	UAE	NRB	7,600.00
						NYERI	7,600.00
						EMBU	7,600.00
						GRSS	7,600.00
						NKR	7,600.00
						KSM	7,600.00
						KKMG	7,600.00
						MSA	7,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The inner and outer surfaces of the bag shall be metalized to reflect ambient heat and retain radiated body heat emissions (optimal heat absorption). The bag shall be fully waterproof, windproof and re-usable and shall have approximate dimensions of 84" x 36" when unfolded; and be foldable into a compact unit. The maximum weight of the bag shall be 0.8kg.					
64(a)	**Unisol Solar Lamps – JS20**	**Unisol Solar Lamps – JS20** **Solar cell**: 1 watt, No of leds:20, **Battery**: Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility, **Accessories**:A6v Electrical charger, which can be used to charge thelantern in case of deficient sunlight, **Size**:26cmx17cmx17cm**Light Hours**:4-5hrs	No.	SOLAR SCR001	UAE	NRB	85,200.00
						NYERI	85,200.00
						EMBU	85,200.00
						GRSS	85,200.00
						NKR	85,200.00
						KSM	85,200.00
						KKMG	85,200.00
						MSA	85,200.00
64(b)	**Unisol Solar Lamps – JS20- Mob**	**Unisol Solar Lamps – JS20-Mob** **Solar cell**: 1 watt, No of leds:20, **Battery** : Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility **Accessories**:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:26cmx17cmx17cm **Light Hours**:4-5hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 3-4hrs of light output	No.	SOLAR CAR	UAE	NRB	90,200.00
						NYERI	90,200.00
						EMBU	90,200.00
						GRSS	90,200.00
						NKR	90,200.00
						KSM	90,200.00
						KKMG	90,200.00
						MSA	90,200.00
64(c)	**Unisol Solar Lamps –SK30**	**Unisol Solar Lamps –SK30**	No.		UAE	NRB	130,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Solar cell: 1 watt, No of leds:30 **Battery**: Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A6v Electrical charger, which can be used to charge the lantern in case of deficient sunlight **Size**:33cmx23cmx23cm**Light Hours**:4-5hrs		SOLAR CAP SCR-90		NYERI	130,200.00
						EMBU	130,200.00
						GRSS	130,200.00
						NKR	130,200.00
						KSM	130,200.00
						KKMG	130,200.00
						MSA	130,200.00
64(d)	**Unisol Solar Lamps –SK30- Mob**	**Unisol Solar Lamps –SK30-Mob** **Solar cell**: 1 watt, No of leds:30 **Battery** : Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:33cmx23cmx23cm **Light Hours**:5-6hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 4-5hrs of light output	No.	SOLAR CAP SCR-005	UAE	NRB	140,200.00
						NYERI	140,200.00
						EMBU	140,200.00
						GRSS	140,200.00
						NKR	140,200.00
						KSM	140,200.00
						KKMG	140,200.00
						MSA	140,200.00
65	**Fire Sentry**	**Fire Sentry** Ionization type detector complete with: Test button to check alarm circuits Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn Flashing Red LED light which indicates alarm is receiving power Twist off mounting bracket to provide fast easy installation & battery replacement 9 volt battery operated smoke alarm **Model** – 0914E	No.	SISCO	UAE	NRB	1,290,100.00
						NYERI	1,290,100.00
						EMBU	1,290,100.00
						GRSS	1,290,100.00
						NKR	1,290,100.00
						KSM	1,290,100.00
						KKMG	1,290,100.00
						MSA	1,290,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
66	**Emergency Mobile Bridge**	**Emergency Mobile Bridge** Emergency Mobile Bridge with the following specifications: Capacity 50 Tons (50,000 Kgs) Length/span -26 metres Long Construction type Hole & PegMaterial - Aluminium Alloy Construction time - 4 Hours The kit shall also allow for cross linkage to give any variation in width up to 26 Meter width to create a bridge of 26 metres long x 26 meters wide	No.	MODEL KB4 BRIDGING EQUIPMENT	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	48,500,200.00 48,500,200.00 48,500,200.00 48,500,200.00 48,500,200.00 48,500,200.00 48,500,200.00 48,500,200.00
67	**Floto-pump**	**Floto-pump** Pressure to 105 PSI Capacity to 140 GPM Forestry (HP) Pressure to 170PSS Capacity to 60 GPM 8 HP/133CC 4.7(1h-1.5h)	No.	CPC-4923 SISCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	350,100.00 350,100.00 350,100.00 350,100.00 350,100.00 350,100.00 350,100.00 350,100.00
68	**Lifebuoy used with remote control**	**Lifebuoy used with remote control** Size 200x207x120 (mm) 2.5 Knots DC700 4 Blades 6CH Digital FM Radio Control NI-MH (6 CELL)7.2 VCD 3800mA NI-MH 12DC (INPUT)	No.	U-TEL GPE-SAUE BK-DI	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,800,100.00 4,800,100.00 4,800,100.00 4,800,100.00 4,800,100.00 4,800,100.00 4,800,100.00 4,800,100.00
69	**Fire Mobile crane**	**Fire Mobile crane** Horizontal and Vertical system (For high rise building fire and limited working space/limited access where fire trucks cannot access)	No.	TESCO TB 689234	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	14,,200,100.00 14,,200,100.00 14,,200,100.00 14,,200,100.00 14,,200,100.00 14,,200,100.00 14,,200,100.00 14,,200,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
70	**Mammoth Matting**	**Mammoth Matting** Shall be made from polypropylene/reinforced rubber with high strength, durability and resistance against chemicals and uv lights complete with framework of 6x15mm steel beams with wood timber inserts Measuring 4m wide and 30m long Capable of climbing steep gradients up to 25 degreesCapable of being used on all types of soil Capacity :60 tons	No.	GASCO MMAB63	UAE	NRB	3,500,200.00
						NYERI	3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
71	**Aluminium truck way Matting**	**Aluminium truck way Matting** Sheet dimension Width : 4590mm Length :17 metres Capacity :60 tons Material should be aluminium Anchoring Pin/Hole/Steel locking bolt on road surface side ofmatting	No.	ANGLESS Y FAUD	UAE	NRB	3,800,100.00
						NYERI	3,800,100.00
						EMBU	3,800,100.00
						GRSS	3,800,100.00
						NKR	3,800,100.00
						KSM	3,800,100.00
						KKMG	3,800,100.00
						MSA	3,800,100.00
72	**Location/Monitoring system**	**Location/Monitoring system** The search cam system combines a miniature video camera with a spotlight as well as a sensitive microphone to provide rescuers to look and listen into the voids of a collapsed structure	No.	SMCO	UAE	NRB	2,500,100.00
						NYERI	2,500,100.00
						EMBU	2,500,100.00
						GRSS	2,500,100.00
						NKR	2,500,100.00
						KSM	2,500,100.00
						KKMG	2,500,100.00
						MSA	2,500,100.00
73 (a)	**Pyrogen fire Suppression Generators(Ex Series)**	**Pyrogen fire Suppression Generators(Ex Series)** EXA – Z1 :Aerosol Mass, 100g Generator mass: 1.0 Max. protected Volume, 1 m3 Length: 122mm	No.	SUSCO	UAE	NRB	2,800,200.00
						NYERI	2,800,200.00
						EMBU	2,800,200.00
						GRSS	2,800,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Diameter: 64mm Canister Material S/S, Nozzle Outlet Lateral Discharge Time, 30s. Ignition Resistance 2.0-3.0, Minimum all fire current :1.2@12ms, Minimum Activation Voltage :3.6Vdc				NKR	2,800,200.00
						KSM	2,800,200.00
						KKMG	2,800,200.00
						MSA	2,800,200.00
73 (b)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 10R :Aerosol Mass, 1000g Generator mass 9.3 Max. protected Volume, 10m3 Length: 200mm Diameter: 220mm Canister Material M/S, Nozzle Outlet Radial Discharge Time: 30s. Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
73(c)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 50 :Aerosol Mass, 5000g Generator mass 28.5 Max. protected Volume, 50 m3 Length: 450mm Diameter: 310mm Canister Material M/S, Nozzle Outlet Lateral Discharge Time: 50s Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,800,200.00
						NYERI	3,800,200.00
						EMBU	3,800,200.00
						GRSS	3,800,200.00
						NKR	3,800,200.00
						KSM	3,800,200.00
						KKMG	3,800,200.00
						MSA	3,800,200.00
74	**Emergency Security Safety Barriers**	**Emergency Security Safety Barriers** **Type**: NMSB XVI 16` Mobile Hydraulic-dual buttress housing barrier system. **Deployment Positioning**: Once mobilized at site, to be lowered in position by 3(one front & two rear) manual jacks, leveled utilizing levelers at base barrier. Should consist of four (4) concrete jersey barrier, two (2) units placed behind each of the	No.	NASATUA NMSB	UAE	NRB	9,500,100.00
						NYERI	9,500,100.00
						EMBU	9,500,100.00
						GRSS	9,500,100.00
						NKR	9,500,100.00
						KSM	9,500,100.00
						KKMG	9,500,100.00
						MSA	9,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		two Mobile/portable integrated buttress housing totaling a weight of 18,000 Ibs with four concrete barriers. **Road Blockers Physical dimensions :** HPU Cabinet - 640/940mm W x 670mm D x 1300mm H 2m Road blocker - 2510mm W x 1770mm D x 1000mm H **Road Blockers Basic Power requirements**: 3-Phase 415VAC, 50Hz, 20 amps (other voltages are available) Control Voltage S.E.L V 24 v **Road Blocker Performance**: Loading - 30 Tonnes **PAS 68 Impact absorption**: 1852KJ (fully operational immediately after impact) Full PAS 68 Classification: V/7500(N2/80/90:0/17.0 TestedModel 800mmHx2.0mW Road Blockers Speed of operation - typically 6 Seconds toraise or lower Emergency Fast Raise option - <1 second to raise Operating temperature range -25 deg C - +70 deg C Hydraulic Back Up System to provide six half cycles in the event of power failure. **Construction**: The supporting framework shall be constructed from fully welded, heavy gauge, steel angle and boxsection completely encased with steel sheets to provide a self- shuttered module. Sub-surface fixing points shall ensure the blocker iscompletely secured to its foundation.					
75	**Incinerator Assy 10,000kg**	**Incinerator Assy 10,000kg Installed heating capacity**: 1, 200,000Kcal/hr. **Hearth area** :1.8m2 **Hearth Loading** :85Kg/m2 **Changing door** :350 mm (W).350mm(H) with hinged refractory lined: **Ash door**:350 mm (W).200mm(H) with hinged refractory lined **Air Port** :One set **View Port**: One **Burner**: One 1.20.000 Kcal/hr HSD fired, ignition burner with FD fan, fuel pumps flame, control & burner control system, ignition unit etc.	No.	CRAWFORD	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	96,000,200.00 96,000,200.00 96,000,200.00 96,000,200.00 96,000,200.00 96,000,200.00 96,000,200.00 96,000,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Material of construction: Shell - Boiler quality to IS 2002 Gr A Insulation: a) Castable refractories high alumina capable of withstanding 1400 degree centigrade. Outer chamber with air jacket. b) Mineral Wool c) Glass wool **Damper** :Butterfly type & Manual **Electric Motor** :TEFC Squirrel cage induction motor continuous rating with 'F' class insulation (non flameproof) **Skin temperature** :35°C above ambient **Mode of operation**: Fully automatic with alarm buzzer **Mating System burner with Automating nozzle**: Pressure jetautomatic burners with automatic **Operating pressure Draught fan**: Negative pressure though induced **Fuel Tank**:100 litre with inspection cover drain valve, gauge and pipe lines Necessary Maintenance spares, concomitant accessories,tooling and gauges have to be supplied with Incinerator System Supplier shall have to arrange free training for user staff inoperation and maintenance Supplier shall have to provide related drawings/diagrams(civil, mechanical and electrical etc.)electrical load and electrical circuitry					
77	**Emergency suction delivery hose**	**Emergency suction delivery hose** Shall be made from PU with highly chemical resistant hose of 2" diameter at suction and 10m length Shall be UV stabilized Complete with male /female camlock	No.	SUSCO	UAE	NRB	68,900.00
						NYERI	68,900.00
						EMBU	68,900.00
						GRSS	68,900.00
						NKR	68,900.00
						KSM	68,900.00
						KKMG	68,900.00
						MSA	68,900.00
78			No.	SILICO	UAE	NRB	17,500,300.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Trailer mounted communication system complete with station electronic equipment	**Trailer mounted communication system complete with station electronic equipment** Interoperability system capable of patching 700MHz, 800MHz, UHF and VHF frequencies together without reprogramming and ability to dispatch trailer using system as a console Shall have extensive storage for critical response equipment and accessories Length:14ftWidth:7ft Weight (max. load):3,500 lbs Chassis: Welded steel box frame with non-slip plating deckand weather/vandal resistant housings Stabilization: Heavy duty adjustable outriggersTowing Connections:2 inch ball and ring Vehicle Status: Light trailer capable of being pulled by anystandard pickup truck to comply with all DoT and TC road-going trailer licensing requirements Electrical System:12v lighting, braking and PowerGeneration for Critical Communications **Communications Tower Construction**: Girder frame - steel Minimum of 30' tower with mounting for radio antennas, PTZ cameras, weather station and/or other systems. Secure cabling for radio, video, VSAT Satellite, and ITnetworking Height: Retracted horizontal length: 12 feetFully Extended height: 42 feet Deployment Mechanism: Electric raise, extend and lowerRoad Clearance:7 feet **Wireless Communications System** Frequency:2.4 GHz Bandwidth:11 MHz Range:1,000ft to .5 miles Encryption: 128bit AirFortress®, 256bit AES and Triple DES **Camera** -Video camera system with 360 degree viewingand pan/tilt/zoom capabilities. Digital video recording on board with large storagecapabilities and remote access. Ability to control radio patching, controls, and remote				NYERI	17,500,300.00
						EMBU	17,500,300.00
						GRSS	17,500,300.00
						NKR	17,500,300.00
						KSM	17,500,300.00
						KKMG	17,500,300.00
						MSA	17,500,300.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		videoviewing of the mast camera through secure VSAT internet connection Functions: Pan, Tilt, Zoom, Patrol, Motion Detection,Motion Reporting, Two-way audio communications Mechanical Zoom:26X					
79	**Field mobile hospital**	**Field mobile hospital** The **Field Hospital** system complex shall consist of the following elements: **One Operating Theatre (Surgical) Module** installed into two Rigid purpose built ISO Containers. The Module provides an autonomous surgical operating theatre complete with operating facilities, and Air-conditioning. **One Pre Op Container** Installed into a single ISO Container. The shelter provides autonomous intensive care facilities complete with facilities and air-conditioning to meet the standards for intensive care in a mobile environment. **One Medical Staff Preparatory Container** in a single ISO Container. **One Generator Container** **One Utilities Container** providing Water and Waste Management **Three inflatable Ward Tents** 7m x 5m x 2.5m **One inflatable Ward Tent** 5m x 5m x 2.5m **Three inflatable Ward Tent** 17m x 8m x 4m	No.	SILICO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00
80	**Floor Material-Tarpaulin (4mx5m)**	**Floor Material- Tarpaulin (4mx5m)** heavy weight PVC-tarpaulin Permanently flame retardant material - flame-retardant properties able to persist after soaking or washing. Length :65m width: 250cm density:720 g/m²thickness: 3mm 100% recyclable synthetic material capable of flatness after roll-out, dimensional stability, wear & tear resistance, c/w accessories	No.	TARPO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	15,600.00 15,600.00 15,600.00 15,600.00 15,600.00 15,600.00 15,600.00 15,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
81	**Trailer mounted automated latrines complete for four people c/w generator andlights**	**Trailer mounted automated latrines complete for four people c/w generator and lights** Manufactured from Structural Grad Aluminium · Height Internal 2.2mOverall 2.6m · Width 2.4m · Depth 2.0m · Weight 700kgs · POWER:10amp power outlet · WATER: Mains water pressure (Gravity Feed - needs 6m head) · DRAINAGE: Sewer / Septic Connection (optional) Macerating pump via hose to waste holding tank Capable of pumping waste to 50m from unit and up to 11m above the unit	No.	Silico	England	NRB	3,500,200.00
						NYERI	3,500,200.00
							3,500,200.00
							3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
82	**Winch**	**Winch** **Vehicle-Recovery Winch** for heavy winching needs Shall have (5,440 kg) pulling capacity Shall come with 125' of 3/8" (38 m of 9.5mm) wire ropeand roller fairlead Remote with 12' (3.7 m) lead	No.	FISCO	England	NRB	480,100.00
						NYERI	480,100.00
						EMBU	480,100.00
						GRSS	480,100.00
						NKR	480,100.00
						KSM	480,100.00
						KKMG	480,100.00
						MSA	480,100.00
83	**Crane**	**Crane** **Hoisting capacity:** 10 tonnes **Crane span:** 19 + 0.2metres **Longitudinal travel of crane:** 70+ 0.5metres **Lifting range:** 6.5metres(hook height) **Main hoist speed:** 3.0m/min **Long travel speed:** 20.0m/min **Cross travel speed:** 16.0m/min **Creep speed:** pre-settable minimum 10% to 100% in steps of 10% full speeds by VVVF **Duty class of crane(as per IS:807-206):** M7 Shall come complete with :		FHAM CRANE	England	NRB	12,500,200.00
						NYERI	12,500,200.00
						EMBU	12,500,200.00
						GRSS	12,500,200.00
						NKR	12,500,200.00
						KSM	12,500,200.00
						KKMG	12,500,200.00
						MSA	12,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Bridge structure with platform and hand railing Travelling mechanism for long and cross travel shall include wheels, runway rails, end stops with spring/rubber buffers and wheel stops Trolleys Hoisting mechanism Service platform on both sides of crab girder Brake mechanism for long travel, cross travel and hoisting Pendant control and wireless remote operation for all movements Electric motors, control gear and switch gear AC variable frequency controls for all motions of the crane Lighting fixtures and accessories for cranes Earthing for all electrical equipment in the crane					
84	Field kitchen trailer	**Field kitchen trailer** Shall consist of: 1 x 150 Litre Double Walled Kettle2 x 20 Litre Water Heaters Revised Chassis with Height Adjustable Tow Bar Equipment for Diesel Operation (including upgraded burner) Platform for Carrying a Generator Generator Cover Spare Tyre & Wheel Wedge Toolset Shelter/Transportation Cover – Military Green (or UN White) **Optional LPG Variant** ses Liquid Petroleum Gas (LPG) as Pressure 2 Bar, Max Flow 2.1 kg/h rner Equipped with Power Control/Shut-off Valve, Flame Safety Device and Pierzo-electric Ignition as Burner Made of Stainless Steelurner is Installable without Tools. Gas Pipe with Quick Connector as Tubing and Valves Installed on Trailer Body as Cylinder Holder in Front of Trailer. Position for Two (2) x 11Kgs Gas Cylinders essure Regulator for Gas Cylinder with Press-on Valve, diam 35mm according to EN 12864		FERWISE	England	NRB NYERI EMBU GRSS NKR KSM KKMG

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		E Marked and Type Approved in Accordance with Gas ApplianceDirective 90/396/EEC					
85	**Syphon Hose**	**Syphon Hose** is used with boats, autos, lawn mowers, tractors, motorcycles, stopped up sinks and tubs, water beds, aquarium and fish tank maintenance, ponds, pools, hot tubs and home brewery's to safely transfer gasoline, diesel fuel, kerosene, light weight oil, water, thinners, paint and more Either Self-Priming Syphon Hose or manual suction siphon, it shall come with: 6 feet of FDA grade poly tubing, hose adaptor and High quality brass fitting for excellent longevity Shall have a 3-1/2 gallon per minute flow rate, depending on the liquid being transferred.	No.	UDAYA	England	NRB	3,900.00
						NYERI	3,900.00
						EMBU	3,900.00
						GRSS	3,900.00
						NKR	3,900.00
						KSM	3,900.00
						KKMG	3,900.00
						MSA	3,900.00
86	**Vaccine refrigerator**	**Vaccine refrigerator** Mains powered version that works on as little as 2½ hours power per day, or a solar 'direct drive' model that doesn't need a battery to maintain cooling performance overnight. In severe power outages, both models keep vaccines at safe temperatures for extended periods without any power whatsoever – 10 days or more at 32°C ambient, and even longer at lower temperatures.	No.	UDAYA	England	NRB	1,500,100.00
						NYERI	1,500,100.00
						EMBU	1,500,100.00
		odel AC (Mains) DC(Solar) : 89cm W: 89cm Size (cm): D: 76cm D: 76cm : 185cm H: 185cm Gross storage capacity 124L 124L (litres): Vaccine storage 99L 99L capacity (litres): Holdover time 43°C: 250 hours 184 hours (>10 days) (>7 Days)				GRSS	1,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Holdover time 32°C: 309 hours (>12 days)* 288 hours 43°C 32°C Solar arrayPower consumption: < 4 hours < 2½ 370W dep supply per day hours geographic supply per day 200W to ending on al location Minimum rated ambient 10°C 5°C temperature: Refrigerant: R134a R600a (CFC free) (CFC/HFC Insulation: CFC/HFC free CFC/HFC	(12 days) *				
						NKR	1,500,100.00
						KSM	1,500,100.00
						KKMG	1,500,100.00
						MSA	1,500,100.00
87	**3 way valve**	**3 way valve** The purpose of a 3-way control valve is to shut off water flow in one pipe while opening water flow in another pipe, to mix water from two different pipes into one pipe, or to separate water from one pipe into two different pipes. Shall have capacity of air supply pressures up to 5.0 bars (72 psig),allowing valve shutoff at high pressure drop A 3-way valve shall be provided with an electrical, pneumaticor thermal actuator. **Valve Body Size;** DN 25, 40, 50, 80, 100 **Pressure Rating**: PN 10 / 16 / 25 / 40 per EN 1092-1 **End Connections**: Flanged raised face per EN 1092-1 **Valve Body Materials**:1.0619 steel 1.4409 stainless steel **Bonnet Materials:1**.4409 stainless steel **Flow Direction:** Converging and Diverging	No.	SILICON	England	NRB	65,200.00
						NYERI	65,200.00
						EMBU	65,200.00
						GRSS	65,200.00
						NKR	65,200.00
						KSM	65,200.00
						KKMG	65,200.00
						MSA	65,200.00
88	**Mist type nozzles**	**Mist type nozzles** Stainless steel/ Brass body Connecting thread:1/8 Flow rate: 200 ml/min Spray angle:18°	No.	UDAYA	England	NRB	150,200.00
						NYERI	150,200.00
						EMBU	150,200.00
						GRSS	150,200.00
						NKR	150,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KSM	150,200.00
						KKMG	150,200.00
						MSA	150,200.00
89	**Firefighting motorcycle**	**Firefighting motorcycle** Propellant: Compressed atmospheric air Pressure source: 6.8 litres breathing apparatus tank made of aluminium inner and carbon composite outer for 300 bar pressure Working pressure: Preset at 20 bars Nozzle: dual nozzle Nozzle pressure: 13 bars Lance measurements: 104 cm long, 4 kg Spray options: Micro-drops or jet stream of aspirated foam as selected by operator with instant change Stream options: Continues stream or manual pulsing Range: 11 meters Drop size (micro-drops): 7-100 microns Water/foam tank: 2 x 25 liter stainless steel water/foam tanks, sufficient for 136 seconds on constant spray Flow: 22 liters per min. (micro-drops), 110 liters per min. (aspirated foam) Recommended foam solution: 3% AR-AFFF (alcohol resistant) foam solution, premixed in water Foam expansion rate: Low expansion rate, approximately 1:5 Hose: 30 meter ½" hose on reel with manual rewind **Hose type**: Oil and temperature resistant (-40° C up to +100° C) according to EN 854 Corrosion resistance: Water tank – stainless steel type 1.4462 (werkstoff no.)/ UNS S 31803 (ASTM) **Safety features**: Two pressure safety valves (26 bars and 40 bars) Non-return valve between pressure regulator andwater/foam tank **Accessories**: Lance with cavity spear, lance with cleaning nozzle, flat jet spray adapter for penetration of forest floor, filling kit, fully certified tailor-made fire suits appropriate for riding motorcycles	No	FIRE EXPRESS BMW	UAE	NRB	4,500,200.00
						NYERI	4,500,200.00
						EMBU	4,500,200.00
						GRSS	4,500,200.00
						NKR	4,500,200.00
						KSM	4,500,200.00
						KKMG	4,500,200.00
						MSA	4,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Motorcycle: Model: BMW R 1200 RT - police version Engine capacity: 1,170 cc Output: 81 Kw (110 HP) at 7,500 rpm Maximum torque: 115 Nm at 6,000 rpm Dimensions (D x W x H) : 223 x 91 x 143 cm Weight:359 kg (fully loaded) **Driving limitations**: Maximum speed limit is 180 km/h Water/foam tanks must either be completely full or completely empty when driving Riders must receive special training Regular control of technical condition of the motorcycle must be performed **Firefighting capability:** Able to fight class A, B, C and E fires Tested according to EN 3-7 standard Approved for electrical fires up to 10,000 volts					
90	**All-terrain vehicle**	**All-terrain vehicle** Vehicles driven like a motorcycle, but the extra wheels give more stability at slower speeds. Typically equipped with four) wheels, though six-wheel models exist for specialized applications. Engine sizes of ATVs currently range from 49 to 1,000 cc 15 HP engine 220cc typical for fire fighting 13HP Pump mounted at the rear(manual or automatic start) with output of 600 l/min at operating pressure of 8 bars Complete with accessories: 20m long 4 no. hermaphrodite connection delivery hoses,2" branch nozzle, rubber lined 40m hose reel 100 litre foam tank6 litre premix AFF 2 no portable fire extinguishers(dry powder) Fireman's axe, spanner, key and bar 7m long suction hose with strainer battery	No	Fire Express Polaris	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00
91	**Emergency dewatering pumping units**	**Emergency dewatering pumping units** Provides a quick and easy solution in case of flooded basements, garages and residential buildings. The kit is composed of a stainless steel drainage electric pump and a 6	No	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG	9,500,100.00 9,500,100.00 9,500,100.00 9,500,100.00 9,500,100.00 9,500,100.00 9,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		meters long flexible hose complete with quick coupling, all inside a plastic box that can be usedto store the kit on a shelf when not in use, or as a strainer during operation. **Specifications**: Head: up to 7 m Power supply: single-phase				MSA	9,500,100.00
92	**Fire Ball**	**Fire Ball** Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years	No.	UDAYA	England	NRB	13,700.00
						NYERI	13,700.00
						EMBU	13,700.00
						GRSS	13,700.00
						NKR	13,700.00
						KSM	13,700.00
						KKMG	13,700.00
						MSA	13,700.00
93	**Air Diffuser Pack**	**Air Diffuser Pack Contents:** 1x Air Diffuser Machine Wall Mounted 2x40m Refills Containing Solution 2xWick to insert into each refill. Made of lime wood and shall have polyester powder coated white/silver finishes Shall come in 2-10pack packaging complete with non-visiongrilles(satin silver finish) Packaged in shrink wraps and fitted with removable plastic covers Complete with opposed blade dumpers Plenum boxes shall be made of polystyrene and galvanized sheet steel	No.	BIOCHEM	England	NRB	28,100.00
						NYERI	28,100.00
						EMBU	28,100.00
						GRSS	28,100.00
						NKR	28,100.00
						KSM	28,100.00
						KKMG	28,100.00
						MSA	28,100.00
94	**De watering pumps for flooding heavy duty trailer mounted**	**De watering pumps for flooding heavy duty trailer mounted** Available in 4x4, 6x6 and 8x8-inch versions, automatic, dry-priming trash pump for contractors, dewatering firms,		UDAYA	England	NRB	2,500,100.00
						NYERI	2,500,100.00
						EMBU	2,500,100.00
						GRSS	2,500,100.00
						NKR	2,500,100.00
						KSM	2,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		sewage-bypass operations, mine or quarry operators, municipalities, and industrial operations. Units shall be self-contained in either skid or trailer configurations Range : 0.75 Hp To 75.0 Hp Head : Up To 100 Mtr. Capacity : Up To 450 M3/Hr Solid Size: Up To 35 Mm (Suspended Solid) Speed : 2850 Rpm/1440 Rpm Control : Thermistor & Moisture (Optional) **Material Of Construction** Pump Casing : C.I. /S.S./ Alu.(Optional) Impeller : C.I./S.S.316/Cf8m/S.S.410/S. S.304 Shaft : S.S.410/S.S.431 Motor Body : C.I. (Ej Series) , S.S. /M.S. (Mj Series) , M.S. Fabricated (Vdx Series) / As Per Req. Mech. Seal : Tungsten Carbide/Tungsten Carbide or As per Application Hardware: Stainless Steel Rubber Part : Nitrile / Witon Rubber /As per Req. Application				KKMG	2,500,100.00
						MSA	2,500,100.00
95	**Generator Distribution Panels**	**Generator Distribution Panels** To provide electric-power distribution for 3-phase electrical equipment. Ability to deliver electric power for up to eight 60 amp rectifier-welders operating on 240, 380, 480 or 600 volt, 3-phase power 1600 Amps • 208-600Vac, 50/60Hz rated • MEC 20 Microprocessor-based Engine/Generator Controller • Digital AC/DC Instrumentation • Optional remote annunciator Stainless Steel Construction **Specifications** 240, 380, 480 or 600 volt electric power distribution 8 - 60 amp, 3 phase receptacles with 50 amp breakers1 - 9 connection terminal board with 20 amp breaker 1 - 225 amp, 600 volt main breaker CSA Approved	No.	VICKS ENGLAND	England	NRB	150,000.00
						NYERI	150,000.00
						EMBU	150,000.00
						GRSS	150,000.00
						NKR	150,000.00
						KSM	150,000.00
						KKMG	150,000.00
						MSA	150,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
96	**Rotax Firetec**	**Rotax Firetec** **Engine Specifications** Rotax Model 185 cc Maximum power: 10 HP (7.46kW) Engine : 2-cycle, air cooled single cylinder with cast iron sleeve Starting system: Recoil with backup manual rope starter Ignition system: Electronic ignition Stroke: 2.40" (61 mm) Bore: 2.44" (62 mm) Displacement:185 cc (11.29 cubic inches) Lubrication :Oil in fuel mixture	No.	FIRETEC	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	375,200.00 375,200.00 375,200.00 375,200.00 375,200.00 375,200.00 375,200.00 375,200.00
97	**Multi Power Mobile Fire Pump**	**Multi Power Mobile Fire Pump** Pump unit specifications •12-16, detachable 4-stage centrifugal pump end •Quick release pump clamp •Lightweight aluminium alloy pump parts •Anodized pump parts for corrosion resistance •Stainless steel shaft •Mechanical rotary seal •Automatic overspeed safety switch •Painted steel frame •2" (51mm) suction threads •1 ½" (38mm) discharge threads •Fuel consumption 4.5 L hour) Length 23" (58cm) Width 12" (31cm) Height 16 ¼" (41cm) Weight58lbs (26.3kg)	No.	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	8,500,200.00 8,500,200.00 8,500,200.00 8,500,200.00 8,500,200.00 8,500,200.00 8,500,200.00 8,500,200.00
98	**Portable Fire Detector Tester**	**Portable Fire Detector Tester** Wireless and battery powered complete with protective carrying bag Made of fibre glass with four section telescopic pole complete with extension pole Shall have a universal detector removal tool and aerosol smoke dispenser	No.	PEDY	England	NRB NYERI EMBU	185,200.00 185,200.00 185,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	185,200.00
						NKR	185,200.00
		Capable of detecting fixed temperature to rate of rise and combination up to 900 C Shall have capacity to remove, replace and test smoke detector up to 23 ft.				KSM	185,200.00
						KKMG	185,200.00
						MSA	185,200.00
99	**Air Tent For Disaster Control Point**	**Air Tent For Disaster Control Point** Shall be made from highly breathable and strong cotton /polyester fabric Heavy duty 75-150D fabric with fully taped seems Shall have 4-8 persons capacity Shall have 1 door per 1 room and 4 mesh windows Complete with internal pre-attached pole system	No.	DCP-11	England	NRB	1,850,200.00
						NYERI	1,850,200.00
						EMBU	1,850,200.00
						GRSS	1,850,200.00
						NKR	1,850,200.00
						KSM	1,850,200.00
						KKMG	1,850,200.00
						MSA	1,850,200.00
100	**Petrol Engine Driven Water Pump 2" BSP**	**Petrol Engine Driven Water Pump 2" BSP** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 4.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kg	No.	NAFFCO	UAE	NRB	280,200.00
						NYERI	280,200.00
						EMBU	280,200.00
						GRSS	280,200.00
						NKR	280,200.00
						KSM	280,200.00
						KKMG	280,200.00
						MSA	280,200.00
	Cold fire extinguishers 9.5 Litres Cold fire extinguisher	**Cold fire extinguishers**	No.	Naffco	UAE	NRB	27,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		9.5 Litres Cold fire extinguisher ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NYERI	27,100.00
						EMBU	27,100.00
						GRSS	27,100.00
						NKR	27,100.00
						KSM	27,100.00
						KKMG	27,100.00
						MSA	27,100.00
(b)	**5.7 liters Cold fire extinguisher**	**5.7 liters Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon.	No.	Naffco	UAE		24,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Non Toxic. ▪ Non Corrosive— product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
(c)	**Heavy duty steel mounting brackets above Units**	**Heavy duty steel mounting brackets above Units**	No.	Naffco	UAE	NRB	9,100.00
						NYERI	9,100.00
						EMBU	9,100.00
						GRSS	9,100.00
						NKR	9,100.00
						KSM	9,100.00
						KKMG	9,100.00
						MSA	9,100.00
(e)	**4 Litre Extinguisher**	**4 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) •Considered an acceptable substitute to toxic foams and Halon.	No.	Naffco	UAE	NRB	9,200.00
						NYERI	9,200.00
						EMBU	9,200.00
						GRSS	9,200.00
						KSM	9,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable •Unique Thermal Insulation capability. Helps to minimize heat exhaustion. •Prevents re-ignition when properly applied. •Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. •Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. •No messy Cleanup is required. •Cold Fire is non-slip. •Indefinite Shelf Life when stored in closed container				KKMG MSA	9,200.00 9,200.00 9,200.00
(f)	3 Litre	**3 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) Listed. •Capable of suppressing multiple classes of fire ABDK Fires •Considered an acceptable substitute to toxic foams and Halon. Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion.	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	6,100.00 6,100.00 6,100.00 6,100.00 6,100.00 6,100.00 6,100.00 6,100.00 6,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
(g)	**2 Litre Extinguisher**	**2 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
(h)	**1 Litre Extinguisher**	**1 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires.	No.	Naffco	UAE	NRB	3,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, and thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NYERI	3,900.00
						EMBU	3,900.00
						GRSS	3,900.00
						NKR	3,900.00
						KSM	3,900.00
						KKMG	3,900.00
						MSA	3,900.00
(i)	**50 Kg Cold Fire Trolley Type Fire Extinguisher**	**50 Kg Cold Fire Trolley Type Fire Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied.	No.	Naffco	UAE		106,000.00
						NRB	106,000.00
						NYERI	106,000.00
						EMBU	106,000.00
						GRSS	106,000.00
						NKR	106,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				KSM	106,000.00
						KKMG	106,000.00
						MSA	106,000.00
(j)	**Mounting Brackets for Above units**	**Mounting Brackets for Above units**	No.	Naffco	UAE	NRB	9,100.00
						NYERI	9,100.00
						EMBU	9,100.00
						GRSS	9,100.00
						NKR	9,100.00
						KSM	9,100.00
						KKMG	9,100.00
						MSA	9,100.00
102 (a)	**Cold Fire Foaming Nozzle**	**Cold Fire Foaming Nozzle** Short to medium range of up to about 10 feet and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	Naffco	UAE	NRB	7,900.00
						NYERI	7,900.00
						EMBU	7,900.00
						GRSS	7,900.00
						NKR	7,900.00
						KSM	7,900.00
						KKMG	7,900.00
						MSA	7,900.00
(b)	**Cold Fire Wand Nozzle**	**Cold Fire Wand Nozzle** Made to fight fires at a very close distance and is typically used primarily by professionals.	No.	Naffco	UAE	NRB	10,600.00
						NYERI	10,600.00
						EMBU	10,600.00
						GRSS	10,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Recommended use of this nozzle is only for specifically trained personnel.				NKR	10,600.00
						KSM	10,600.00
						KKMG	10,600.00
						MSA	10,600.00
(c)	**Cold Fire Aspirating Nozzle**	**Cold Fire Aspirating Nozzle** Helps aerate when spaying and by doing so makes more foam. Together with standard units and at the correct pressure, it can be used to spray up to about 20 feet. This is the most user friendly and versatile nozzle, which makes it the most, recommended one for general use.	No.	Naffco	UAE	NRB	9,100.00
						NYERI	9,100.00
						EMBU	9,100.00
						GRSS	9,100.00
						NKR	9,100.00
						KSM	9,100.00
						KKMG	9,100.00
						MSA	9,100.00
103 (a)	**Cold fire Spray**	**Cold fire Spray** Easy to use spray can Lightweight, convenient size Environmentally safe! No fumes or odors Biodegradable, nontoxic, non-corrosive Leaves no mess, stain or residue! No special cleanup required Prevents re-ignition Quickly and effectively suppresses: Class A (wood/paper/furnishings) & Class B (grease/oil) spot fires Used on surfaces such as wood, paper, cotton, furnishings, fabrics, carpeting, curtains, packaging materials and storage boxes Kitchen stove grease fires; barbeque grill flare-ups; fireplace sparks and embers; fires ignited by candles; cigarettes/cigar fires; campfires; car, boat use Available in the following sizes: **Cold Fire Ultimate Spray Can (340g)**	No.	Naffco	UAE	NRB	3,200.00
						NYERI	3,200.00
						EMBU	3,200.00
						GRSS	3,200.00
						NKR	3,200.00
						KSM	3,200.00
						KKMG	3,200.00
						MSA	3,200.00
(b)	**Cold Fire Pre- Mix 1 Litre Pump Spray**	**Cold Fire Pre-Mix 1 Litre Pump Spray**	No.	Naffco	UAE	NRB	12,100.00
						NYERI	12,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						EMBU	12,100.00
						GRSS	12,100.00
						NKR	12,100.00
						KSM	12,100.00
						KKMG	12,100.00
						MSA	12,100.00
(c)	**0.5 Litres Spray Can Holster**	**0.5 Litres Spray Can Holster** made from 100% real leather, nylon threads or metal studs	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
(a)	**Cold Fire Concentrate 1 Litre Ext. Refill**	**Cold Fire Concentrate 1 Litre Ext. Refill** This concentrate will refill a 9.5 litres extinguisher a 10% mixture for fire suppression and ultimate cooling properties	No.	Naffco	UAE	NRB	7,400.00
						NYERI	7,400.00
						EMBU	7,400.00
						GRSS	7,400.00
						NKR	7,400.00
						KSM	7,400.00
						KKMG	7,400.00
						MSA	7,400.00
(b)	**Cold Fire Concentrate 20 Litres Bucket**	**Cold Fire Concentrate 20 Litres Bucket** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C	No.	Naffco	UAE	NRB	35,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		• Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes				NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
(c)	**Cold Fire Concentrate 210 Litres Drum**	**Cold Fire Concentrate 210 Litres Drum** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes	No.	Naffco	UAE	NRB	24,200.00
						NYERI	24,200.00
						EMBU	24,200.00
						GRSS	24,200.00
						NKR	24,200.00
						KSM	24,200.00
						KKMG	24,200.00
						MSA	24,200.00
104 (a)	**Fire Block**	**Fire Block** a specially formulated, environmentally friendly product which is used to retard fire in all Class A materials. It forms a thermal insulation barrier that prevents dangerous flames from spreading. Fire Block also inhibits the development of toxic hydrocarbon smoke Available in the following sizes: PH : 7.0 Concentrate Boiling Point : 212°F **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F	No.	Naffco	UAE	NRB	7,600.00
						NYERI	7,600.00
						EMBU	7,600.00
						GRSS	7,600.00
						NKR	7,600.00
						KSM	7,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Biodegradability : 100% in 21 days under ideal conditions **Fire Block 1 Litre**				KKMG	7,600.00
						MSA	7,600.00
(b)	**Fire Block 20 Litres Bucket**	**Fire Block 20 Litres Bucket**	No.	Naffco	UAE	NRB	40,500.00
						NYERI	40,500.00
						EMBU	40,500.00
						GRSS	40,500.00
						NKR	40,500.00
						KSM	40,500.00
						KKMG	40,500.00
						MSA	40,500.00
(c)	**Fire Block 210 Litres Drum**	**Fire Block 210 Litres Drum**	No.	Naffco	UAE	NRB	240,100.00
						NYERI	240,100.00
						EMBU	240,100.00
						GRSS	240,100.00
						NKR	240,100.00
						KSM	240,100.00
						KKMG	240,100.00
						MSA	240,100.00
105 (a)	**Motor Max**	**Motor Max** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete	No.	Naffco	UAE	NRB	1,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Shelf Life: Indefinite when stored in closed containers between 28°F - 120°F Available in the following capacities: **Motor Max 1 Litre Bottle** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F					
						NYERI	1,500.00
						EMBU	1,500.00
						GRSS	1,500.00
						NKR	1,500.00
						KSM	1,500.00
						KKMG	1,500.00
						MSA	1,500.00
(b)	**Motor Max 20 Liters Bucket**	**Motor Max 20 Liters Bucket** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F	No.	Naffco	UAE	NRB	35,200.00
						NYERI	35,200.00
						EMBU	35,200.00
						GRSS	35,200.00
						NKR	35,200.00
						KSM	35,200.00
						KKMG	35,200.00
						MSA	35,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
10 6	**Odor Seal**	**Odor Seal** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	9,850.00
						NYERI	9,850.00
						EMBU	9,850.00
						GRSS	9,850.00
						NKR	9,850.00
						KSM	9,850.00
						KKMG	9,850.00
						MSA	9,850.00
(a)	**Odor Seal 1 Litre**	**Odor Seal 1 Litre** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	9,600.00
						NYERI	9,600.00
						EMBU	9,600.00
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
(b)	**Odor Seal 20 Litres Bucket**	**Odor Seal 20 Litres Bucket** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following	No.	Naffco	UAE	NRB	90,500.00
						NYERI	90,500.00
						EMBU	90,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification					
						GRSS	90,500.00
						NKR	90,500.00
						KSM	90,500.00
						KKMG	90,500.00
						MSA	90,500.00
(c)	**Odor Seal 210 Liters Drum**	**Odor Seal 210 Liters Drum** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order: Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	450,200.00
						NYERI	450,200.00
						EMBU	450,200.00
						GRSS	450,200.00
							450,200.00
						KSM	450,200.00
						KKMG	450,200.00
						MSA	450,200.00
107	**John Dee Firefighting Engine**	**John Dee Firefighting Engine** 1500 CREW EXPRESS4X4 (140 in WB 5 FT 7 IN box) 5.7L V8 HEMI MDS VVT Engine 6-Spd Automatic 65RFE Transmission Monotone Paint Cloth 40/20/40 Bench Seat - Black/Diesel Gray Class IV Receiver Hitch Rear Back-up Camera Air Suspension - 4-Corner 32 Gallon Fuel Tank Anti-Spin Differential Rear Axle Premium Display Package Popular Equipment Group Power Black Trailer Tow Mirrors Remote Start and Security Group	No.	JDEE	UAE	NRB	7,500,100.00
						NYERI	7,500,100.00
						EMBU	7,500,100.00
						GRSS	7,500,100.00
						NKR	7,500,100.00
						KSM	7,500,100.00
						KKMG	7,500,100.00
						MSA	7,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Trailer Brake Control Dealer added Sport Hood upper glove box door sport headlights					
108 (a)	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	No.	AGAM	England	NRB	650,200.00
						NYERI	650,200.00
						EMBU	650,200.00
						GRSS	650,200.00
						NKR	650,200.00
						KSM	650,200.00
						KKMG	650,200.00
						MSA	650,200.00
(b)	**Inflatable Cold Storage**	**Inflatable Cold Storage** Suitable for storage ,production, packaging and preparing food during emergencies 3 sizes-single, double and triple Single 4.8m x 6.8m x2.8m Double 9.8m x 6.8m x2.8m Triple 14.4m x 6.8m x2.8m Assembly time 1 ½ hours Power supply needed 32amp single phase or 16amp 3 phase Chill temp +2^{0}C t0 +8^{0}C	No.	SUPCOOL	England	NRB	850,100.00
						NYERI	850,100.00
						EMBU	850,100.00
						GRSS	850,100.00
						NKR	850,100.00
						KSM	850,100.00
						KKMG	850,100.00
						MSA	850,100.00
(c)	**Green House Kit Assy**	**Green House Kit Assy** (Width x Length) 8 1/2' x 6 1/2', 8 1/2' x 10', and 8 1/2' x 14' shall include a PVC frame and 6 mil thermal polyethylene plastic covering (both UV protected), exhaust fan, hinged door with lockable latch, built-in shelving, and anchors	No.	AGAM	England	NRB	650,100.00
						NYERI	650,100.00
						EMBU	650,100.00
						GRSS	650,100.00
						NKR	650,100.00
						KSM	650,100.00
						KKMG	650,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	650,100.00
(d)	**Green house Irrigation Kit**	**Green house Irrigation Kit** Perfect for the average 8' x 6' greenhouse. Shall contain a pressure reducing connector, 20m of hose, two Aqua Pods, and 10 stakes. This kit will water up to four growing bags or 10 individual plants.	No.	AGAM	England	NRB	350,200.00
						NYERI	350,200.00
						EMBU	350,200.00
						GRSS	350,200.00
						NKR	350,200.00
						KSM	350,200.00
						KKMG	350,200.00
						MSA	350,200.00
(f)	**Dam/Pond lining**	**Dam/Pond lining** Are used primarily to prevent the loss of water from storage ponds and dams. These storage ponds can be for dairy farm waste ponds, stock watering, irrigation and firefighting □ shall be able to: withstand severe heat temperature fluctuations (- 45°C to +130°C) □ Withstand prolonged ozone exposure to the sunlight □ Combine strength and durability □ Puncture resistant-UV treated □ Elongation of 400% (Flexible able to conform over rocks) □ Tear resistant □ Fish and Plant friendly □ Environmentally friendly (should not break down underneath the ground)	No.	GENAP	England	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00
						KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00
(g)	**Water Pump, Petrol Engine**	**Water pump Petrol engine** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 5.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute	No.	SSP ENGLAND	England	NRB	450,200.00
						NYERI	450,200.00
						EMBU	450,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kgs				GRSS	450,200.00
						NKR	450,200.00
						KSM	450,200.00
						KKMG	450,200.00
						MSA	450,200.00
(h)	**Delivery Hose for (g) above**	**Delivery Hose for (g) above** Rubber lined hose all sizes 4 bar working pressure	No.	SSP	England	NRB	550.00
						NYERI	550.00
						EMBU	550.00
						GRSS	550.00
						NKR	550.00
						KSM	550.00
						KKMG	550.00
						MSA	550.00
(i)	**Ditch lining**	**Ditch lining** Concrete canvas made of a 3-dimensional fibre matrix containing a specially formulated dry concrete mix. A PVC backing on one surface to ensure the material is water proof. Once hydrated the material remain should remain flexible and workable for 2 hours (subject to ambient temperatures) and gain 80% of its 28 day strength in the first 24 hours. 3 thicknesses, 5, 8 and 13mm. standard roll width of 1.0m 5mm mas kg/ M^2 Density(unset)kg/M^3 1500	No.	GENAP	England	NRB	8,500.00
						NYERI	8,500.00
						EMBU	8,500.00
						GRSS	8,500.00
						NKR	8,500.00
						KSM	8,500.00
						KKMG	8,500.00
						MSA	8,500.00
(j)	**Floating Modular cube**	**Floating Modular cube** Dimensions L x W x H(500mmx500mmx400mm) Live load 93kgF/M^2 material :HDPE Top	No.	DURALINE	England	NRB	24,200.00
						NYERI	24,200.00
						EMBU	24,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Area 0.25 M^2 Tensile strength Upper 20000N				GRSS	24,200.00
						NKR	24,200.00
						KSM	24,200.00
						KKMG	24,200.00
						MSA	24,200.00
109	**JCB Firefighting Engine**	**JCB Firefighting Engine Technical Specs** • 4-Door DRW 4×4 Chassis • Power Stroke 6.7L V-8, 300-HP Diesel Engine • 6-speed Automatic Transmission Heavy Duty 3/16" Aluminum Body with Roll Up Doors • stainless steel running boards • Two (2) rear SCBA back bucket seats EMS compartment with shelf between rear seats • Grill Guard with 12,000-lb Winch • One (1) trailer hitch with electrical connections, rear • One (1) Single bottle Air bottle compartment, right side wheel well area • One (1) Dual bottle Air bottle compartment, right side wheel well area • Attic ladder/Pike Pole storage with rear access, upper raised area • Turtle tile on floors and /or shelves and trays of compartments • Stokes basket/backboard storage, front transverse compartment • One (1) Air bag rack, left side • Fire Extinguisher Rack, right side • One (1) Hinged Pegboard tool board, right side • Two (2) Vertical Pull out tool boards, right side Floor mounted console for emergency switches with map/binder storage, cab Class 1 Total system manager for electrical load management on-board battery charger Super Auto Eject 120-volt shoreline	No.	JCB-DRW	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Code 3 Electronic Siren with 100-watt speaker Two (2) Air horns, front bumper One (1) hand held spotlight, cab Four (4) 12-volt LED telescopic lights Smart Power Hydraulically driven 5500-watt Generator with 120-volt system Two (2) Electric cord reels with 100-ft of 12/3 cord and junction box LED Warning Light Package Chevron pattern striping, rear 7' 11" Overall height 26' 2" Overall length 200.2 " Wheelbase 84" Cab to Axle 7,000 FAWR 14,700 RAWR 19,500 GVWR					
110	**Portable Data System (MRT**	**Portable Data System(MRT)** System Characteristics: TAMCN: A25607G NSN:7010-09-000-2546 (Block I-Disposal) NSN:7010-01-524-4120(Block II-Phasing Out MRT-A) NSN:7010-01-571-6450(Block II-Sustaining MRT-B) Spectrum: Operates per DoD Directive 4650.1 Mobility: Man-Portable Power: Internal and operating in a range of +15 to +24 Volts of Direct Current (VDC) (T). Operation will be from an external Alternating Current (AC)/DC adapter or a +15 Volts (V) battery system. The circuit steady-state voltage shall be between 23 and 33 VDC. Distance: Dependent on Laser Range Finder/Radio used Operational Mode: Day, Night, Limited-Visibility Conditions Encryption: Dependent on the radio Processor: Intel® Core™ i7processor, 64-bit architecture System Memory: 4 GB expandable to 8 GB Mass Storage: 128 GB solid state hard drive (SSHD) Display: 10.4" XGA LCD Audio: Single channel In/Out, AC'97 compatible, Integrated speakers	No.	OMAHA NE	JAPAN	NRB NYERI EMBU GRSS NKR KSM KKMG

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		(2x) VGA Output: Via sealed HD-15 connector. Secondary display resolutions up to 1600 x 1200 pixels Video In:RS-170 analog video capture, MPEG4 hardware compression, Local playback, LAN broadcast					
111	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	AFLOMIX	England	NRB	9,000,200.00
						NYERI	9,000,200.00
						EMBU	9,000,200.00
						GRSS	9,000,200.00
						NKR	9,000,200.00
						KSM	9,000,200.00
						KKMG	9,000,200.00
						MSA	9,000,200.00
112	**CC Shelters**	Pre-deployment (Crate) dimensions Unit Length (m) Width (m) Height (m) Weight (m) CCS25 2.61 2.30 1.13 1900 CCS50 2.90 2.24 1.70 3100 Post deployment dimensions Unit Length (m) Width (m) Height (m) Internal Area (m3) CCS25 5.00 5.60 2.45 25.00 CCS50 9.50 5.60 2.60 50.00 General Specifications Unit Water Requirement (L) Deployment Time (min) Cot Space Available CCS25 2.61 2.30 1.13 CCS50 2.90 2.24 1.70	No.	CCL	England	NRB	4,800,200.00
						NYERI	4,800,200.00
						EMBU	4,800,200.00
						GRSS	4,800,200.00
						NKR	4,800,200.00
						KSM	4,800,200.00
						KKMG	4,800,200.00
						MSA	4,800,200.00
113 (a)	**Dura line Plastic Modular Molded Cube**	Standard Size: L500mm, W500mm, H400mm Weight: 7.00kg Live Load: 93kgf /about 372kgF/m2 Material: HDPE Free Board: 37.5cm Top Area: 0.25m2 Tensile Strength: Upper 20,000N	No.	DURALINE	England	NRB	25,200.00
						NYERI	25,200.00
						EMBU	25,200.00
						GRSS	25,200.00
						NKR	25,200.00
						KSM	25,200.00
						KKMG	25,200.00
						MSA	25,200.00
(b)	**Concrete Impregnated Fabric**	CC Thickness (mm)	No.	CCL	England	NRB	9,800.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Batch Roll Size (sqm) Bulk Roll Size (sqm) Roll Width CC5 5 10 200 1.0 CC8 8 5 125 1.1 CC13 13 N/A 80 1.1				NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00
						MSA	9,800.00
114	**Emergency Bridge**	Length when folded is 10.4 metres and the length when unfolded is 20 metres. The bridge is a Class 50 so it is capable of supporting 50 Tons when deployed. The width of tract being 1.14 metres wide. Track element is self- supporting; height folded is 1.55 metres and unfolded is 0.83 metres. (OPTION) Two Bridges width tol is 3.27 metres with each track being 1.14 metres wide. The resultant gap between the tracks being approximately 900mm. Each track element is self-supporting but is held in position by cross braces that link two tracks together.	No.	ALGONGUM	England	NRB	12,500,000.00
						NYERI	12,500,000.00
						EMBU	12,500,000.00
						GRSS	12,500,000.00
						NKR	12,500,000.00
						KSM	12,500,000.00
						KKMG	12,500,000.00
						MSA	12,500,000.00
115	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	AFLOMIX	England	NRB	9,000,200.00
						NYERI	9,000,200.00
						EMBU	9,000,200.00
						GRSS	9,000,200.00
						NKR	9,000,200.00
						KSM	9,000,200.00
						KKMG	9,000,200.00
						MSA	9,000,200.00
116	**MP 2006 designed 60M tower range**	58 M-Antenna area= 6m2 2 M-Antenna diameter= 0.6m2 56M-Antenna area=6m2 0.3 M- Antenna diameter=0.07m2	No.	Naffco	UAE	NRB	8,500,200.00
						NYERI	8,500,200.00
						EMBU	8,500,200.00
						GRSS	8,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	8,500,200.00
						KSM	8,500,200.00
						KKMG	8,500,200.00
						MSA	8,500,200.00
117	**Portable Monitoring, Recording and Data Transmitting System.**	HDD rack stacked for data backup. -Built in LCD monitor for instant playback. -Unit erupted power supply for continuous operation. -Supported by 3 Axis mount for safe transportation and positioning. -Secured with a lighting rod. -Uber friendly trailer-toeing capability -Wireless video data transmission and antenna. Details -CCTV Cameras The solid uses up to 4 PTZ cameras. The built in fan/heater and the IP66 weather proof housing offers maximum protection from all weather conditions. -Wireless Antenna Wireless video data transmission and antenna **-Warning light** The light turns to red and warns the battery level status. -Taillight To provide the safety and distance estimation from the following cars in driving, two backlights are equipped. -Landing jack The heavy duty 3 axis mount safely supports the solid during operation and transportation. -DVR The uninterrupted power supply and mobile DVR allows for continuous recording. **-LCD Monitor & Keyboard** All viewing operations are independently controlled with built in keyboard controller which is conveniently located and securely stored in the trailer.	No.	OMAHA ME	JAPAN	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	125,500,200.00 125,500,200.00 125,500,200.00 125,500,200.00 125,500,200.00 125,500,200.00 125,500,200.00 125,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		-System & Pole-moving switches For system power on/off, pull up/down and its height adjustment. -Copular The hauling loop is specially designed to be user friendly for trailer towing purposes. -Digital charging system The charging connector is easily accessible for charging and powering the solid.					
118	**Air Tent For Disaster Control Point**	Inspection Pole Length – Min. about 1,180 mm / Max.; Testable Detector – Heat rate of rise fixed Temperature; Smoke – Ionization Smoke Detector; Battery Charging Time 5 Hours	No.	Naffco	UAE	NRB	1,850,200.00
						NYERI	1,850,200.00
						EMBU	1,850,200.00
						GRSS	1,850,200.00
						NKR	1,850,200.00
						KSM	1,850,200.00
						KKMG	1,850,200.00
						MSA	1,850,200.00
119	**All-Terrain Vehicle**	To be self-contained c/w pump driven unit, to have a 160 litre tank for water and 12 liter tank for foam. The pump to be operating at 37bar. The vehicle to be as per EN 3-7 standard	No.	Naffco	UAE	NRB	2,300,000.00
						NYERI	2,300,000.00
						EMBU	2,300,000.00
						GRSS	2,300,000.00
						NKR	2,300,000.00
						KSM	2,300,000.00
						KKMG	2,300,000.00
						MSA	2,300,000.00
120 (a)	**Hawk Thermal Imaging Camera**	**Detector array resolution: 640 x 512 pixels** **Detector pitch: 16µm** **Field of view: 1.8o horizontal x 1.44o vertical (narrow)** **24o horizontal x 19.2o vertical (wide) continuous zoom** **Detector technology: CMT** **Band: : 3.7µm-: 4.95µm** **Physical dimensions: 373 x 108 x 100mm** **Operational temperature: 82-88K** **Video output: HCCIR/STANAG 3350, PAL-1 compatible** **Auto focus: on demand** **Frame rate: 25Hz**	No.	FLIR SWEDEN	Sweden	NRB	110,000,000.00
						NYERI	110,000,000.00
						EMBU	110,000,000.00
						GRSS	110,000,000.00
						NKR	110,000,000.00
						KSM	110,000,000.00
						KKMG	110,000,000.00
						MSA	110,000,000.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Focus distance range: ∞ to 10m narrow field of view; ∞ to 10m wide field of view					
(b)	**Horizon Thermal Imaging Camera**	**Detector array resolution: 1280 x 720 (HD) Detector pitch: 12µm Field of view: 11° x 6.2° to 0.6° x 0.5° (HD) Detector technology: CMT Band: : 3.7µm - : 4.95µm Focal length: 80-960mm**	No.	FLIR SWEDEN	Sweden	NRB	110,000,000.00
						NYERI	110,000,000.00
						EMBU	110,000,000.00
						GRSS	110,000,000.00
						NKR	110,000,000.00
						KSM	110,000,000.00
						KKMG	110,000,000.00
						MSA	110,000,000.00
121	a	Water bottles complete with carrier	No.	Naffco	UAE	NRB	1,850.00
						NYERI	1,850.00
						EMBU	1,850.00
						GRSS	1,850.00
						NKR	1,850.00
						KSM	1,850.00
						KKMG	1,850.00
						MSA	1,850.00
	b	Knapsack food containers with a capacity of 20kg	No.	LERON/EU	England	NRB	38,500.00
						NYERI	38,500.00
						EMBU	38,500.00
						GRSS	38,500.00
						NKR	38,500.00
						KSM	38,500.00
						KKMG	38,500.00
						MSA	38,500.00
	c	Canvas floor material	No.	TARPO	UAE	NRB	6,400.00
						NYERI	6,400.00
						EMBU	6,400.00
						GRSS	6,400.00
						NKR	6,400.00
						KSM	6,400.00
						KKMG	6,400.00
						MSA	6,400.00
	d	Stretcher foldable	No.	Naffco	UAE	NRB	12,500.00
						NYERI	12,500.00
						EMBU	12,500.00
						GRSS	12,500.00
						NKR	12,500.00
						KSM	12,500.00
						KKMG	12,500.00
						MSA	12,500.00
	e	10000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	950,000.00
						NYERI	950,000.00
						EMBU	950,000.00
						GRSS	950,000.00
						NKR	950,000.00
						KSM	950,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	950,000.00
						MSA	950,000.00
	f	80000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	2,653,800.00
						NYERI	2,653,800.00
						EMBU	2,653,800.00
						GRSS	2,653,800.00
						NKR	2,653,800.00
						KSM	2,653,800.00
						KKMG	2,653,800.00
						MSA	2,653,800.00
	g	40000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	1,480,000.00
						NYERI	1,480,000.00
						EMBU	1,480,000.00
						GRSS	1,480,000.00
						NKR	1,480,000.00
						KSM	1,480,000.00
						KKMG	1,480,000.00
						MSA	1,480,000.00
	h	Hydromaster Propelling Unit	No.	Hydromaster	UAE	NRB	9,800,000.00
						NYERI	9,800,000.00
						EMBU	9,800,000.00
						GRSS	9,800,000.00
						NKR	9,800,000.00
						KSM	9,800,000.00
						KKMG	9,800,000.00
						MSA	9,800,000.00
	i	Rubber speed hump	No.	SAFEROADS	England	NRB	125,000.00
						NYERI	125,000.00
						EMBU	125,000.00
						GRSS	125,000.00
						NKR	125,000.00
						KSM	125,000.00
						KKMG	125,000.00
						MSA	125,000.00
	j	Cabin pressure test trolley	No.	SAFEROADS	England	NRB	8,500,000.00
						NYERI	8,500,000.00
						EMBU	8,500,000.00
						GRSS	8,500,000.00
						NKR	8,500,000.00
						KSM	8,500,000.00
						KKMG	8,500,000.00
						MSA	8,500,000.00
	k	Flexible Delineator Post	No.	SAFEROADS	England	NRB	125,000.00
						NYERI	125,000.00
						EMBU	125,000.00
						GRSS	125,000.00
						NKR	125,000.00
						KSM	125,000.00
						KKMG	125,000.00
						MSA	125,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	l	Crash cushion system	No.	SAFEROADS	England	NRB	3,800,000.00
						NYERI	3,800,000.00
						EMBU	3,800,000.00
						GRSS	3,800,000.00
						NKR	3,800,000.00
						KSM	3,800,000.00
						KKMG	3,800,000.00
						MSA	3,800,000.00
	m	End Terminal (material SS400)	No.	SAFEROADS	England	NRB	95,000.00
						NYERI	95,000.00
						EMBU	95,000.00
						GRSS	95,000.00
						NKR	95,000.00
						KSM	95,000.00
						KKMG	95,000.00
						MSA	95,000.00
	n	Rolling Guard Barrier	No.	SAFEROADS	England	NRB	75,000.00
						NYERI	75,000.00
						EMBU	75,000.00
						GRSS	75,000.00
						NKR	75,000.00
						KSM	75,000.00
						KKMG	75,000.00
						MSA	75,000.00
	o	Plastic Jersey Barrier	No.	SAFEROADS	England	NRB	45,000.00
						NYERI	45,000.00
						EMBU	45,000.00
						GRSS	45,000.00
						NKR	45,000.00
						KSM	45,000.00
						KKMG	45,000.00
						MSA	45,000.00
	p	Field water pamp 6" complete with diesel engine	No.	SHAKTI	UAE	NRB	4,260,000.00
						NYERI	4,260,000.00
						EMBU	4,260,000.00
						GRSS	4,260,000.00
						NKR	4,260,000.00
						KSM	4,260,000.00
						KKMG	4,260,000.00
						MSA	4,260,000.00
	q	Field De-water pump unit 6"	No.	SHAKTI	UAE	NRB	5,120,000.00
						NYERI	5,120,000.00
						EMBU	5,120,000.00
						GRSS	5,120,000.00
						NKR	5,120,000.00
						KSM	5,120,000.00
						KKMG	5,120,000.00
						MSA	5,120,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	r	Field De-water hose c/w victolic coupling 6" x 7ft	No.	SHAKTI	UAE	NRB	148,500.00
						NYERI	148,500.00
						EMBU	148,500.00
						GRSS	148,500.00
						NKR	148,500.00
						KSM	148,500.00
						KKMG	148,500.00
						MSA	148,500.00
	s	Field water osmosis water treatment plant	No.	WEC	England	NRB	47,700,000.00
						NYERI	47,700,000.00
						EMBU	47,700,000.00
						GRSS	47,700,000.00
						NKR	47,700,000.00
						KSM	47,700,000.00
						KKMG	47,700,000.00
						MSA	47,700,000.00
	t	Field tower lights 2.5 metres long	No.	MPMC	England	NRB	2,912,500.00
						NYERI	2,912,500.00
						EMBU	2,912,500.00
						GRSS	2,912,500.00
						NKR	2,912,500.00
						KSM	2,912,500.00
						KKMG	2,912,500.00
						MSA	2,912,500.00
	u	20m Steel Structure Mast Tower	No.	MPMC	England	NRB	4,200,000.00
						NYERI	4,200,000.00
						EMBU	4,200,000.00
						GRSS	4,200,000.00
						NKR	4,200,000.00
						KSM	4,200,000.00
						KKMG	4,200,000.00
						MSA	4,200,000.00
	v	30m Steel Structure Mast Tower	No.	MPMC	England	NRB	5,600,000.00
						NYERI	5,600,000.00
						EMBU	5,600,000.00
						GRSS	5,600,000.00
						NKR	5,600,000.00
						KSM	5,600,000.00
						KKMG	5,600,000.00
						MSA	5,600,000.00
	w	Bucket toilet	No.	Naffco	UAE	NRB	3,800.00
						NYERI	3,800.00
						EMBU	3,800.00
						GRSS	3,800.00
						NKR	3,800.00
						KSM	3,800.00
						KKMG	3,800.00
						MSA	3,800.00
	x		No.	Naffco	UAE	NRB	270,000,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Turntable firefighting platform surface – Mounted 88Meter high including a rotable 45 degree main bucket 10x4 axle configuration				NYERI	270,000,000.00
						EMBU	270,000,000.00
						GRSS	270,000,000.00
						NKR	270,000,000.00
						KSM	270,000,000.00
						KKMG	270,000,000.00
						MSA	270,000,000.00
	y	AFF Foam 20ltrs	No.	Naffco	UAE	NRB	38,000.00
						NYERI	38,000.00
						EMBU	38,000.00
						GRSS	38,000.00
						NKR	38,000.00
						KSM	38,000.00
						KKMG	38,000.00
						MSA	38,000.00



NAME; FABRO LTD
P.O. BOX; 17811-00500 NAIROBI
TEL: 020-2378254
CONTRACT NO; SB/036/002/2021

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1(a)	**Water CO2 Fire Extinguisher**	**Water CO2 Fire Extinguisher** 9Litre water CO2 fire extinguisher (cartridge type) complete with squeeze grip head cap with piercer and washer, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	6,100.00
						NYERI	6,100.00
						EMBU	6,100.00
						GRSS	6,100.00
						NKR	6,100.00
						KSM	6,100.00
						KKMG	6,100.00
						MSA	6,100.00
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge** 55g CO2 cartridge fully charged to BS EN3	No.	Naffco	UAE	NRB	2,750.00
						NYERI	2,750.00
						EMBU	2,750.00
						GRSS	2,750.00
						NKR	2,750.00
						KSM	2,750.00
						KKMG	2,750.00
						MSA	2,750.00
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.	Naffco	UAE	NRB	2,950.00
						NYERI	2,950.00
						EMBU	2,950.00
						GRSS	2,950.00
						NKR	2,950.00
						KSM	2,950.00
						KKMG	2,950.00
						MSA	2,950.00
1(d)	**Wall bracket**	**Wall bracket** Hook type	No.	Naffco	UAE	NRB	400.00
						NYERI	400.00
						EMBU	400.00
						GRSS	400.00
						NKR	400.00
						KSM	400.00
						KKMG	400.00
						MSA	400.00
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	6,200.00
						NYERI	6,200.00
						EMBU	6,200.00
						GRSS	6,200.00
						NKR	6,200.00
						KSM	6,200.00
						KKMG	6,200.00
						MSA	6,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	Naffco	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,600.00
						NYERI	10,600.00
						EMBU	10,600.00
						GRSS	10,600.00
						NKR	10,600.00
						KSM	10,600.00
						KKMG	10,600.00
						MSA	10,600.00
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,600.00
						NYERI	10,600.00
						EMBU	10,600.00
						GRSS	10,600.00
						NKR	10,600.00
						KSM	10,600.00
						KKMG	10,600.00
						MSA	10,600.00
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	Naffco	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
3(d)	**CO2 cartridge**	**CO2 cartridge** 75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	2,800.00
						NYERI	2,800.00
						EMBU	2,800.00
						GRSS	2,800.00
						NKR	2,800.00
						KSM	2,800.00
						KKMG	2,800.00
						MSA	2,800.00
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber	No.	Naffco	UAE	NRB	10,600.00
						NYERI	10,600.00
						EMBU	10,600.00
						GRSS	10,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent				NKR	10,600.00
						KSM	10,600.00
						KKMG	10,600.00
						MSA	10,600.00
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve** Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	12,600.00
						NYERI	12,600.00
						EMBU	12,600.00
						GRSS	12,600.00
						NKR	12,600.00
						KSM	12,600.00
						KKMG	12,600.00
						MSA	12,600.00
5(b)	**Automatic D.C.P. Cold fire extinguisher**	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	Naffco	UAE	NRB	8,100.00
						NYERI	8,100.00
						EMBU	8,100.00
						GRSS	8,100.00
						NKR	8,100.00
						KSM	8,100.00
						KKMG	8,100.00
						MSA	8,100.00
5(c)	**Fire Extinguishing Dry Chemical Powder**	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	Naffco	UAE	NRB	9,200.00
						NYERI	9,200.00
						EMBU	9,200.00
						GRSS	9,200.00
						NKR	9,200.00
						KSM	9,200.00
						KKMG	9,200.00
						MSA	9,200.00
5(d)	**Fire Extinguisher Operating Valve**	**Fire Extinguisher Operating Valve**	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004				EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
5(e)	**CO2 Cartridge**	**CO2 Cartridge** 90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,953.00
						NYERI	4,953.00
						EMBU	4,953.00
						GRSS	4,953.00
						NKR	4,953.00
						KSM	4,953.00
						KKMG	4,953.00
						MSA	4,953.00
6(a)	**4.5Kgs dry chemical powder stored pressure fire extinguisher**	**4.5Kgs dry chemical powder stored pressure fire extinguisher** 4.5Kgs dry chemical powder stored pressure fire extinguisher c/w cap washer discharge rubber hose, nozzle, and fixing wall bracket toBS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	9,600.00
						NYERI	9,600.00
						EMBU	9,600.00
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
6(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	Naffco	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
7(a)	**9 Kgs Cold Fire extinguisher**	**9 Kgs Cold Fire extinguisher** 9 Kgs dry Cold Fire extinguisher c/w cap, washer, discharge rubber hose, nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	15,200.00
						NYERI	15,200.00
						EMBU	15,200.00
						GRSS	15,200.00
						NKR	15,200.00
						KSM	15,200.00
						KKMG	15,200.00
						MSA	15,200.00
7(b)	**Fire Extinguisher Dry Chemical Powder**	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	6,600.00
						NYERI	6,600.00
						EMBU	6,600.00
						GRSS	6,600.00
						NKR	6,600.00
						KSM	6,600.00
						KKMG	6,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	6,600.00
7(c)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
7(d)	**CO2 Cartridge**	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
8(a)	**9 Kgs dry chemical powder stored pressure fire extinguisher**	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00
						KSM	8,600.00
						KKMG	8,600.00
						MSA	8,600.00
8(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge nozzle, and siphon for item 8(a) above to BS 1004	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
9(a)	**2 kg dry chemical, stored pressure fire extinguisher**	**2 kg dry chemical, stored pressure fire extinguisher** 2 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	6,900.00
						NYERI	6,900.00
						EMBU	6,900.00
						GRSS	6,900.00
						NKR	6,900.00
						KSM	6,900.00
						KKMG	6,900.00
						MSA	6,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	1,950.00
						NYERI	1,950.00
						EMBU	1,950.00
						GRSS	1,950.00
						NKR	1,950.00
						KSM	1,950.00
						KKMG	1,950.00
						MSA	1,950.00
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	9,900.00
						NYERI	9,900.00
						EMBU	9,900.00
						GRSS	9,900.00
						NKR	9,900.00
						KSM	9,900.00
						KKMG	9,900.00
						MSA	9,900.00
11(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for item 11(a) above to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
11(c)	**CO_2 gas discharge horn**	**CO_2 gas discharge horn**	No.	Naffco	UAE	NRB	7,000.00
						NYERI	7,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		CO_2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent				EMBU	7,000.00
						GRSS	7,000.00
						NKR	7,000.00
						KSM	7,000.00
						KKMG	7,000.00
						MSA	7,000.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	11,600.00
						NYERI	11,600.00
						EMBU	11,600.00
						GRSS	11,600.00
						NKR	11,600.00
						KSM	11,600.00
						KKMG	11,600.00
						MSA	11,600.00
12(b)	**CO_2 gas squeeze grip operating head**	**CO_2 gas squeeze grip operating head** CO_2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
12(d)	**Throwing Fire Extinguisher**	**Throwing Fire Extinguisher** Throw –In fire extinguisher capable of extinguishment of Fire by production of copious amounts of Carbon Dioxide and Nitrous Gases. Throw-In action onto the fire and the landing shall initiate production of the extinguishment gases through chemical reactions.	No.	Naffco	UAE	NRB	5,500.00
						NYERI	5,500.00
						EMBU	5,500.00
						GRSS	5,500.00
						NKR	5,500.00
						KSM	5,500.00
						KKMG	5,500.00
						MSA	5,500.00
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid- valve – actuated pilot	No.	Naffco	UAE	NRB	65,500.00
						NYERI	65,500.00
						EMBU	65,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.					
						GRSS	65,500.00
						NKR	65,500.00
						KSM	65,500.00
						KKMG	65,500.00
						MSA	65,500.00
13(a)	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher** 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	110,000.00
						NYERI	110,000.00
						EMBU	110,000.00
						GRSS	110,000.00
						NKR	110,000.00
						KSM	110,000.00
						KKMG	110,000.00
						MSA	110,000.00
13(a)	**Discharge nozzle**	**Discharge nozzle** Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	25,600.00
						NYERI	25,600.00
						EMBU	25,600.00
						GRSS	25,600.00
						NKR	25,600.00
						KSM	25,600.00
						KKMG	25,600.00
						MSA	25,600.00
14(a)	**45 Kg CO2 gas fire extinguisher**	**45 Kg CO2 gas fire extinguisher** 45 Kg CO2 gas fire extinguisher c/w, trolley, operating valve, hose and discharge horn BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	85,100.00
						NYERI	85,100.00
						EMBU	85,100.00
						GRSS	85,100.00
						NKR	85,100.00
						KSM	85,100.00
						KKMG	85,100.00
						MSA	85,100.00
14(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
14(c)	**Discharge horn**	**Discharge horn**	No.	Naffco	UAE	NRB	6,600.00
						NYERI	6,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent				EMBU	6,600.00
						GRSS	6,600.00
						NKR	6,600.00
						KSM	6,600.00
						KKMG	6,600.00
						MSA	6,600.00
15(a)	**45 Litres Air Foam Trolley Type Fire Extinguisher**	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	80,100.00
						NYERI	80,100.00
						EMBU	80,100.00
						GRSS	80,100.00
						NKR	80,100.00
						KSM	80,100.00
						KKMG	80,100.00
						MSA	80,100.00
15(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
15(c)	**Spray Nozzle**	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	18,600.00
						NYERI	18,600.00
						EMBU	18,600.00
						GRSS	18,600.00
						NKR	18,600.00
						KSM	18,600.00
						KKMG	18,600.00
						MSA	18,600.00
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket	No.	Naffco	UAE	NRB	11,600.00
						NYERI	11,600.00
						EMBU	11,600.00
						GRSS	11,600.00
						NKR	11,600.00
						KSM	11,600.00
						KKMG	11,600.00
						MSA	11,600.00
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges	No.	Naffco	UAE	NRB	15,600.00
						NYERI	15,600.00
						EMBU	15,600.00
						GRSS	15,600.00
						NKR	15,600.00
						KSM	15,600.00
						KKMG	15,600.00
						MSA	15,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
17	**9" wall mounted hand operated alarm bell (Gong)**	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	Naffco	UAE	NRB	19,600.00
						NYERI	19,600.00
						EMBU	19,600.00
						GRSS	19,600.00
						NKR	19,600.00
						KSM	19,600.00
						KKMG	19,600.00
						MSA	19,600.00
18	**½ mile range tripod mounted alarm sounder**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110+2 dB at 1.0 metres and an output frequency of 600+20 hertz single tone and to BS	No.	Naffco	UAE	NRB	95,100.00
						NYERI	95,100.00
						EMBU	95,100.00
						GRSS	95,100.00
						NKR	95,100.00
						KSM	95,100.00
						KKMG	95,100.00
						MSA	95,100.00
19(a)	**A fully portable self-contained diesel engine fire pump**	**A fully portable self-contained diesel engine fire pump** Capable of continuous duty of minimum 1200litres per minute at delivery head of 10 bars at 3 metres suction lift. The pump unit shall be of aluminium construction with a wrap round stainless steel frame and shall have the following features: 4-stroke engine with electronic ignition system Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories.	No.	Naffco	UAE	NRB	2,900,100.00
						NYERI	2,900,100.00
						EMBU	2,900,100.00
						GRSS	2,900,100.00
						NKR	2,900,100.00
						KSM	2,900,100.00
						KKMG	2,900,100.00
						MSA	2,900,100.00
19(b)	**Suction Fire Hose**	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements Shall be semi rigid with internal metal reinforcements(steel wire helix)	No.	Naffco	UAE	NRB	52,100.00
						NYERI	52,100.00
						EMBU	52,100.00
						GRSS	52,100.00
						NKR	52,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum				KSM	52,100.00
						KKMG	52,100.00
						MSA	52,100.00
19(c)	**100mm diameter suction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ring Shall come with 150mm female short hand coupling	No.	Naffco	UAE	NRB	61,100.00
						NYERI	61,100.00
						EMBU	61,100.00
						GRSS	61,100.00
						NKR	61,100.00
						KSM	61,100.00
						KKMG	61,100.00
						MSA	61,100.00
20(a)	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)** Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations. Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features: 4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to provide one hour running duty Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories.	No.	Naffco	UAE	NRB	11,200,200.00
						NYERI	11,200,200.00
						EMBU	11,200,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four Industrial, fully adjustable stabilizers. The Foam Tank(s) shall be of total capacity 900 litres and shall have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank. The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.				GRSS	11,200,200.00
						NKR	11,200,200.00
						KSM	
						KKMG	11,200,200.00
						MSA	
							11,200,200.00
							11,200,200.00
20(b)	Delivery Hose	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	Naffco	UAE	NRB	48,100.00
						NYERI	48,100.00
						EMBU	48,100.00
						GRSS	48,100.00
						NKR	48,100.00
						KSM	48,100.00
						KKMG	48,100.00
						MSA	48,100.00
20(c)	65mm dia. Male Coupling	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00
						KSM	8,600.00
						KKMG	8,600.00
						MSA	8,600.00
20(d)	65mm dia. Female coupling	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Shall come complete with 2 spring loaded catches to release the adaptor				KSM	8,600.00
						KKMG	8,600.00
						MSA	8,600.00
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	Naffco	UAE	NRB	54,100.00
						NYERI	54,100.00
						EMBU	54,100.00
						GRSS	54,100.00
						NKR	54,100.00
						KSM	54,100.00
						KKMG	54,100.00
						MSA	54,100.00
20(f)	**Alloy solid water branch pipe**	**Alloy solid water branch pipe** Alloy solid water branch pipe (various sizes) BS 336	No.	Naffco	UAE	NRB	95,200.00
						NYERI	95,200.00
						EMBU	95,200.00
						GRSS	95,200.00
						NKR	95,200.00
						KSM	95,200.00
						KKMG	95,200.00
						MSA	95,200.00
20(g)	**Hand Controlled Branch Pipe**	**Hand Controlled Branch Pipe** 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	Naffco	UAE	NRB	86,000.00
						NYERI	86,000.00
						EMBU	86,000.00
						GRSS	86,000.00
						NKR	86,000.00
						KSM	86,000.00
						KKMG	86,000.00
						MSA	86,000.00
21(a)	**swinging type hose reel**	**swinging type hose reel** 20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995	No.	Naffco	UAE	NRB	45,200.00
						NYERI	45,200.00
						EMBU	45,200.00
						GRSS	45,200.00
						NKR	45,200.00
						KSM	45,200.00
						KKMG	45,200.00
						MSA	45,200.00
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	Naffco	UAE	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00
						MSA	25,100.00
21(c)	**Nylon Nozzle**	**Nylon Nozzle**	No.	Naffco	UAE	NRB	8,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Red Nylon Nozzle with at least 15 metres throw EN 694				NYERI	8,000.00
						EMBU	8,000.00
						GRSS	8,000.00
						NKR	8,000.00
						KSM	8,000.00
						KKMG	8,000.00
						MSA	8,000.00
22	**Fixed Type Hose Reel**	**Fixed Type Hose Reel** 20mm. dia x 30 metres long fixed type hose reel c/w nozzle	No.	Naffco	UAE	NRB	22,600.00
						NYERI	22,600.00
						EMBU	22,600.00
						GRSS	22,600.00
						NKR	22,600.00
						KSM	22,600.00
						KKMG	22,600.00
						MSA	22,600.00
23(a)	**Underground Fire Hydrant**	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel	No.	Naffco	UAE	NRB	65,200.00
						NYERI	65,200.00
						EMBU	65,200.00
						GRSS	65,200.00
						NKR	65,200.00
						KSM	65,200.00
						KKMG	65,200.00
						MSA	65,200.00
							65,200.00
							65,200.00
							65,200.00
							65,200.00
23b)	**Outlet stand pipe**	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	Naffco	UAE	NRB	45,100.00
						NYERI	45,100.00
						EMBU	45,100.00
						GRSS	45,100.00
						NKR	45,100.00
						KSM	45,100.00
						KKMG	45,100.00
						MSA	45,100.00
23(c)	**Poker and key**	**Poker and key**	No.	Naffco	UAE	NRB	25,200.00
						NYERI	25,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel				EMBU	25,200.00
						GRSS	25,200.00
						NKR	25,200.00
						KSM	25,200.00
						KKMG	25,200.00
						MSA	25,200.00
23(d)	Poker	**Poker** Poker for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,600.00
						NYERI	12,600.00
						EMBU	12,600.00
						GRSS	12,600.00
						NKR	12,600.00
						KSM	12,600.00
						KKMG	12,600.00
						MSA	12,600.00
23(e)	Key	**Key** Key for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,600.00
						NYERI	12,600.00
						EMBU	12,600.00
						GRSS	12,600.00
						NKR	12,600.00
						KSM	12,600.00
						KKMG	12,600.00
						MSA	12,600.00
23(f)	Dividing breech	**Dividing breech** Dividing Breech having 63mm Male Instantaneous Inlet &2 nos. 63mm Female Instantaneous Outlet Made using quality grade gun metal, aluminum or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	45,200.00
						NYERI	45,200.00
						EMBU	45,200.00
						GRSS	45,200.00
						NKR	45,200.00
						KSM	45,200.00
						KKMG	45,200.00
						MSA	45,200.00
23(g)	Collecting breech	**Collecting breech** Collecting Breech having 1 no. 63mm Female InstantaneousInlet and 2 nos. 63mm Male Instantaneous Outlet Made using quality grade gun metal, aluminium or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	35,200.00
						NYERI	35,200.00
						EMBU	35,200.00
						GRSS	35,200.00
						NKR	35,200.00
						KSM	35,200.00
						KKMG	35,200.00
						MSA	35,200.00
24(a)	**Fluorine Free (FF) Foam Concentrate 3%**	**Fluorine Free (FF) Foam Concentrate 3%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9	Litres	Naffco	UAE	NRB	31,900.00
						NYERI	31,900.00
						EMBU	31,900.00
						GRSS	31,900.00
						NKR	31,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		· Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 20 Litres Container				KSM	31,900.00
						KKMG	31,900.00
						MSA	31,900.00
24(b)	**Fluorine Free (FF) Foam Concentrate 6%**	**Fluorine Free (FF) Foam Concentrate 6%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 210 Litres Container	Litres	Naffco	UAE	NRB	240,100.00
						NYERI	240,100.00
						EMBU	240,100.00
						GRSS	240,100.00
						NKR	240,100.00
						KSM	240,100.00
						KKMG	240,100.00
						MSA	240,100.00
25 (a)	**Fluoro Protein foam 3%**	**Fluoro Protein foam 3%** Proprietary mixture of protein hydrolysate, fluorosurfactants, inorganic salts, and water(Chloroprene) conforming to Underwriters Laboratories Standard UL162, latestedition Appearance…… Dark brown liquidDensity 1.15 g/ml... ± 0.03 pH .....6.0 – 8.0	Litres	Naffco	UAE	NRB	240,200.00
						NYERI	240,200.00
						EMBU	240,200.00
						GRSS	240,200.00
						NKR	240,200.00
						KSM	240,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Viscosity .....10 ± 4 centistokes Freezing Point ..... 5 °F (–15 °C) Sediment Volume.....0.20% maximum					
						KKMG	240,200.00
						MSA	240,200.00
25 (b)	**Fluoro Protein foam 6%**	**Fluoro Protein foam 6%** Fluoro Protein foam in 20 lts containers marked G.K to BSEN3/BS1449/BS1004 or equivalent	No.	Naffco	UAE	NRB	35,200.00
						NYERI	35,200.00
						EMBU	35,200.00
						GRSS	35,200.00
						NKR	35,200.00
						KSM	35,200.00
						KKMG	35,200.00
						MSA	35,200.00
26	**Water/Foam Trailers 900Litres**	**Water/Foam Trailers 900Litres** Water Foam Trailer suitable for mounting in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tank(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as we as jockey wheel and for industrial fully adjustable stabilizers. The form concentrate tank(s) shall be of total capacity 900 litres and shall have self-inducing foam/water monitor, mounted/bolted onto the top of the tank, with the following features; Foam production of 1800 litres/min at a water flow of 180litres/min and water inlet pressure of 5 bar. Approximate running time-minutes Foam throw from branchpipe-14metres	No.	Agri 68412	UAE	NRB	3,500,200.00
						NYERI	3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
27	**Mobile foam Generator**	**Mobile foam Generator** Mobile foam trolley unit on 2No. solid rubber wheels minimum 400mm dia. comprising a chemically resistant minimum 120 litres glass fibre foam concentrate tank and with hose storage compartment. The unit shall comprise of: 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet	No.	SW1060 MATTS TYPE MF 140	UAE	NRB	8,500,100.00
						NYERI	8,500,100.00
						EMBU	8,500,100.00
						GRSS	8,500,100.00
						NKR	8,500,100.00
						KSM	8,500,100.00
						KKMG	8,500,100.00
						MSA	8,500,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		A Variable Foam Concentrate pick-up Inductor with on-off valve capable of producing 1800 litres/min of foam with a water flowof 180 litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above.					
28	**Graz mist hydrants**	**Graz mist hydrants** Water-Mist generating hydrant station for production of water mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc The hydrant system shall be capable of water usage rate of 6 liters / minute to produce droplets of max. 25 microns. The hydrant shall be suitable for connection to both water and pressurized air supply each at 2.0 bar pressure to produce 4 Cu Metres of mist per minute. The installation shall comprise: - Drum/ Winder and 30 metres long x 20mm diam. Air-Water Hose Jet complete with mist nozzle suitable for production of 4 Cu Metres of mist per minute of max. 25 microns at a water flow rateof 6 litres/min. Instantaneous connection outlets for both water and compressed air C/W isolation valves, including a set of flow andpressure controls. Sheet metal cabinet for housing of the above equipment. The cabinet shall be of robust construction with legs suitable for grouting into a concrete ground level slab, and shall have a breakable transparent glass door. Production of 4 cu Metres of mist per minute of max. 25 microns at a water flow rate of 6 litres/min, with the mist being mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc **FOAM PRODUCTION** Production of 1800 litres/min of foam with a water flow of 180 litres/ min. at 5 bar inlet pressure The unit shall comprise the following:- Diesel/Petrol pump to power the Water Pump and the Air Compressor, Water Pump capable of duty 10 Litres/ minute at deliverypressure of 4 bar at 3 metres lift Compressor capable of duty 140 CFM at & 7.0 Bar delivery pressure	No.	TELESTO TYPE 1246	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Water (minimum 200 Litres.) and Diesel fuel (Minimum120 Litres) storage tanks, Drum/ Winder C/W 60 metres Air-Water Hose Jet equipped with mist generating Nozzle capable of production of 4 Cu Metres of mist per minute of max. 25 microns at awater flow rate of 6 Litres/min. 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-offvalve capable of producing 1800 Litres/min of foam with a water flow of 180 Litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above. 120 Litres Foam Concentrate tankControls and Control Panel The above components shall be housed in a strong framed wrap around chassis with sheet metal side panels and be complete with lifting lugs for loading onto a light truck.					
29	**Portable compact mist and foam units**	**Portable compact mist and foam units** Self- Contained portable Water-Mist/and foam generating unit made of lightweight aluminium plastic lined cylinders capable of foam/ mist production to EN3 and EN1866 water jet capacity reach - 16 m horizontal and 10 m vertical Operating time 44 seconds (based on 10 litre back pack) Single nozzle for all applications including electrical fires to 1000 volts	No.	TELESTO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	3,800,200.00 3,800,200.00 3,800,200.00 3,800,200.00 3,800,200.00 3,800,200.00 3,800,200.00 3,800,200.00
30	**Stationary mist system**	**Stationary mist system** Mist Nozzles with Colliding Jets Long-Range Mist Nozzles Water Supply (Minimum 2-3 Bar) Pressurized Air Supply (Minimum 2 -3 Bar) System of Detector Communication System between detectors and nozzles	No.	TELESTO MODEL 6343.2	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,500,200.00 4,500,200.00 4,500,200.00 4,500,200.00 4,500,200.00 4,500,200.00 4,500,200.00 4,500,200.00
31	**Portable ground monitor nozzle**	**Portable ground monitor nozzle**	No.	BLATZ FIRE SAFE TAK 11	UAE	NRB	2,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Portable automatic action Ground Monitor Nozzle capable of flow of 2000 litres/ min. at 7.0 bar water inlet pressure. The monitor shall be of gun-metal construction with base and 4No. Stainless steel foldable legs with carbide tipped spikes. The monitor shall have a carrying handle and a hand wheel for adjustment of vertical inclination of the nozzle The monitor shall be complete with: Dual - Pressure 500GPM Max Force, Automatic Nozzle Pivoting outlets allowing 20 degrees of motion either side of Centre and 40 degree of motion from 10 degrees above horizontalto 50 degrees Butterfly Valve with automatic operation capable of cutting off flow thereby reducing reaction force should the monitor start to tipfor any reason.				NYERI EMBU GRSS NKR KSM KKMG MSA	2,500,200.00 2,500,200.00 2,500,200.00 2,500,200.00 2,500,200.00 2,500,200.00 2,500,200.00
32	**Lifting pads – Up to 4000Kgs**	Set of 2No Lifting Bags suitable for lifting Cars, Buses, Vans, Emergency bracing in work pits, floating sunken loads etc, without damage to thin walled vehicle bodywork. The bags shallbe manufactured in reinforced Neoprene Nylon Fabric in 8no. loops and shall satisfy the following conditions: - Operation Pressure-1.0 Bar No single point loaded more than 1000g/cm2 Variable operating pressure from 0.1 through 0.5 bar to 1 Bar Bursting pressure 4.5 times the MAX. allowableworking pressure Lifting Power-58KN Lifting Height 48Cm/18 InchDiameter 61 cm/24 Inch Testing Pressure – 4.0 bar The set shall come complete with: - 2No. oil resistant MSA Inflation Hoses each 5 metres long. 1No. dual safety controller fitting for separate control of the 2No.Lifting Bags C/W 2No. safety valves 1No. Pressure Reducer-200/300 bar, adjustable up to 10bar, with protection cap, locking valve and 2 metre long Compressed Air Hose. Air Bags Pressurization Kit as described below **AIR BAGS PRESSURIZATION KIT**	No.	SITCO MODEL 3467-11-20	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	1,750,000.00 1,750,000.00 1,750,000.00 1,750,000.00 1,750,000.00 1,750,000.00 1,750,000.00 1,750,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The Air Bags set shall be supplied complete with a Pressurization Kit for inflation of the bags. The kit shall comprise the following:- ➢ 2No. 300bar Capacity 6 litres Compressed Air Bottles strapped onto a compact carrier frame, ➢ Bottle connector 300 bar C/W Pressure Regulator, Safety Valve 8 Bar with dead man control ➢ 2no. Auto – Retracting inflation hoses each 15 metres long. The carrier frame shall be wheeled and sled type combi chassis, suitable for light transport on streets and on soft ground.					
33(a)	**Collapsible fuel/water & liquid foam tanks(10,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (10,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 10,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 4000	UAE	NRB	4,050,000.00
						NYERI	4,050,000.00
						EMBU	4,050,000.00
						GRSS	4,050,000.00
						NKR	4,050,000.00
						KSM	4,050,000.00
						KKMG	4,050,000.00
						MSA	4,050,000.00
33(b)	**Collapsible fuel/water & liquid foam tanks(50,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (50,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 50,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 9000	UAE	NRB	8,450,000.00
						NYERI	8,450,000.00
						EMBU	8,450,000.00
						GRSS	8,450,000.00
						NKR	8,450,000.00
						KSM	8,450,000.00
						KKMG	8,450,000.00
						MSA	8,450,000.00
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes)	No.	HEALTHCARE CP 364	UAE	NRB	15,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated wounddressings (18cm x 18cm) vii) 1No. pair of disposable gloves					
						NYERI	15,200.00
						EMBU	15,200.00
						GRSS	15,200.00
						NKR	15,200.00
						KSM	15,200.00
						KKMG	15,200.00
						MSA	15,200.00
35	**Canvas rubber lined lay flat hose**	**Canvas rubber lined lay flat hose** 150mm dia. x 25 meters long, with alloy joints and Victaulic couplings and rubber seals to the BS6391 Type 3 specification with instantaneous couplings to BS366 wired on Shall have high chemical resistance, abrasion resistance, lightweight and be flexible	No.	Flexco	UAE	NRB	136,000.00
						NYERI	136,000.00
						EMBU	136,000.00
						GRSS	136,000.00
						NKR	136,000.00
						KSM	136,000.00
						KKMG	136,000.00
						MSA	136,000.00
36	**Knapsack firefighting 20 liters with mixing nozzles**	**Knapsack firefighting 20 litres with mixing nozzles** Knapsack Fire Fighting unit comprising of high resistant 20 liter Polyethylene tank with reinforced chassis. The unit shall have nylon padded carrying straps with self-regulating buckles for strapping onto the fire-fighter's back. The unit shall include a brass hand pump and delivery hose and tube C/W an adjustable nozzle for adjustment for short and long jet discharges	No.	GUARANY	UAE	NRB	75,200.00
						NYERI	75,200.00
						EMBU	75,200.00
						GRSS	75,200.00
						NKR	75,200.00
						KSM	75,200.00
						KKMG	75,200.00
						MSA	75,200.00
37	**Drip torches 5 liters**	**Drip torches 5 liters** Drip torch of tank capacity 5 liters, suitable for safe and easy setting of prescribed burns. The unit shall comprise a StainlessSteel tank and have a curved discharge pipe and a protected Asbestos wick. The carrying handle and the drip pipe to the tank shall be of aluminum metal. The tank shall be complete with a threaded filling cap for fuel loading.	No.	GUARANY	UAE	NRB	35,500.00
						NYERI	35,500.00
						EMBU	35,500.00
						GRSS	35,500.00
						NKR	35,500.00
						KSM	35,500.00
						KKMG	35,500.00
						MSA	35,500.00
38	**Pick-up Truck Fire Fighting Set complete with 400 lts Tank**	**Pick-up Truck Fire Fighting Set complete with 400 lts Tank** Pick-up Truck Fire Fighting Set for quick access to fire locations. The set		GUARANY	UAE	NRB	4,400,000.00
						NYERI	4,400,000.00
						EMBU	4,400,000.00
						GRSS	4,400,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		shall be compact, practical and light weight suitable for setting up in any Pick-Up truck. The set shall comprise of the following:- Low profile PVC flexible water tank C/W internal bafflesfor maximum stability of the carrying Pick-Up the tank shall be of minimum 400 liters capacitySelf-priming pump with 2 - Stroke Petrol Engine Foam Inductor Kit with minimum 4 liter foam concentratetank capacity Suction and Discharge Hoses				NKR	4,400,000.00
						KSM	4,400,000.00
						KKMG	4,400,000.00
						MSA	4,400,000.00
39	**Fire beaters / Fire Swatter / McLeod/ Pulaski set**	**Fire beaters / Fire Swatter / McLeod / Pulaski set** The set shall comprise 1No. of items of each of the following items; Fire swatter constructed of heavy canvas material withangled iron support frame attached to a 1.52metre fire resistant wooden handle Rake and Adze hoe in one combination, with 12 gauge steelhoe C/W 1.24 meter Fire Resistant wooden handle Mattock and Axe in one combination tool , made of highgrade tempered steel and with approximately 910-mm long fire resistant wooden handle	No.	GUARANY	UAE	NRB	65,500.00
						NYERI	65,500.00
						EMBU	65,500.00
						GRSS	65,500.00
						NKR	65,500.00
						KSM	65,500.00
						KKMG	65,500.00
						MSA	65,500.00
40	**Power Chain Saw**	**Power Chain Saw** Petrol Engine Powered Chain Saw suitable for cutting of trees and complete with all features necessary for safe operation and having the following specifications: . Displacement (CC) 25. 4 Form of Carburetor - DiaphragmMaxed Fuel Ratio 25.1 Tank Capacity 0.23 LtsLength – 250mm All to BS 6916 part II 1989	No.	YONSIA	UAE	NRB	145,000.00
						NYERI	145,000.00
						EMBU	145,000.00
						GRSS	145,000.00
						NKR	145,000.00
						KSM	145,000.00
						KKMG	145,000.00
						MSA	145,000.00
41	**Hydraulic rescue tools complete set**	**Hydraulic rescue tools complete set** Hydraulic Rescue Hand Tools set comprising of hand tools suitable for Spreading, Cutting and Pulling to the following specifications:	No.	ROTERS LUCAS SP 35	UAE	NRB	845,000.00
						NYERI	845,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Top Expansion Capability 38 - 47KN Working surface Capability 68 - 114KNPull 38KN Expansion surface 620mmHydraulic combi Shears Fast stop safe tie-in 360° adjustable and moveable handle Hand pump two pole operation of high pressure and low pressure. The hand pump set shall come complete with 5 metershose and coupling for connection to the tools and shall be as manufactured by WEBER or approved equivalent.				EMBU	
						GRSS	845,000.00
						NKR	
						KSM	845,000.00
						KKMG	
						MSA	845,000.00
42	**Booster pump for hydraulic hose reel**	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.	No.	Naffco	UAE	NRB	280,000.00
						NYERI	280,000.00
						EMBU	280,000.00
						GRSS	280,000.00
						NKR	280,000.00
						KSM	280,000.00
						KKMG	280,000.00
						MSA	280,000.00
43	**Trailer water bowser 2000 liters capacity**	**Trailer water bowser 2000 liters capacity** Mounted in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The water tank shall be 2000 liters cylindrical welded onto the trailer bed and with internal baffles plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as well as jockey wheel and four industrial, fully adjustable stabilizers.	No.	SGS/600 AGRI	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
44	**Fire Fighting aluminum extension ladders**	**Fire Fighting aluminum extension ladders** 2.50M Long x Internal Width 360mm aluminum type extension ladder	No.	Naffco	UAE	NRB	194,000.00
						NYERI	194,000.00
						EMBU	194,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	194,000.00
						NKR	194,000.00
						KSM	194,000.00
						KKMG	194,000.00
						MSA	194,000.00
45	**Disaster pouch (Treated Casualty bag)**	**Disaster pouch (Treated Casualty bag)** Full- Length- Adult size Zip Disaster Pouch fabricated from heavy duty Vinyl- Coated Nylon fabric / laminated polyester fabric. The pouch shall have six (8No.) padded carrying handles and shall be of dimensions 2000mm long x 850 mm wide Capacity: 675 # Lift Zipper shall be completely sewn with nylon thread for greater durability. Each pouch shall contain bio-hazard tag. All seams shall be dielectrically sealed to prevent leakage. Burst strength of material (lbs./sq.) 206 lbs. Each pouch shall be individually packaged in a 24" x 24" heavy duty viscera bag. Mil Thickness - 12 mil	No.	SEPCO CPA	UAE	NRB	5,850.00
						NYERI	5,850.00
						EMBU	
						GRSS	5,850.00
						NKR	
						KSM	5,850.00
						KKMG	
						MSA	5,850.00
46	**H/D rubber gloves**	**H/D rubber gloves** Multipurpose gloves made of PVC Fully lined with a Soft cotton tricot Length 350mm Size large (10)	No.	CRMO T1461	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	CORMO 6413	UAE	NRB	265,000.00
						NYERI	265,000.00
						EMBU	265,000.00
						GRSS	265,000.00
						NKR	265,000.00
						KSM	265,000.00
						KKMG	265,000.00
						MSA	265,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
48	**Fireman's Fire Fitting clothing (Fire Tunic)**	**Fireman's Fire Fitting clothing (Fire Tunic)** Fireman's Fire Fitting clothing (Fire Tunic) as TOPSPEC FIREAMN'S TUNIC manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining **or equivalent and approved**	No.	CORMO 541B2	UAE	NRB	65,200.00
						NYERI	65,200.00
						EMBU	65,200.00
						GRSS	65,200.00
						NKR	65,200.00
						KSM	65,200.00
						KKMG	65,200.00
						MSA	65,200.00
49	**Fire-fighting rescue action top 9sizes Boots**	**Fire-fighting rescue action top 9sizes Boots** Fire-fighting rescue action top 9sizes Boots (Sizes 38-48) to CSN EN 345 S3 HRO specification. Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation insert, resistant to oil, fuels, acids and anatomic 300o C temperature, replaceable washable innersole, stiffened with steel toe cap.	No.	CORMO F641	UAE	NRB	34,000.00
						NYERI	34,000.00
						EMBU	34,000.00
						GRSS	34,000.00
						NKR	34,000.00
						KSM	34,000.00
						KKMG	34,000.00
						MSA	34,000.00
50	**Head Helmets**	**Head Helmets** suitable for Fire Fighting and Rescue services and having the following features: Shell manufactured from Flame Retardant material withgood shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior Basket in flame retardant material and allowing foradjustment for head size and shape (from 52 to 63 cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quickrelease snap connection Retractable face protector visor in flame retardant polycarbonate material, Scratch resistant and with anti-foggingprotection Neck protection of genuine leather material with separableshell connection	No.	BIC CORMO T412	UAE	NRB	47,500.00
						NYERI	47,500.00
						EMBU	47,500.00
						GRSS	47,500.00
						NKR	47,500.00
						KSM	47,500.00
						KKMG	47,500.00
						MSA	47,500.00
51	**Breathing apparatus**	**Breathing apparatus** Breathing apparatus suitable for strapping as a back pack complete with waist and chest straps.	No.	BIC CORMO BT 6424	UAE	NRB	285,000.00
						NYERI	285,000.00
						EMBU	285,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN137 CLASS II standards. The apparatus shall be complete with a positive pressure Face Mask Self-contained breathing apparatus (SCBA) shall contain: facemask, flow regulator, reducer, 1No. 6 litres / 300 bar cylinder with compressed air for 45 minutes nominal duration and be c/w charging connection outlet, and back frame with harness				GRSS	285,000.00
						NKR	285,000.00
						KSM	285,000.00
						KKMG	285,000.00
						MSA	285,000.00
52	**Ear mutts**	**Ear mutts** Ear protection mutts suitable for protection against dangerous noise levels. The equipment shall have the following features:- Durable, Lightweight, Non- Electrical conductivity plastic material Universal fit headband Soft Foam filled cushionsLarge ear cup openings	No.	BIC CORMO T641	UAE	NRB	6,550.00
						NYERI	6,550.00
						EMBU	6,550.00
						GRSS	6,550.00
						NKR	6,550.00
						KSM	6,550.00
						KKMG	6,550.00
						MSA	6,550.00
53	**Leggings**	**Leggings** Lower legs protection leggings suitable for fire fighting and rescue services and having the following features; Pull on fitting ,with adjustable elastic bracesKnee protection Suitable for sewing onto both trouser legsReflective strips	No.	BIC CORMO C426	UAE	NRB	64,500.00
						NYERI	64,500.00
						EMBU	64,500.00
						GRSS	64,500.00
						NKR	64,500.00
						KSM	64,500.00
						KKMG	64,500.00
						MSA	64,500.00
54	**Gas Masks**	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	BIC CORMO 7424TC	UAE	NRB	13,550.00
						NYERI	13,550.00
						EMBU	13,550.00
						GRSS	13,550.00
						NKR	13,550.00
						KSM	13,550.00
						KKMG	13,550.00
						MSA	13,550.00
55	**Fully heat protection suit aluminized complete with overall, hood, three finger**	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot**	No.	CORMO RPG 97	UAE	NRB	290,000.00
						NYERI	290,000.00
						EMBU	290,000.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	mitten and over boot	Made using the aluminized FR Fabric, Fire Proof, ThermalInsulate, Penetration resist of radiation Heat sect type conforming to EN 1486				GRSS	290,000.00
						NKR	290,000.00
						KSM	290,000.00
						KKMG	290,000.00
						MSA	290,000.00
56	**Fire fluorescent waist coat**	**Fire fluorescent waist coat** Fireman's Fire Fighting clothing Waist Coat as manufactured from Nomex□ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Proban□ cotton lining and with fluorescent material	No.	GAPCO C46	UAE	NRB	750,000.00
						NYERI	750,000.00
						EMBU	750,000.00
						GRSS	750,000.00
						NKR	750,000.00
						KSM	750,000.00
						KKMG	750,000.00
						MSA	750,000.00
57	**Hydraulic Pressure tester complete with kits components for fire extinguishers**	**Hydraulic Pressure tester complete with kits components for fire extinguishers** With adaptors up to 6" diameter lines and upto 2400 ft of hose atone time. With 1 ½ " Manifold Assy to allow for fast filling of the hoses from the Hydrant or stand Pipe Twin Piston pump pressure upto 500PSI at a 3 GPM Flow Rate	No.	HPY 36L3	UAE	NRB	920,000.00
						NYERI	920,000.00
						EMBU	920,000.00
						GRSS	920,000.00
						NKR	920,000.00
						KSM	920,000.00
						KKMG	920,000.00
						MSA	920,000.00
58(a)	**15mm dia. Marine Ropes**	**15mm dia. Marine Ropes** 1 No. Roll of 15mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	343,000.00
						NYERI	343,000.00
						EMBU	343,000.00
						GRSS	343,000.00
						NKR	343,000.00
						KSM	343,000.00
						KKMG	343,000.00
						MSA	343,000.00
58(b)	**20mm dia. Marine Ropes**	**20mm dia. Marine Ropes** 1 No. Roll of 20mm diameter x 70meter long Marine Ropes suitable	No.	SEAMENS	UAE	NRB	440,000.00
						NYERI	440,000.00
						EMBU	440,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		for use in sea, river and special conditions				GRSS	440,000.00
						NKR	440,000.00
						KSM	440,000.00
						KKMG	440,000.00
						MSA	440,000.00
58(c)	**25mm dia. Marine Ropes**	**25mm dia. Marine Ropes** 1 No. Roll of 25mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	588,000.00
						NYERI	588,000.00
						EMBU	588,000.00
						GRSS	588,000.00
						NKR	588,000.00
						KSM	588,000.00
						KKMG	588,000.00
						MSA	588,000.00
58(d)	**32mm dia. Marine Ropes**	**32mm dia. Marine Ropes** 1 No. Roll of 32mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	750,000.00
						NYERI	750,000.00
						EMBU	750,000.00
						GRSS	750,000.00
						NKR	750,000.00
						KSM	750,000.00
						KKMG	750,000.00
						MSA	750,000.00
58(e)	**50mm dia. Marine Ropes**	**50mm dia. Marine Ropes** 1 No. Roll of 50mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	1,250,000.00
						NYERI	1,250,000.00
						EMBU	1,250,000.00
						GRSS	1,250,000.00
						NKR	1,250,000.00
						KSM	1,250,000.00
						KKMG	1,250,000.00
						MSA	1,250,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
58(f)	**65mm dia. Marine Ropes**	**65mm dia. Marine Ropes** 1 No. Roll of 65mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	1,351,000.00
						NYERI	1,351,000.00
						EMBU	1,351,000.00
						GRSS	1,351,000.00
						NKR	1,351,000.00
						KSM	1,351,000.00
						KKMG	1,351,000.00
						MSA	1,351,000.00
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas. Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two generators in a duo pack The material shall be odorless and flame retardant VO grade to UL94 standards Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes The mast shall have the following features. Rubber face piece Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes Self-serving breathing hole which does not utilize external air Oxygen generating chemical cartilage for generation of therequisite Oxygen Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing	No.	CILLICO EGM 43-11	UAE	NRB	24,500.00
						NYERI	24,500.00
						EMBU	24,500.00
						GRSS	24,500.00
						NKR	24,500.00
						KSM	24,500.00
						KKMG	24,500.00
						MSA	24,500.00
60	**Battery Powered Rope Ascender**	**Battery Powered Rope Ascender** Shall be powered by high density lithium battery and be suitable for scaling heights and with the following features: Robe grab system to EN 1891 and weigh 1.5kg with dimensions of 40x30x25cm Shall be able to work within 200kg safe load Shall have an automatic switch to monitor overload	No.	FAST ROPE	UAE	NRB	4,201,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Speed adjustment range of 0 to 22m /min and emergency speed= 0.5m/s Temperature working range -200C to 500C Raising a weight of minimum 450kg at a speed of not lessthan 3metres per second. Rope/Climbing Cable assembly capable of ascending a100metres High Storied building. Rechargeable Battery capable attaining 90% of maximumcharge within 5 minutes				NYERI	4,201,000.00
						EMBU	4,201,000.00
						GRSS	4,201,000.00
						NKR	4,201,000.00
						KSM	4,201,000.00
		Operation control shall be both manual trigger on hand grip buttons and by remote controller.				KKMG	4,201,000.00
						MSA	4,201,000.00
61	**Field Mobile Tough Notebook Computer**	**Field Mobile Tough Notebook Computer** Fully Rugged Tough Notebook/Laptop Computer designed for Military Police, Fire professionals with 13.3inch Display/Screen withthe following specifications: Microsoft Windows XP professional Intel Core 7 Duo Processor L2400 mobile technology (2MBL2 Cache, 1.66 GHZ, 667MHZ FSB) Intel 945GM Express Chipset RAM512 MB(4GB Max), UMA 128MB, 80GB Hard Drive (7200RPM) Combo Drive DVD Multi Drive Built-in-Intel PRO/Wireless 3945BG network connection 802. 11. a/b/g/weight 3.8Kg max.	No.	EXXON CP30	UAE	NRB	839,500.00
						NYERI	839,500.00
						EMBU	839,500.00
						GRSS	839,500.00
						NKR	839,500.00
						KSM	839,500.00
						KKMG	839,500.00
						MSA	839,500.00
62	**Unifold shelter**	**Unifold shelter** Foldable Fabric and Tent Frame Structure with 8 different shelter sizes ranging from 10'x6' to 11.5'x22' - ideal for decontamination, triage or command post uses; which when unfolded forms into a full enclosure comprising roof, sidewalls, floor and end walls, ready for occupation by people, equipment and supplies all assembled within seconds. Shall weigh less than 140lbs and capable of being stored in 6x8ftarea Shall not have air power fragile mechanisms Shall have easy to cut access holes for below ground operations The unifold structure shall be foldable into a flat pancake for easy storage and transport. Length - 6metres Width - 3 metres	No.	FERNOMIR 1027	UAE	NRB	381,000.00
						NYERI	381,000.00
						EMBU	381,000.00
						GRSS	381,000.00
						NKR	381,000.00
						KSM	381,000.00
						KKMG	381,000.00
						MSA	381,000.00
							381,000.00
							381,000.00
							381,000.00
							381,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Height of Side wall - 1.7 metres Height of apex of roof - 2.4metres The unifold shelter should fold into a flat pancake Max. 1.8m x 1..8mx 0.6metre thick. The shelter should be complete with a door, a window and clip pointsfor hanging items. Material of construction should be water proof and the assembled structure shall be capable of withstanding wind speeds of 70miles per hour The unit shall come complete with a re-usable storage bag for transportation and storage.					381,000.00 381,000.00 381,000.00 381,000.00 381,000.00
63	Emergency Sleeping Bag	**Emergency Sleeping Bag** Re-usable Emergency Survival protection bag for outdoor use toprovide protection from harsh natural elements. Size (vacuum packed): 21 x 11 x 4 cm. Volume: 0.9 Litres. Weight: 385 grams. Size (unpacked): 2.1 metres. Made of a layer of aluminized PVC bonded to a layer of thin non- woven nylon fibers. The seams shall be reinforced with the same multilayer material for added strength. The bag shall have an air layer formed by corrugations to form channels between outer and inner layers for provision of air gap insulation. The inner and outer surfaces of the bag shall be metalized to reflect ambient heat and retain radiated body heat emissions (optimal heat absorption). The bag shall be fully waterproof, windproof and re-usable and shall have approximate dimensions of 84" x 36" when unfolded; and be foldable into a compact unit. The maximum weight of the bag shall be 0.8kg.	No.	NEXTCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	7,450.00 7,450.00 7,450.00 7,450.00 7,450.00
64(a)	Unisol Solar Lamps – JS20	**Unisol Solar Lamps – JS20** **Solar cell**: 1 watt, No of leds:20, **Battery**: Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility, **Accessories**:A6v Electrical charger, which can be used to charge thelantern in case of deficient sunlight, **Size**:26cmx17cmx17cm**Light Hours**:4-5hrs	No.	SOLAR SCR001	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	84,400.00 84,400.00 84,400.00 84,400.00 84,400.00 84,400.00 84,400.00 84,400.00



Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
64(b)	**Unisol Solar Lamps – JS20-Mob**	**Unisol Solar Lamps – JS20-Mob** **Solar cell**: 1 watt, No of leds:20, **Battery** : Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility **Accessories**:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:26cmx17cmx17cm **Light Hours**:4-5hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 3-4hrs of light output	No.	SOLAR CAR	UAE	NRB	89,500.00
						NYERI	89,500.00
						EMBU	89,500.00
						GRSS	89,500.00
						NKR	89,500.00
						KSM	89,500.00
						KKMG	89,500.00
						MSA	89,500.00
64(c)	**Unisol Solar Lamps –SK30**	**Unisol Solar Lamps –SK30** **Solar cell**: 1 watt, No of leds:30 **Battery**: Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A6v Electrical charger, which can be used to charge the lantern in case of deficient sunlight **Size**:33cmx23cmx23cm**Light Hours**:4-5hrs	No.	SOLAR CAR	UAE	NRB	129,500.00
						NYERI	129,500.00
						EMBU	129,500.00
						GRSS	129,500.00
						NKR	129,500.00
						KSM	129,500.00
						KKMG	129,500.00
						MSA	129,500.00
64(d)	**Unisol Solar Lamps –SK30-Mob**	**Unisol Solar Lamps –SK30-Mob** **Solar cell**: 1 watt, No of leds:30 **Battery** : Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:33cmx23cmx23cm **Light Hours**:5-6hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 4-5hrs of light output	No.	SOLAR CAP SCR-005	UAE	NRB	139,500.00
						NYERI	139,500.00
						EMBU	139,500.00
						GRSS	139,500.00
						NKR	139,500.00
						KSM	139,500.00
						KKMG	139,500.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	139,500.00
65	**Fire Sentry**	**Fire Sentry** Ionization type detector complete with: Test button to check alarm circuits Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn Flashing Red LED light which indicates alarm is receiving power Twist off mounting bracket to provide fast easy installation & battery replacement 9 volt battery operated smoke alarm **Model** – 0914E	No.	SISCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	1,289,500.00 1,289,500.00 1,289,500.00 1,289,500.00 1,289,500.00 1,289,500.00 1,289,500.00 1,289,500.00
66	**Emergency Mobile Bridge**	**Emergency Mobile Bridge** Emergency Mobile Bridge with the following specifications: Capacity 50 Tons (50,000 Kgs) Length/span -26 metres Long Construction type Hole & PegMaterial - Aluminium Alloy Construction time - 4 Hours The kit shall also allow for cross linkage to give any variation in width up to 26 Meter width to create a bridge of 26 metres long x 26 meters wide	No.	MODEL KB4 BRIDGING EQUIPMENT	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	48,550,000.00 48,550,000.00 48,550,000.00 48,550,000.00 48,550,000.00 48,550,000.00 48,550,000.00 48,550,000.00
67	**Floto-pump**	**Floto-pump** Pressure to 105 PSI Capacity to 140 GPM Forestry (HP) Pressure to 170PSS Capacity to 60 GPM 8 HP/133CC 4.7(1h-1.5h)	No.	CPC-4923 SISCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	351,000.00 351,000.00 351,000.00 351,000.00 351,000.00 351,000.00 351,000.00 351,000.00
68	**Lifebuoy used with remote control**	**Lifebuoy used with remote control** Size 200x207x120 (mm) 2.5 Knots DC700 4 Blades 6CH Digital FM Radio Control NI-MH (6 CELL)7.2 VCD 3800mA NI-MH 12DC (INPUT)	No.	U-TEL GPE-SAUE BK-DI	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,850,000.00 4,850,000.00 4,850,000.00 4,850,000.00 4,850,000.00 4,850,000.00 4,850,000.00 4,850,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
69	**Fire Mobile crane**	**Fire Mobile crane** Horizontal and Vertical system (For high rise building fire and limited working space/limited access where fire trucks cannot access)	No.	TESCO TB 689234	UAE	NRB	14,,201,000.00
						NYERI	14,,201,000.00
						EMBU	14,,201,000.00
						GRSS	14,,201,000.00
						NKR	14,,201,000.00
						KSM	14,,201,000.00
						KKMG	14,,201,000.00
						MSA	14,,201,000.00
70	**Mammoth Matting**	**Mammoth Matting** Shall be made from polypropylene/reinforced rubber with high strength, durability and resistance against chemicals and uv lights complete with framework of 6x15mm steel beams with wood timber inserts Measuring 4m wide and 30m long Capable of climbing steep gradients up to 25 degreesCapable of being used on all types of soil Capacity :60 tons	No.	GASCO MMAB63	UAE	NRB	3,500,400.00
						NYERI	3,500,400.00
						EMBU	3,500,400.00
						GRSS	3,500,400.00
						NKR	3,500,400.00
						KSM	3,500,400.00
						KKMG	3,500,400.00
						MSA	3,500,400.00
71	**Aluminium truck way Matting**	**Aluminium truck way Matting** Sheet dimension Width : 4590mm Length :17 metres Capacity :60 tons Material should be aluminium Anchoring Pin/Hole/Steel locking bolt on road surface side ofmatting	No.	ANGLESSY FAUD	UAE	NRB	3,800,200.00
						NYERI	3,800,200.00
						EMBU	3,800,200.00
						GRSS	3,800,200.00
						NKR	3,800,200.00
						KSM	3,800,200.00
						KKMG	3,800,200.00
						MSA	3,800,200.00
72	**Location/Monitoring system**	**Location/Monitoring system** The search cam system combines a miniature video camera with a spotlight as well as a sensitive microphone to provide rescuers to look and listen into the voids of a collapsed structure	No.	SMCO	UAE	NRB	2,500,150.00
						NYERI	2,500,150.00
						EMBU	2,500,150.00
						GRSS	2,500,150.00
						NKR	2,500,150.00
						KSM	2,500,150.00
						KKMG	2,500,150.00
						MSA	2,500,150.00
73 (a)	**Pyrogen fire Suppression**	**Pyrogen fire Suppression Generators(Ex Series)**	No.	SUSCO	UAE	NRB	2,800,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Generators(Ex Series)	EXA – Z1 :Aerosol Mass, 100g Generator mass: 1.0 Max. protected Volume, 1 m3 Length: 122mm Diameter: 64mm Canister Material S/S, Nozzle Outlet Lateral Discharge Time, 30s. Ignition Resistance 2.0-3.0, Minimum all fire current :1.2@12ms, Minimum Activation Voltage :3.6Vdc				NYERI	2,800,200.00
						EMBU	2,800,200.00
						GRSS	2,800,200.00
						NKR	2,800,200.00
						KSM	2,800,200.00
						KKMG	2,800,200.00
						MSA	2,800,200.00
73 (b)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 10R :Aerosol Mass, 1000g Generator mass 9.3 Max. protected Volume, 10m3 Length: 200mm Diameter: 220mm Canister Material M/S, Nozzle Outlet Radial Discharge Time: 30s. Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,500,200.00
						NYERI	3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
73(c)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 50 :Aerosol Mass, 5000g Generator mass 28.5 Max. protected Volume, 50 m3 Length: 450mm Diameter: 310mm Canister Material M/S, Nozzle Outlet Lateral Discharge Time: 50s Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,500,200.00
						NYERI	3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
74	**Emergency Security Safety Barriers**	**Emergency Security Safety Barriers** **Type**: NMSB XVI 16` Mobile Hydraulic-dual buttress housing barrier system. **Deployment Positioning**: Once mobilized at site, to be lowered in position by 3(one front & two rear) manual jacks, leveled utilizing levelers at base barrier. Should consist of four (4) concrete jersey barrier, two (2) units placed behind each of the two	No.	NASATUA NMSB	UAE	NRB	9,500,200.00
						NYERI	9,500,200.00
						EMBU	9,500,200.00
						GRSS	9,500,200.00
						NKR	9,500,200.00
						KSM	9,500,200.00
						KKMG	9,500,200.00
						MSA	9,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Mobile/portable integrated buttress housing totaling a weight of 18,000 Ibs with four concrete barriers. **Road Blockers Physical dimensions :** HPU Cabinet - 640/940mm W x 670mm D x 1300mm H 2m Road blocker - 2510mm W x 1770mm D x 1000mm H **Road Blockers Basic Power requirements**: 3-Phase 415VAC, 50Hz, 20 amps (other voltages are available) Control Voltage S.E.L V 24 v **Road Blocker Performance**: Loading - 30 Tonnes **PAS 68 Impact absorption**: 1852KJ (fully operational immediately after impact) Full PAS 68 Classification: V/7500(N2/80/90:0/17.0 TestedModel 800mmHx2.0mW Road Blockers Speed of operation - typically 6 Seconds toraise or lower Emergency Fast Raise option - <1 second to raise Operating temperature range -25 deg C - +70 deg C Hydraulic Back Up System to provide six half cycles in the event of power failure. **Construction**: The supporting framework shall be constructed from fully welded, heavy gauge, steel angle and boxsection completely encased with steel sheets to provide a self-shuttered module. Sub-surface fixing points shall ensure the blocker iscompletely secured to its foundation.					
75	**Incinerator Assy 10,000kg**	**Incinerator Assy 10,000kg** **Installed heating capacity**: 1, 200,000Kcal/hr. **Hearth area** :1.8m2 **Hearth Loading** :85Kg/m2 **Changing door** :350 mm (W).350mm(H) with hinged refractory lined: **Ash door**:350 mm (W).200mm(H) with hinged refractory lined **Air Port** :One set **View Port**: One **Burner**: One 1.20.000 Kcal/hr HSD fired, ignition burner with FD fan, fuel pumps flame, control & burner control system, ignition unit etc. **Material of construction**: Shell - Boiler quality to IS 2002 Gr A Insulation: a) Castable refractories high alumina capable of withstanding 1400 degree centigrade. Outer chamber with air jacket. b) Mineral Wool c) Glass wool **Damper** :Butterfly type & Manual	No.	CRAWFORD	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Electric Motor :TEFC Squirrel cage induction motor continuous rating with 'F' class insulation (non flameproof) **Skin temperature** :35°C above ambient **Mode of operation**: Fully automatic with alarm buzzer **Mating System burner with Automating nozzle**: Pressure jetautomatic burners with automatic **Operating pressure Draught fan**: Negative pressure though induced **Fuel Tank**:100 litre with inspection cover drain valve, gauge and pipe lines Necessary Maintenance spares, concomitant accessories,tooling and gauges have to be supplied with Incinerator System Supplier shall have to arrange free training for user staff inoperation and maintenance Supplier shall have to provide related drawings/diagrams(civil, mechanical and electrical etc.)electrical load and electrical circuitry					
77	**Emergency suction delivery hose**	**Emergency suction delivery hose** Shall be made from PU with highly chemical resistant hose of 2" diameter at suction and 10m length Shall be UV stabilized Complete with male /female camlock	No.	SUSCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	68,950.00 68,950.00 68,950.00 68,950.00 68,950.00 68,950.00 68,950.00 68,950.00
78	**Trailer mounted communication system complete with station electronic equipment**	**Trailer mounted communication system complete with station electronic equipment** Interoperability system capable of patching 700MHz, 800MHz, UHF and VHF frequencies together without reprogramming and ability to dispatch trailer using system as a console Shall have extensive storage for critical response equipment and accessories Length:14ftWidth:7ft Weight (max. load):3,500 lbs Chassis: Welded steel box frame with non-slip plating deckand weather/vandal resistant housings Stabilization: Heavy duty adjustable outriggersTowing Connections:2 inch ball and ring Vehicle Status: Light trailer capable of being pulled by anystandard pickup truck to comply with all DoT and TC road-going trailer licensing requirements Electrical System:12v lighting, braking and PowerGeneration for Critical Communications	No.	SILICO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	17,500,200.00 17,500,200.00 17,500,200.00 17,500,200.00 17,500,200.00 17,500,200.00 17,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Communications Tower Construction: Girder frame - steel Minimum of 30' tower with mounting for radio antennas, PTZ cameras, weather station and/or other systems. Secure cabling for radio, video, VSAT Satellite, and ITnetworking Height: Retracted horizontal length: 12 feetFully Extended height: 42 feet Deployment Mechanism: Electric raise, extend and lowerRoad Clearance:7 feet **Wireless Communications System** Frequency:2.4 GHz Bandwidth:11 MHz Range:1,000ft to .5 miles Encryption: 128bit AirFortress®, 256bit AES and Triple DES **Camera** -Video camera system with 360 degree viewingand pan/tilt/zoom capabilities. Digital video recording on board with large storagecapabilities and remote access. Ability to control radio patching, controls, and remote videoviewing of the mast camera through secure VSAT internet connection Functions: Pan, Tilt, Zoom, Patrol, Motion Detection,Motion Reporting, Two-way audio communications Mechanical Zoom:26X					17,500,200.00
79	**Field mobile hospital**	**Field mobile hospital** The **Field Hospital** system complex shall consist of the following elements: **One Operating Theatre (Surgical) Module** installed into two Rigid purpose built ISO Containers. The Module provides an autonomous surgical operating theatre complete with operating facilities, and Air-conditioning. **One Pre Op Container** Installed into a single ISO Container. The shelter provides autonomous intensive care facilities complete with facilities and air-conditioning to meet the standards for intensive care in a mobile environment. **One Medical Staff Preparatory Container** in a single ISO Container. **One Generator Container** **One Utilities Container** providing Water and Waste Management **Three inflatable Ward Tents** 7m x 5m x 2.5m **One inflatable Ward Tent** 5m x 5m x 2.5m **Three inflatable Ward Tent** 17m x 8m x 4m	No.	SILICO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	23,000,150.00 23,000,150.00 23,000,150.00 23,000,150.00 23,000,150.00 23,000,150.00 23,000,150.00 23,000,150.00
80	**Floor Material-Tarpaulin (4mx5m)**	**Floor Material- Tarpaulin (4mx5m)** heavy weight PVC-tarpaulin Permanently flame retardant material - flame-retardant properties able to persist after soaking or washing.	No.	TARPO	UAE	NRB NYERI EMBU	15,200.00 15,200.00 15,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Length :65m width: 250cm density:720 g/m²thickness: 3mm 100% recyclable synthetic material capable of flatness after roll-out, dimensional stability, wear & tear resistance, c/w accessories				GRSS	15,200.00
						NKR	15,200.00
						KSM	15,200.00
						KKMG	15,200.00
						MSA	15,200.00
81	**Trailer mounted automated latrines complete for four people c/w generator andlights**	**Trailer mounted automated latrines complete for four people c/w generator and lights** Manufactured from Structural Grad Aluminium · Height Internal 2.2mOverall 2.6m · Width 2.4m · Depth 2.0m · Weight 700kgs · POWER:10amp power outlet · WATER: Mains water pressure (Gravity Feed - needs 6m head) · DRAINAGE: Sewer / Septic Connection (optional) Macerating pump via hose to waste holding tank Capable of pumping waste to 50m from unit and up to 11m above the unit	No.	Silico	England	NRB	3,500,200.00
						NYERI	3,500,200.00
							3,500,200.00
							3,500,200.00
						EMBU	3,500,200.00
						GRSS	3,500,200.00
						NKR	3,500,200.00
						KSM	3,500,200.00
						KKMG	3,500,200.00
						MSA	3,500,200.00
82	**Winch**	**Winch** **Vehicle-Recovery Winch** for heavy winching needs Shall have (5,440 kg) pulling capacity Shall come with 125' of 3/8" (38 m of 9.5mm) wire ropeand roller fairlead Remote with 12' (3.7 m) lead	No.	FISCO	England	NRB	480,080.00
						NYERI	480,080.00
						EMBU	480,080.00
						GRSS	480,080.00
						NKR	480,080.00
						KSM	480,080.00
						KKMG	480,080.00
						MSA	480,080.00
83	**Crane**	**Crane** **Hoisting capacity:** 10 tonnes **Crane span:** 19 + 0.2metres **Longitudinal travel of crane:** 70+ 0.5metres **Lifting range:** 6.5metres(hook height) **Main hoist speed:** 3.0m/min **Long travel speed:** 20.0m/min **Cross travel speed:** 16.0m/min **Creep speed:** pre-settable minimum 10% to 100% in steps of 10% full speeds by VVVF		FHAM CRANE	England	NRB	12,500,150.00
						NYERI	12,500,150.00
						EMBU	12,500,150.00
						GRSS	12,500,150.00
						NKR	12,500,150.00
						KSM	12,500,150.00
						KKMG	12,500,150.00
						MSA	12,500,150.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Duty class of crane(as per IS:807-206): M7 Shall come complete with : Bridge structure with platform and hand railing Travelling mechanism for long and cross travel shall include wheels, runway rails, end stops with spring/rubber buffers and wheel stops Trolleys Hoisting mechanism Service platform on both sides of crab girder Brake mechanism for long travel, cross travel and hoisting Pendant control and wireless remote operation for all movements Electric motors, control gear and switch gear AC variable frequency controls for all motions of the crane Lighting fixtures and accessories for cranes Earthing for all electrical equipment in the crane					
84	**Field kitchen trailer**	**Field kitchen trailer** Shall consist of: 1 x 150 Litre Double Walled Kettle2 x 20 Litre Water Heaters Revised Chassis with Height Adjustable Tow Bar Equipment for Diesel Operation (including upgraded burner) Platform for Carrying a Generator Generator Cover Spare Tyre & Wheel Wedge Toolset Shelter/Transportation Cover – Military Green (or UN White) **Optional LPG Variant** ses Liquid Petroleum Gas (LPG) as Pressure 2 Bar, Max Flow 2.1 kg/h rner Equipped with Power Control/Shut-off Valve, Flame Safety Device and Pierzo-electric Ignition as Burner Made of Stainless Steelurner is Installable without Tools. Gas Pipe with Quick Connector as Tubing and Valves Installed on Trailer Body as Cylinder Holder in Front of Trailer. Position for Two (2) x 11Kgs Gas Cylinders essure Regulator for Gas Cylinder with Press-on Valve, diam 35mm according to EN 12864 E Marked and Type Approved in Accordance with Gas ApplianceDirective 90/396/EEC		FERWISE	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	6,500,200.00 6,500,200.00 6,500,200.00 6,500,200.00 6,500,200.00 6,500,200.00 6,500,200.00 6,500,200.00
85	**Syphon Hose**	**Syphon Hose** is used with boats, autos, lawn mowers, tractors, motorcycles, stopped up sinks and tubs, water beds, aquarium and fish tank maintenance, ponds, pools, hot tubs and home brewery's to safely transfer gasoline,	No.	UDAYA	England	NRB NYERI	3,700.00 3,700.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		diesel fuel, kerosene, light weight oil, water, thinners, paint and more					
		Either Self-Priming Syphon Hose or manual suction siphon, it shall come with: 6 feet of FDA grade poly tubing, hose adaptor and High quality brass fitting for excellent longevity Shall have a 3-1/2 gallon per minute flow rate, depending on the liquid being transferred.				EMBU	3,700.00
						GRSS	3,700.00
						NKR	3,700.00
						KSM	3,700.00
						KKMG	3,700.00
						MSA	3,700.00
86	**Vaccine refrigerator**	**Vaccine refrigerator** Mains powered version that works on as little as 2½ hours power per day, or a solar 'direct drive' model that doesn't need a battery to maintain cooling performance overnight. In severe power outages, both models keep vaccines at safe temperatures for extended periods without any power whatsoever – 10 days or more at 32°C ambient, and even longer at lower temperatures.	No.	UDAYA	England	NRB	1,500,200.00
						NYERI	1,500,200.00
						EMBU	1,500,200.00
		Model **AC (Mains) DC(Solar)** W: 89cm W: 89cm Size (cm): D: 76cm D: 76cm H: 185cm H: 185cm Gross storage capacity 124L 124L (litres): Vaccine storage 99L 99L capacity (litres): Holdover time 43°C: 250 hours 184 hours (>10 days) (>7 Days) Holdover time 32°C: 309 hours (>12 days)* 288 hours 43°C 32°C Solar arrayPower consumption: < 4 hours < 2½ 370W dep supply per day hours geographic supply per day 200W to ending on al location Minimum rated ambient 10°C 5°C temperature:	(12 days)*			GRSS	1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00 1,500,200.00
						NKR	1,500,200.00
						KSM	1,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Refrigerant: R134a R600a (CFC free) (CFC/HFC Insulation: CFC/HFC free CFC/HFC				KKMG	1,500,200.00
						MSA	1,500,200.00
							1,500,200.00
87	3 way valve	**3 way valve** The purpose of a 3-way control valve is to shut off water flow in one pipe while opening water flow in another pipe, to mix water from two different pipes into one pipe, or to separate water from one pipe into two different pipes. Shall have capacity of air supply pressures up to 5.0 bars (72 psig),allowing valve shutoff at high pressure drop A 3-way valve shall be provided with an electrical, pneumaticor thermal actuator. **Valve Body Size;** DN 25, 40, 50, 80, 100 **Pressure Rating**: PN 10 / 16 / 25 / 40 per EN 1092-1 **End Connections**: Flanged raised face per EN 1092-1 **Valve Body Materials**:1.0619 steel 1.4409 stainless steel **Bonnet Materials:1**.4409 stainless steel **Flow Direction:** Converging and Diverging	No.	SILICON	England	NRB	65,200.00
						NYERI	65,200.00
						EMBU	65,200.00
						GRSS	65,200.00
						NKR	65,200.00
						KSM	65,200.00
						KKMG	65,200.00
						MSA	65,200.00
							65,200.00
							65,200.00
							65,200.00
88	Mist type nozzles	**Mist type nozzles** Stainless steel/ Brass body Connecting thread:1/8 Flow rate: 200 ml/min Spray angle:18°	No.	UDAYA	England	NRB	150,200.00
						NYERI	150,200.00
						EMBU	150,200.00
						GRSS	150,200.00
						NKR	150,200.00
						KSM	150,200.00
						KKMG	150,200.00
						MSA	150,200.00
89	Firefighting motorcycle	**Firefighting motorcycle** Propellant: Compressed atmospheric air Pressure source: 6.8 litres breathing apparatus tank made of aluminium inner and carbon composite outer for 300 bar pressure Working pressure: Preset at 20 bars Nozzle: dual nozzle Nozzle pressure: 13 bars Lance measurements: 104 cm long, 4 kg	No	FIRE EXPRESS BMW	UAE	NRB	4,500,150.00
						NYERI	4,500,150.00
						EMBU	4,500,150.00
						GRSS	4,500,150.00
						NKR	4,500,150.00
						KSM	4,500,150.00
						KKMG	4,500,150.00
						MSA	4,500,150.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Spray options: Micro-drops or jet stream of aspirated foam as selected by operator with instant change Stream options: Continues stream or manual pulsing Range: 11 meters Drop size (micro-drops): 7-100 microns Water/foam tank: 2 x 25 liter stainless steel water/foam tanks, sufficient for 136 seconds on constant spray Flow: 22 liters per min. (micro-drops), 110 liters per min. (aspirated foam) Recommended foam solution: 3% AR-AFFF (alcohol resistant) foam solution, premixed in water Foam expansion rate: Low expansion rate, approximately 1:5 Hose: 30 meter ½" hose on reel with manual rewind **Hose type**: Oil and temperature resistant (-40° C up to +100° C) according to EN 854 Corrosion resistance: Water tank – stainless steel type 1.4462 (werkstoff no.)/ UNS S 31803 (ASTM) **Safety features**: Two pressure safety valves (26 bars and 40 bars) Non-return valve between pressure regulator andwater/foam tank **Accessories**: Lance with cavity spear, lance with cleaning nozzle, flat jet spray adapter for penetration of forest floor, filling kit, fully certified tailor-made fire suits appropriate for riding motorcycles **Motorcycle:** Model: BMW R 1200 RT - police version Engine capacity: 1,170 cc Output: 81 Kw (110 HP) at 7,500 rpm Maximum torque: 115 Nm at 6,000 rpm Dimensions (D x W x H) : 223 x 91 x 143 cm Weight:359 kg (fully loaded) **Driving limitations**: Maximum speed limit is 180 km/h Water/foam tanks must either be completely full or completely empty when driving Riders must receive special training Regular control of technical condition of the motorcycle must be performed **Firefighting capability:** Able to fight class A, B, C and E fires Tested according to EN 3-7 standard Approved for electrical fires up to 10,000 volts					
90	**All-terrain vehicle**	**All-terrain vehicle** Vehicles driven like a motorcycle, but the extra wheels give more stability at slower speeds. Typically equipped with four) wheels, though six-wheel models exist for specialized applications. Engine sizes of ATVs currently range from 49 to 1,000 cc	No	Fire Express Polaris	UAE	NRB	2,300,150.00
						NYERI	2,300,150.00
						EMBU	2,300,150.00
						GRSS	2,300,150.00
						NKR	2,300,150.00
						KSM	2,300,150.00
						KKMG	2,300,150.00
						MSA	2,300,150.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		15 HP engine 220cc typical for fire fighting 13HP Pump mounted at the rear(manual or automatic start) with output of 600 l/min at operating pressure of 8 bars Complete with accessories: 20m long 4 no. hermaphrodite connection delivery hoses,2" branch nozzle, rubber lined 40m hose reel 100 litre foam tank6 litre premix AFF 2 no portable fire extinguishers(dry powder) Fireman's axe, spanner, key and bar 7m long suction hose with strainer battery					
91	**Emergency dewatering pumping units**	**Emergency dewatering pumping units** Provides a quick and easy solution in case of flooded basements, garages and residential buildings. The kit is composed of a stainless steel drainage electric pump and a 6 meters long flexible hose complete with quick coupling, all inside a plastic box that can be usedto store the kit on a shelf when not in use, or as a strainer during operation. **Specifications**: Head: up to 7 m Power supply: single-phase	No	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,500,150.00 9,500,150.00 9,500,150.00 9,500,150.00 9,500,150.00 9,500,150.00 9,500,150.00 9,500,150.00
92	**Fire Ball**	**Fire Ball** Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years	No.	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	13,500.00 13,500.00 13,500.00 13,500.00 13,500.00 13,500.00 13,500.00 13,500.00
93	**Air Diffuser Pack**	**Air Diffuser Pack Contents:** 1x Air Diffuser Machine Wall Mounted 2x40m Refills Containing Solution 2xWick to insert into each refill. Made of lime wood and shall have polyester powder coated white/silver finishes Shall come in 2-10pack packaging complete with non-visiongrilles(satin silver finish) Packaged in shrink wraps and fitted with removable plastic covers Complete with opposed blade dumpers Plenum boxes shall be made of polystyrene and galvanized sheet steel	No.	BIOCHEM	England	NRB NYERI EMBU GRSS NKR KSM	28,000.00 28,000.00 28,000.00 28,000.00 28,000.00 28,000.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	28,000.00
						MSA	28,000.00
94	**De watering pumps for flooding heavy duty trailer mounted**	**De watering pumps for flooding heavy duty trailer mounted** Available in 4x4, 6x6 and 8x8-inch versions, automatic, dry-priming trash pump for contractors, dewatering firms, sewage-bypass operations, mine or quarry operators, municipalities, and industrial operations. Units shall be self-contained in either skid or trailer configurations Range : 0.75 Hp To 75.0 Hp Head : Up To 100 Mtr. Capacity : Up To 450 M3/Hr Solid Size: Up To 35 Mm (Suspended Solid) Speed : 2850 Rpm/1440 Rpm Control : Thermistor & Moisture (Optional) **Material Of Construction** Pump Casing : C.I. /S.S./ Alu.(Optional) Impeller : C.I./S.S.316/Cf8m/S.S.410/S.S.304 Shaft : S.S.410/S.S.431 Motor Body : C.I. (Ej Series) , S.S. /M.S. (Mj Series) , M.S. Fabricated (Vdx Series) / As Per Req. Mech. Seal : Tungsten Carbide/Tungsten Carbide or As per Application Hardware: Stainless Steel Rubber Part : Nitrile / Witon Rubber /As per Req. Application		UDAYA	England	NRB	2,500,200.00
						NYERI	2,500,200.00
						EMBU	2,500,200.00
						GRSS	2,500,200.00
						NKR	2,500,200.00
						KSM	2,500,200.00
						KKMG	2,500,200.00
						MSA	2,500,200.00
95	**Generator Distribution Panels**	**Generator Distribution Panels** To provide electric-power distribution for 3-phase electrical equipment. Ability to deliver electric power for up to eight 60 amp rectifier-welders operating on 240, 380, 480 or 600 volt, 3-phase power 1600 Amps • 208-600Vac, 50/60Hz rated • MEC 20 Microprocessor-based Engine/Generator Controller • Digital AC/DC Instrumentation • Optional remote annunciator Stainless Steel Construction **Specifications** 240, 380, 480 or 600 volt electric power distribution 8 - 60 amp, 3 phase receptacles with 50 amp breakers1 - 9 connection terminal board with 20 amp breaker 1 - 225 amp, 600 volt main breaker CSA Approved	No.	VICKS ENGLAND	England	NRB	150,150.00
						NYERI	150,150.00
						EMBU	
						GRSS	
						NKR	
						KSM	
						KKMG	
						MSA	
96	**Rotax Firetec**	**Rotax Firetec**	No.	FIRETEC	England	NRB	374,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Engine Specifications				NYERI	374,000.00
		Rotax Model 185 cc				EMBU	374,000.00
		Maximum power: 10 HP (7.46kW)				GRSS	374,000.00
		Engine : 2-cycle, air cooled single cylinder with cast iron sleeve Starting system: Recoil with backup manual rope starter Ignition system: Electronic ignition				NKR	374,000.00
		Stroke: 2.40" (61 mm)				KSM	374,000.00
		Bore: 2.44" (62 mm)				KKMG	374,000.00
		Displacement:185 cc (11.29 cubic inches) Lubrication :Oil in fuel mixture				MSA	374,000.00
97	**Multi Power Mobile Fire Pump**	**Multi Power Mobile Fire Pump**	No.	UDAYA	England	NRB	8,500,150.00
		Pump unit specifications					8,500,150.00
		•12-16, detachable 4-stage centrifugal pump end					8,500,150.00
		•Quick release pump clamp					8,500,150.00
		•Lightweight aluminium alloy pump parts					8,500,150.00
		•Anodized pump parts for corrosion resistance					8,500,150.00
		•Stainless steel shaft					8,500,150.00
		•Mechanical rotary seal					8,500,150.00
		•Automatic overspeed safety switch				NYERI	8,500,150.00
		•Painted steel frame				EMBU	8,500,150.00
		•2" (51mm) suction threads				GRSS	8,500,150.00
		•1 ½" (38mm) discharge threads				NKR	8,500,150.00
		•Fuel consumption 4.5 L hour)				KSM	8,500,150.00
		Length 23" (58cm)				KKMG	8,500,150.00
		Width 12" (31cm) Height 16 ¼" (41cm) Weight58lbs (26.3kg)				MSA	8,500,150.00
98	**Portable Fire Detector Tester**	**Portable Fire Detector Tester**	No.	PEDY	England	NRB	185,100.00
		Wireless and battery powered complete with protective carrying bag Made of fibre glass with four section telescopic pole complete with extension pole				NYERI	185,100.00
		Shall have a universal detector removal tool and aerosol smoke dispenser				EMBU	185,100.00
						GRSS	185,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	185,100.00
		Capable of detecting fixed temperature to rate of rise and combination up to 900 C Shall have capacity to remove, replace and test smoke detector up to 23 ft.				KSM	185,100.00
						KKMG	185,100.00
						MSA	185,100.00
99	**Air Tent For Disaster Control Point**	**Air Tent For Disaster Control Point** Shall be made from highly breathable and strong cotton /polyester fabric Heavy duty 75-150D fabric with fully taped seems Shall have 4-8 persons capacity Shall have 1 door per 1 room and 4 mesh windows Complete with internal pre-attached pole system	No.	DCP-11	England	NRB	1,850,050.00
						NYERI	1,850,050.00
						EMBU	1,850,050.00
						GRSS	1,850,050.00
						NKR	1,850,050.00
						KSM	1,850,050.00
						KKMG	1,850,050.00
						MSA	1,850,050.00
100	**Petrol Engine Driven Water Pump 2" BSP**	**Petrol Engine Driven Water Pump 2" BSP** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 4.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kg	No.	NAFFCO	UAE	NRB	280,100.00
						NYERI	280,100.00
						EMBU	280,100.00
						GRSS	280,100.00
						NKR	280,100.00
						KSM	280,100.00
						KKMG	280,100.00
						MSA	280,100.00
	Cold fire extinguishers 9.5 Litres Cold fire extinguisher	**Cold fire extinguishers** **9.5 Litres Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program)	No.	Naffco	UAE	NRB	27,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
						NYERI	27,100.00
						EMBU	27,100.00
						GRSS	27,100.00
						NKR	27,100.00
						KSM	27,100.00
						KKMG	27,100.00
						MSA	27,100.00
(b)	**5.7 liters Cold fire extinguisher**	**5.7 liters Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility.	No.	Naffco	UAE		27,100.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
(c)	**Heavy duty steel mounting brackets above Units**	**Heavy duty steel mounting brackets above Units**	No.	Naffco	UAE	NRB	8,900.00
						NYERI	8,900.00
						EMBU	8,900.00
						GRSS	8,900.00
						NKR	8,900.00
						KSM	8,900.00
						KKMG	8,900.00
						MSA	8,900.00
(e)	**4 Litre Extinguisher**	**4 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) •Considered an acceptable substitute to toxic foams and Halon. ▪Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable •Unique Thermal Insulation capability. Helps to minimize heat exhaustion. •Prevents re-ignition when properly applied. •Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. •Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. •No messy Cleanup is required. •Cold Fire is non-slip. •Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB	8,900.00
						NYERI	8,900.00
						EMBU	8,900.00
						GRSS	8,900.00
						KSM	8,900.00
						KKMG	8,900.00
						MSA	8,900.00
						NKR	8,900.00
(f)	**3 Litre**	**3 Litre Extinguisher**	No.	Naffco	UAE	NRB	5,950.00
							5,950.00




Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		·UL Classified Wetting Agent for Class A and B fires. ·EPA-SNAP (Significantly New Alternative Policy Program) Listed. ·Capable of suppressing multiple classes of fire ABDK Fires ·Considered an acceptable substitute to toxic foams and Halon. Non Toxic. ·Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NYERI	5,950.00
							5,950.00
						EMBU	5,950.00
						GRSS	5,950.00
						NKR	5,950.00
							5,950.00
						KSM	5,950.00
						KKMG	5,950.00
						MSA	5,950.00
(g)	**2 Litre Extinguisher**	**2 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs.	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
(h)	**1 Litre Extinguisher**	**1 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, and thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB	3,450.00
						NYERI	3,450.00
						EMBU	3,450.00
						GRSS	3,450.00
						NKR	3,450.00
						KSM	3,450.00
						KKMG	3,450.00
						MSA	3,450.00
(i)	**50 Kg Cold Fire Trolley Type Fire Extinguisher**	**50 Kg Cold Fire Trolley Type Fire Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion.	No.	Naffco	UAE		105,000.00
						NRB	105,000.00
							105,000.00
						NYERI	105,000.00
							105,000.00
						EMBU	105,000.00
						GRSS	105,000.00
							105,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NKR	105,000.00
						KSM	105,000.00
						KKMG	105,000.00
						MSA	105,000.00
(j)	**Mounting Brackets for Above units**	**Mounting Brackets for Above units**	No.	Naffco	UAE	NRB	8,900.00
						NYERI	8,900.00
						EMBU	8,900.00
						GRSS	8,900.00
						NKR	8,900.00
						KSM	8,900.00
						KKMG	8,900.00
						MSA	8,900.00
102 (a)	**Cold Fire Foaming Nozzle**	**Cold Fire Foaming Nozzle** Short to medium range of up to about 10 feet and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	Naffco	UAE	NRB	7,850.00
						NYERI	7,850.00
						EMBU	7,850.00
						GRSS	7,850.00
						NKR	7,850.00
						KSM	7,850.00
						KKMG	7,850.00
						MSA	7,850.00
(b)	**Cold Fire Wand Nozzle**	**Cold Fire Wand Nozzle** Made to fight fires at a very close distance and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	Naffco	UAE	NRB	10,550.00
						NYERI	10,550.00
						EMBU	10,550.00
						GRSS	10,550.00
						NKR	10,550.00
						KSM	10,550.00
						KKMG	10,550.00
						MSA	10,550.00
(c)		**Cold Fire Aspirating Nozzle**	No.	Naffco	UAE	NRB	8,900.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Cold Fire Aspirating Nozzle	Helps aerate when spaying and by doing so makes more foam. Together with standard units and at the correct pressure, it can be used to spray up to about 20 feet. This is the most user friendly and versatile nozzle, which makes it the most, recommended one for general use.				NYERI	8,900.00
						EMBU	8,900.00
						GRSS	8,900.00
						NKR	8,900.00
						KSM	8,900.00
						KKMG	8,900.00
						MSA	8,900.00
103 (a)	**Cold fire Spray**	**Cold fire Spray** Easy to use spray can Lightweight, convenient size Environmentally safe! No fumes or odors Biodegradable, nontoxic, non-corrosive Leaves no mess, stain or residue! No special cleanup required Prevents re-ignition Quickly and effectively suppresses: Class A (wood/paper/furnishings) & Class B (grease/oil) spot fires Used on surfaces such as wood, paper, cotton, furnishings, fabrics, carpeting, curtains, packaging materials and storage boxes Kitchen stove grease fires; barbeque grill flare-ups; fireplace sparks and embers; fires ignited by candles; cigarettes/cigar fires; campfires; car, boat use Available in the following sizes: **Cold Fire Ultimate Spray Can (340g)**	No.	Naffco	UAE	NRB	3,200.00
						NYERI	3,200.00
						EMBU	3,200.00
						GRSS	3,200.00
						NKR	3,200.00
						KSM	3,200.00
						KKMG	3,200.00
						MSA	3,200.00
							3,200.00
							3,200.00
(b)	**Cold Fire Pre-Mix 1 Litre Pump Spray**	**Cold Fire Pre-Mix 1 Litre Pump Spray**	No.	Naffco	UAE	NRB	12,100.00
						NYERI	12,100.00
						EMBU	12,100.00
						GRSS	12,100.00
						NKR	12,100.00
						KSM	12,100.00
						KKMG	12,100.00
						MSA	12,100.00
(c)	**0.5 Litres Spray Can Holster**	**0.5 Litres Spray Can Holster** made from 100% real leather, nylon threads or metal studs	No.	Naffco	UAE	NRB	4,550.00
						NYERI	4,550.00
						EMBU	4,550.00
						GRSS	4,550.00



Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	4,550.00
						KSM	4,550.00
						KKMG	4,550.00
						MSA	4,550.00
(a)	**Cold Fire Concentrate 1 Litre Ext. Refill**	**Cold Fire Concentrate 1 Litre Ext. Refill** This concentrate will refill a 9.5 litres extinguisher a 10% mixture for fire suppression and ultimate cooling properties	No.	Naffco	UAE	NRB	7,600.00
						NYERI	7,600.00
						EMBU	7,600.00
						GRSS	7,600.00
						NKR	7,600.00
						KSM	7,600.00
						KKMG	7,600.00
						MSA	7,600.00
(b)	**Cold Fire Concentrate 20 Litres Bucket**	**Cold Fire Concentrate 20 Litres Bucket** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes	No.	Naffco	UAE	NRB	40,100.00
						NYERI	40,100.00
						EMBU	40,100.00
						GRSS	40,100.00
						NKR	40,100.00
						KSM	40,100.00
						KKMG	40,100.00
						MSA	40,100.00
(c)	**Cold Fire Concentrate 210 Litres Drum**	**Cold Fire Concentrate 210 Litres Drum** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None	No.	Naffco	UAE	NRB	24,000.00
						NYERI	24,000.00
						EMBU	24,000.00
						GRSS	24,000.00
						NKR	24,000.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		• Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes				KSM	24,000.00
						KKMG	24,000.00
						MSA	24,000.00
104 (a)	**Fire Block**	**Fire Block** a specially formulated, environmentally friendly product which is used to retard fire in all Class A materials. It forms a thermal insulation barrier that prevents dangerous flames from spreading. Fire Block also inhibits the development of toxic hydrocarbon smoke Available in the following sizes: PH : 7.0 Concentrate Boiling Point : 212°F **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Biodegradability : 100% in 21 days under ideal conditions **Fire Block 1 Litre**	No.	Naffco	UAE	NRB	7,400.00
						NYERI	7,400.00
						EMBU	7,400.00
						GRSS	7,400.00
						NKR	7,400.00
						KSM	7,400.00
						KKMG	7,400.00
						MSA	7,400.00
(b)	**Fire Block 20 Litres Bucket**	**Fire Block 20 Litres Bucket**	No.	Naffco	UAE	NRB	40,050.00
						NYERI	40,050.00
						EMBU	40,050.00
						GRSS	40,050.00
						NKR	40,050.00
						KSM	40,050.00
						KKMG	40,050.00
						MSA	40,050.00
(c)	**Fire Block 210 Litres Drum**	**Fire Block 210 Litres Drum**	No.	Naffco	UAE	NRB	240,200.00
						NYERI	240,200.00
						EMBU	240,200.00
						GRSS	240,200.00
						NKR	240,200.00
						KSM	240,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	240,200.00
						MSA	240,200.00
105 (a)	Motor Max	**Motor Max** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Available in the following capacities: **Motor Max 1 Litre Bottle** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F	No.	Naffco	UAE	NRB	1,600.00 1,600.00 1,600.00 1,600.00 1,600.00 1,600.00 1,600.00 1,600.00 1,600.00 1,600.00
						NYERI	1,600.00
						EMBU	1,600.00
						GRSS	1,600.00
						NKR	1,600.00
						KSM	1,600.00
						KKMG	1,600.00
						MSA	1,600.00 1,600.00
(b)	Motor Max 20 Liters Bucket	**Motor Max 20 Liters Bucket** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive	No.	Naffco	UAE	NRB	35,200.00
						NYERI	35,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F					EMBU	35,200.00
						GRSS	35,200.00
						NKR	35,200.00
						KSM	35,200.00
						KKMG	35,200.00
						MSA	35,200.00
106	**Odor Seal**	**Odor Seal** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	9,800.00
						NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00
						MSA	9,800.00
(a)	**Odor Seal 1 Litre**	**Odor Seal 1 Litre** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100%	No.	Naffco	UAE	NRB	9,800.00
						NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Oil Emulsification				MSA	9,800.00
(b)	**Odor Seal 20 Litres Bucket**	**Odor Seal 20 Litres Bucket** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	90,200.00 90,200.00 90,200.00 90,200.00 90,200.00 90,200.00 90,200.00 90,200.00
(c)	**Odor Seal 210 Liters Drum**	**Odor Seal 210 Liters Drum** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order: Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB NYERI EMBU GRSS KSM KKMG MSA	450,200.00 450,200.00 450,200.00 450,200.00 450,200.00 450,200.00 450,200.00 450,200.00 450,200.00
107	**John Dee Firefighting Engine**	**John Dee Firefighting Engine** 1500 CREW EXPRESS4X4 (140 in WB.5 FT 7 IN box) 5.7L V8 HEMI MDS VVT Engine 6-Spd Automatic 65RFE Transmission Monotone Paint Cloth 40/20/40 Bench Seat - Black/Diesel Gray Class IV Receiver Hitch Rear Back-up Camera	No.	JDEE	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG	7,450,000.00 7,450,000.00 7,450,000.00 7,450,000.00 7,450,000.00 7,450,000.00 7,450,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Air Suspension - 4-Corner 32 Gallon Fuel Tank Anti-Spin Differential Rear Axle Premium Display Package Popular Equipment Group Power Black Trailer Tow Mirrors Remote Start and Security Group Trailer Brake Control Dealer added Sport Hood upper glove box door sport headlights				MSA	7,450,000.00
108 (a)	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	No.	AGAM	England	NRB	650,200.00
						NYERI	650,200.00
						EMBU	650,200.00
						GRSS	650,200.00
						NKR	650,200.00
						KSM	650,200.00
						KKMG	650,200.00
						MSA	650,200.00
(b)	**Inflatable Cold Storage**	**Inflatable Cold Storage** Suitable for storage ,production, packaging and preparing food during emergencies 3 sizes-single, double and triple Single 4.8m x 6.8m x2.8m Double 9.8m x 6.8m x2.8m Triple 14.4m x 6.8m x2.8m Assembly time 1 ½ hours Power supply needed 32amp single phase or 16amp 3 phase Chill temp +2^{0}C t0 +8^{0}C	No.	SUPCOOL	England	NRB	850,050.00
						NYERI	850,050.00
						EMBU	850,050.00
						GRSS	850,050.00
						NKR	850,050.00
						KSM	850,050.00
						KKMG	850,050.00
						MSA	850,050.00
(c)	**Green House Kit Assy**	**Green House Kit Assy** (Width x Length) 8 1/2' x 6 1/2', 8 1/2' x 10', and 8 1/2' x 14' shall include a PVC frame and 6 mil thermal polyethylene plastic covering (both UV protected), exhaust fan, hinged door with lockable latch, built-in shelving, and anchors	No.	AGAM	England	NRB	651,000.00
						NYERI	651,000.00
						EMBU	651,000.00
						GRSS	651,000.00
						NKR	651,000.00




Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KSM	651,000.00
						KKMG	651,000.00
						MSA	651,000.00
(d)	**Green house Irrigation Kit**	**Green house Irrigation Kit** Perfect for the average 8' x 6' greenhouse. Shall contain a pressure reducing connector, 20m of hose, two Aqua Pods, and 10 stakes. This kit will water up to four growing bags or 10 individual plants.	No.	AGAM	England	NRB	351,000.00
						NYERI	351,000.00
						EMBU	351,000.00
						GRSS	351,000.00
						NKR	351,000.00
						KSM	351,000.00
						KKMG	351,000.00
						MSA	351,000.00
(f)	**Dam/Pond lining**	**Dam/Pond lining** Are used primarily to prevent the loss of water from storage ponds and dams. These storage ponds can be for dairy farm waste ponds, stock watering, irrigation and firefighting □ shall be able to: withstand severe heat temperature fluctuations (- 45°C to +130°C) □ Withstand prolonged ozone exposure to the sunlight □ Combine strength and durability □ Puncture resistant-UV treated □ Elongation of 400% (Flexible able to conform over rocks) □ Tear resistant □ Fish and Plant friendly □ Environmentally friendly (should not break down underneath the ground)	No.	GENAP	England	NRB	2,450.00
						NYERI	2,450.00
						EMBU	2,450.00
						GRSS	2,450.00
						NKR	2,450.00
						KSM	2,450.00
						KKMG	2,450.00
						MSA	2,450.00
(g)	**Water Pump, Petrol Engine**	**Water pump Petrol engine** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 5.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir	No.	SSP ENGLAND	England	NRB	445,000.00
						NYERI	445,000.00
						EMBU	445,000.00
						GRSS	445,000.00
						NKR	445,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kgs				KSM	445,000.00
						KKMG	445,000.00
						MSA	445,000.00
(h)	**Delivery Hose for (g) above**	**Delivery Hose for (g) above** Rubber lined hose all sizes 4 bar working pressure	No.	SSP	England	NRB	600.00
						NYERI	600.00
						EMBU	600.00
						GRSS	600.00
						NKR	600.00
						KSM	600.00
						KKMG	600.00
						MSA	600.00
(i)	**Ditch lining**	**Ditch lining** Concrete canvas made of a 3-dimensional fibre matrix containing a specially formulated dry concrete mix. A PVC backing on one surface to ensure the material is water proof. Once hydrated the material remain should remain flexible and workable for 2 hours (subject to ambient temperatures) and gain 80% of its 28 day strength in the first 24 hours. 3 thicknesses, 5, 8 and 13mm. standard roll width of 1.0m 5mm mas kg/ M^2 Density(unset)kg/M^3 1500	No.	GENAP	England	NRB	8,400.00
						NYERI	8,400.00
						EMBU	8,400.00
						GRSS	8,400.00
						NKR	8,400.00
						KSM	8,400.00
						KKMG	8,400.00
						MSA	8,400.00
(j)	**Floating Modular cube**	**Floating Modular cube** Dimensions L x W x H(500mmx500mmx400mm) Live load 93kgF/M^2 material :HDPE Top Area 0.25 M^2 Tensile strength Upper 20000N	No.	DURALINE	England	NRB	24,500.00
						NYERI	24,500.00
						EMBU	24,500.00
						GRSS	24,500.00
						NKR	24,500.00
						KSM	24,500.00
						KKMG	24,500.00
						MSA	24,500.00



Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
109	**JCB Firefighting Engine**	**JCB Firefighting Engine** **Technical Specs** • 4-Door DRW 4×4 Chassis • Power Stroke 6.7L V-8, 300-HP Diesel Engine • 6-speed Automatic Transmission Heavy Duty 3/16" Aluminum Body with Roll Up Doors • stainless steel running boards • Two (2) rear SCBA back bucket seats EMS compartment with shelf between rear seats • Grill Guard with 12,000-lb Winch • One (1) trailer hitch with electrical connections, rear • One (1) Single bottle Air bottle compartment, right side wheel well area • One (1) Dual bottle Air bottle compartment, right side wheel well area • Attic ladder/Pike Pole storage with rear access, upper raised area • Turtle tile on floors and /or shelves and trays of compartments • Stokes basket/backboard storage, front transverse compartment • One (1) Air bag rack, left side • Fire Extinguisher Rack, right side • One (1) Hinged Pegboard tool board, right side • Two (2) Vertical Pull out tool boards, right side Floor mounted console for emergency switches with map/binder storage, cab Class 1 Total system manager for electrical load management on-board battery charger Super Auto Eject 120-volt shoreline Code 3 Electronic Siren with 100-watt speaker Two (2) Air horns, front bumper One (1) hand held spotlight, cab Four (4) 12-volt LED telescopic lights Smart Power Hydraulically driven 5500-watt Generator with 120-volt system Two (2) Electric cord reels with 100-ft of 12/3 cord and junction box LED Warning Light Package Chevron pattern striping, rear 7' 11" Overall height 26' 2" Overall length 200.2 " Wheelbase 84" Cab to Axle 7,000 FAWR 14,700 RAWR 19,500 GVWR	No.	JCB-DRW	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00 7,500,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
110	**Portable Data System (MRT**	**Portable Data System(MRT)** System Characteristics: TAMCN: A25607G NSN:7010-09-000-2546 (Block I-Disposal) NSN:7010-01-524-4120(Block II-Phasing Out MRT-A) NSN:7010-01-571-6450(Block II-Sustaining MRT-B) Spectrum: Operates per DoD Directive 4650.1 Mobility: Man-Portable Power: Internal and operating in a range of +15 to +24 Volts of Direct Current (VDC) (T). Operation will be from an external Alternating Current (AC)/DC adapter or a +15 Volts (V) battery system. The circuit steady-state voltage shall be between 23 and 33 VDC. Distance: Dependent on Laser Range Finder/Radio used Operational Mode: Day, Night, Limited-Visibility Conditions Encryption: Dependent on the radio Processor: Intel® Core™ i7processor, 64-bit architecture System Memory: 4 GB expandable to 8 GB Mass Storage: 128 GB solid state hard drive (SSHD) Display: 10.4" XGA LCD Audio: Single channel In/Out, AC'97 compatible, Integrated speakers (2x) VGA Output: Via sealed HD-15 connector. Secondary display resolutions up to 1600 x 1200 pixels Video In:RS-170 analog video capture, MPEG4 hardware compression, Local playback, LAN broadcast	No.	OMAHA NE	JAPAN	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	12,500,200.00 12,500,200.00 12,500,200.00 12,500,200.00 12,500,200.00 12,500,200.00 12,500,200.00 12,500,200.00
111	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	AFLOMIX	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00
112	**CC Shelters**	Pre-deployment (Crate) dimensions Unit Length (m) Width (m) Height (m) Weight (m) CCS25 2.61 2.30 1.13 1900 CCS50 2.90 2.24 1.70 3100 Post deployment dimensions Unit Length (m) Width (m) Height (m) Internal Area (m3) CCS25 5.00 5.60 2.45 25.00 CCS50 9.50 5.60 2.60 50.00	No.	CCL	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,801,000.00 4,801,000.00 4,801,000.00 4,801,000.00 4,801,000.00 4,801,000.00 4,801,000.00 4,801,000.00



Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		General Specifications Unit Water Requirement (L) Deployment Time (min) Cot Space Available CCS25 2.61 2.30 1.13 CCS50 2.90 2.24 1.70					
113 (a)	**Dura line Plastic Modular Molded Cube**	Standard Size: L500mm, W500mm, H400mm Weight: 7.00kg Live Load: 93kgf /about 372kgF/m2 Material: HDPE Free Board: 37.5cm Top Area: 0.25m2 Tensile Strength: Upper 20,000N	No.	DURALINE	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	26,000.00 26,000.00 26,000.00 26,000.00 26,000.00 26,000.00 26,000.00 26,000.00
(b)	**Concrete Impregnated Fabric**	CC Thickness (mm) Batch Roll Size (sqm) Bulk Roll Size (sqm) Roll Width CC5 5 10 200 1.0 CC8 8 5 125 1.1 CC13 13 N/A 80 1.1	No.	CCL	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,900.00 9,900.00 9,900.00 9,900.00 9,900.00 9,900.00 9,900.00 9,900.00
114	**Emergency Bridge**	Length when folded is 10.4 metres and the length when unfolded is 20 metres. The bridge is a Class 50 so it is capable of supporting 50 Tons when deployed. The width of tract being 1.14 metres wide. Track element is self-supporting; height folded is 1.55 metres and unfolded is 0.83 metres. (OPTION) Two Bridges width tol is 3.27 metres with each track being 1.14 metres wide. The resultant gap between the tracks being approximately 900mm. Each track element is self-supporting but is held in position by cross braces that link two tracks together.	No.	ALGONGUM	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	12,580,000.00 12,580,000.00 12,580,000.00 12,580,000.00 12,580,000.00 12,580,000.00 12,580,000.00 12,580,000.00
115	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	AFLOMIX	England	NRB NYERI EMBU GRSS NKR KSM	9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00 9,000,200.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	9,000,200.00
						MSA	9,000,200.00
116	**MP 2006 designed 60M tower range**	58 M-Antenna area= 6m2 2 M-Antenna diameter= 0.6m2 56M-Antenna area=6m2 0.3 M- Antenna diameter=0.07m2	No.	Naffco	UAE	NRB	8,500,100.00
						NYERI	8,500,100.00
						EMBU	8,500,100.00
						GRSS	8,500,100.00
						NKR	8,500,100.00
						KSM	8,500,100.00
						KKMG	8,500,100.00
						MSA	8,500,100.00
117	**Portable Monitoring, Recording and Data Transmitting System.**	HDD rack stacked for data backup. -Built in LCD monitor for instant playback. -Unit erupted power supply for continuous operation. -Supported by 3 Axis mount for safe transportation and positioning. -Secured with a lighting rod. -Uber friendly trailer-toeing capability -Wireless video data transmission and antenna. Details -CCTV Cameras The solid uses up to 4 PTZ cameras. The built in fan/heater and the IP66 weather proof housing offers maximum protection from all weather conditions. -Wireless Antenna Wireless video data transmission and antenna **-Warning light** The light turns to red and warns the battery level status. -Taillight To provide the safety and distance estimation from the following cars in driving, two backlights are equipped. -Landing jack The heavy duty 3 axis mount safely supports the solid during operation and transportation. -DVR The uninterrupted power supply and mobile DVR allows for continuous recording. **-LCD Monitor & Keyboard** All viewing operations are independently controlled with built	No.	OMAHA ME	JAPAN	NRB	125,000,000.00
						NYERI	125,000,000.00
						EMBU	125,000,000.00
						GRSS	125,000,000.00
						NKR	125,000,000.00
						KSM	125,000,000.00
						KKMG	125,000,000.00
						MSA	125,000,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		in keyboard controller which is conveniently located and securely stored in the trailer. **-System & Pole-moving switches** For system power on/off, pull up/down and its height adjustment. -Copular The hauling loop is specially designed to be user friendly for trailer towing purposes. -Digital charging system The charging connector is easily accessible for charging and powering the solid.					
118	**Air Tent For Disaster Control Point**	Inspection Pole Length – Min. about 1,180 mm / Max.; Testable Detector – Heat rate of rise fixed Temperature; Smoke – Ionization Smoke Detector; Battery Charging Time 5 Hours	No.	Naffco	UAE	NRB	1,900,000.00
						NYERI	1,900,000.00
						EMBU	1,900,000.00
						GRSS	1,900,000.00
						NKR	1,900,000.00
						KSM	1,900,000.00
						KKMG	1,900,000.00
						MSA	1,900,000.00
119	**All-Terrain Vehicle**	To be self-contained c/w pump driven unit, to have a 160 litre tank for water and 12 liter tank for foam. The pump to be operating at 37bar. The vehicle to be as per EN 3-7 standard	No.	Naffco	UAE	NRB	2,350,000.00
						NYERI	2,350,000.00
						EMBU	2,350,000.00
						GRSS	2,350,000.00
						NKR	2,350,000.00
						KSM	2,350,000.00
						KKMG	2,350,000.00
						MSA	2,350,000.00
120 (a)	Hawk Thermal Imaging Camera	Detector array resolution: 640 x 512 pixels Detector pitch: 16µm Field of view: 1.8o horizontal x 1.44o vertical (narrow) 24o horizontal x 19.2o vertical (wide) continuous zoom Detector technology: CMT Band: : 3.7µm-: 4.95µm Physical dimensions: 373 x 108 x 100mm Operational temperature: 82-88K Video output: HCCIR/STANAG 3350, PAL-1 compatible Auto focus: on demand Frame rate: 25Hz Focus distance range: ∞ to 10m narrow field of view; ∞ to 10m wide field of view	No.	FLIR SWEDEN	Sweden	NRB	110,500,500.00
						NYERI	110,500,500.00
						EMBU	110,500,500.00
						GRSS	110,500,500.00
						NKR	110,500,500.00
						KSM	110,500,500.00
						KKMG	110,500,500.00
						MSA	110,500,500.00


Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
(b)	**Horizon Thermal Imaging Camera**	Detector array resolution: 1280 x 720 (HD) Detector pitch: 12µm Field of view: 11 x 6.2o to 0.0 x 0.5o (HD) Detector technology: CMT Band: : 3.7µm-: 4.95µm Focal length: 80-960mm	No.	FLIR SWEDEN	Sweden	NRB	110,500,000.00
						NYERI	110,500,000.00
						EMBU	110,500,000.00
						GRSS	110,500,000.00
						NKR	110,500,000.00
						KSM	110,500,000.00
						KKMG	110,500,000.00
						MSA	110,500,000.00
121	a	Water bottles complete with carrier	No.	Naffco	UAE	NRB	2,000.00
						NYERI	2,000.00
						EMBU	2,000.00
						GRSS	2,000.00
						NKR	2,000.00
						KSM	2,000.00
						KKMG	2,000.00
						MSA	2,000.00
	b	Knapsack food containers with a capacity of 20kg	No.	LERON/EU	England	NRB	40,000.00
						NYERI	40,000.00
						EMBU	40,000.00
						GRSS	40,000.00
						NKR	40,000.00
						KSM	40,000.00
						KKMG	40,000.00
						MSA	40,000.00
	c	Canvas floor material	No.	TARPO	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00
	d	Stretcher foldable	No.	Naffco	UAE	NRB	13,500.00
						NYERI	13,500.00
						EMBU	13,500.00
						GRSS	13,500.00
						NKR	13,500.00
						KSM	13,500.00
						KKMG	13,500.00
						MSA	13,500.00
	e	10000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	965,000.00
						NYERI	965,000.00
						EMBU	965,000.00
						GRSS	965,000.00
						NKR	965,000.00
						KSM	965,000.00
						KKMG	965,000.00
						MSA	965,000.00
	f		No.	CHEMGUARD	England	NRB	2,750,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		80000ltrs bladder tank complete with fittings				NYERI	2,750,000.00
						EMBU	2,750,000.00
						GRSS	2,750,000.00
						NKR	2,750,000.00
						KSM	2,750,000.00
						KKMG	2,750,000.00
						MSA	2,750,000.00
	g	40000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	1,550,000.00
						NYERI	1,550,000.00
						EMBU	1,550,000.00
						GRSS	1,550,000.00
						NKR	1,550,000.00
						KSM	1,550,000.00
						KKMG	1,550,000.00
						MSA	1,550,000.00
	h	Hydromaster Propelling Unit	No.	Hydromaster	UAE	NRB	9,900,000.00
						NYERI	9,900,000.00
						EMBU	9,900,000.00
						GRSS	9,900,000.00
						NKR	9,900,000.00
						KSM	9,900,000.00
						KKMG	9,900,000.00
						MSA	9,900,000.00
	i	Rubber speed hump	No.	SAFEROADS	England	NRB	127,500.00
						NYERI	127,500.00
						EMBU	127,500.00
						GRSS	127,500.00
						NKR	127,500.00
						KSM	127,500.00
						KKMG	127,500.00
						MSA	127,500.00
	j	Cabin pressure test trolley	No.	SAFEROADS	England	NRB	8,600,000.00
						NYERI	8,600,000.00
						EMBU	8,600,000.00
						GRSS	8,600,000.00
						NKR	8,600,000.00
						KSM	8,600,000.00
						KKMG	8,600,000.00
						MSA	8,600,000.00
	k	Flexible Delineator Post	No.	SAFEROADS	England	NRB	127,000.00
						NYERI	127,000.00
						EMBU	127,000.00
						GRSS	127,000.00
						NKR	127,000.00
						KSM	127,000.00
						KKMG	127,000.00
						MSA	127,000.00
	l	Crash cushion system	No.	SAFEROADS	England	NRB	3,900,000.00
						NYERI	3,900,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						EMBU	3,900,000.00
						GRSS	3,900,000.00
						NKR	3,900,000.00
						KSM	3,900,000.00
						KKMG	3,900,000.00
						MSA	3,900,000.00
	m	End Terminal (material SS400)	No.	SAFEROADS	England	NRB	97,000.00
						NYERI	97,000.00
						EMBU	97,000.00
						GRSS	97,000.00
						NKR	97,000.00
						KSM	97,000.00
						KKMG	97,000.00
						MSA	97,000.00
	n	Rolling Guard Barrier	No.	SAFEROADS	England	NRB	77,000.00
						NYERI	77,000.00
						EMBU	77,000.00
						GRSS	77,000.00
						NKR	77,000.00
						KSM	77,000.00
						KKMG	77,000.00
						MSA	77,000.00
	o	Plastic Jersey Barrier	No.	SAFEROADS	England	NRB	47,000.00
						NYERI	47,000.00
						EMBU	47,000.00
						GRSS	47,000.00
						NKR	47,000.00
						KSM	47,000.00
						KKMG	47,000.00
						MSA	47,000.00
	p	Field water pamp 6" complete with diesel engine	No.	SHAKTI	UAE	NRB	4,400,000.00
						NYERI	4,400,000.00
						EMBU	4,400,000.00
						GRSS	4,400,000.00
						NKR	4,400,000.00
						KSM	4,400,000.00
						KKMG	4,400,000.00
						MSA	4,400,000.00
	q	Field De-water pump unit 6"	No.	SHAKTI	UAE	NRB	5,250,000.00
						NYERI	5,250,000.00
						EMBU	5,250,000.00
						GRSS	5,250,000.00
						NKR	5,250,000.00
						KSM	5,250,000.00
						KKMG	5,250,000.00
						MSA	5,250,000.00
	r	Field De-water hose c/w victolic coupling 6" x 7ft	No.	SHAKTI	UAE	NRB	150,000.00
						NYERI	150,000.00
						EMBU	150,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	150,000.00
						NKR	150,000.00
						KSM	150,000.00
						KKMG	150,000.00
						MSA	150,000.00
	s	Field water osmosis water treatment plant	No.	WEC	England	NRB	48,000,000.00
						NYERI	48,000,000.00
						EMBU	48,000,000.00
						GRSS	48,000,000.00
						NKR	48,000,000.00
						KSM	48,000,000.00
						KKMG	48,000,000.00
						MSA	48,000,000.00
	t	Field tower lights 2.5 metres long	No.	MPMC	England	NRB	2,900,000.00
						NYERI	2,900,000.00
						EMBU	2,900,000.00
						GRSS	2,900,000.00
						NKR	2,900,000.00
						KSM	2,900,000.00
						KKMG	2,900,000.00
						MSA	2,900,000.00
	u	20m Steel Structure Mast Tower	No.	MPMC	England	NRB	4,300,000.00
						NYERI	4,300,000.00
						EMBU	4,300,000.00
						GRSS	4,300,000.00
						NKR	4,300,000.00
						KSM	4,300,000.00
						KKMG	4,300,000.00
						MSA	4,300,000.00
	v	30m Steel Structure Mast Tower	No.	MPMC	England	NRB	5,800,000.00
						NYERI	5,800,000.00
						EMBU	5,800,000.00
						GRSS	5,800,000.00
						NKR	5,800,000.00
						KSM	5,800,000.00
						KKMG	5,800,000.00
						MSA	5,800,000.00
	w	Bucket toilet	No.	Naffco	UAE	NRB	4,000.00
						NYERI	4,000.00
						EMBU	4,000.00
						GRSS	4,000.00
						NKR	4,000.00
						KSM	4,000.00
						KKMG	4,000.00
						MSA	4,000.00
	x	Turntable firefighting platform surface –Mounted 88Meter high including a rotable 45	No.	Naffco	UAE	NRB	273,000,000.00
						NYERI	273,000,000.00
						EMBU	273,000,000.00
						GRSS	273,000,000.00

Item No.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		degree main bucket 10x4 axle configuration				NKR	273,000,000.00
						KSM	273,000,000.00
						KKMG	273,000,000.00
						MSA	273,000,000.00
	y	AFF Foam 20ltrs	No.	Naffco	UAE	NRB	40,000.00
						NYERI	40,000.00
						EMBU	40,000.00
						GRSS	40,000.00
						NKR	40,000.00
						KSM	40,000.00
						KKMG	40,000.00
						MSA	40,000.00



NAME; FILTON ENTERPRISES
P.O. BOX; 8510-00200, NAIROBI
TEL: 0722351173
CONTRACT NO; SB/036/003/2021

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge** 55g CO2 cartridge fully charged to BS EN3	No.	FireTech	Malaysia	NRB	2,496.00
						NYERI	2,496.00
						EMBU	2,496.00
						GRSS	2,496.00
						NKR	2,496.00
						KSM	2,496.00
						KKMG	2,496.00
						MSA	2,496.00
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.	FireTech	Malaysia	NRB	3,120.00
						NYERI	3,120.00
						EMBU	3,120.00
						GRSS	3,120.00
						NKR	3,120.00
						KSM	3,120.00
						KKMG	3,120.00
						MSA	3,120.00
1(d)	**Wall bracket**	**Wall bracket** Hook type	No.	FireTech	Malaysia	NRB	372.00
						NYERI	372.00
						EMBU	372.00
						GRSS	372.00
						NKR	372.00
						KSM	372.00
						KKMG	372.00
						MSA	372.00
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	FireTech	Malaysia	NRB	6,216.00
						NYERI	6,216.00
						EMBU	6,216.00
						GRSS	6,216.00
						NKR	6,216.00
						KSM	6,216.00
						KKMG	6,216.00
						MSA	6,216.00
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	FireTech	Malaysia	NRB	2,730.00
						NYERI	2,730.00
						EMBU	2,730.00
						GRSS	2,730.00
						NKR	2,730.00
						KSM	2,730.00
						KKMG	2,730.00
						MSA	2,730.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	12,552.00
						NYERI	12,552.00
						EMBU	12,552.00
						GRSS	12,552.00
						NKR	12,552.00
						KSM	12,552.00
						KKMG	12,552.00
						MSA	12,552.00
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	3,120.00
						NYERI	3,120.00
						EMBU	3,120.00
						GRSS	3,120.00
						NKR	3,120.00
						KSM	3,120.00
						KKMG	3,120.00
						MSA	3,120.00
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	FireTech	Malaysia	NRB	2,250.00
						NYERI	2,250.00
						EMBU	2,250.00
						GRSS	2,250.00
						NKR	2,250.00
						KSM	2,250.00
						KKMG	2,250.00
						MSA	2,250.00
3(d)	**CO2 cartridge**	**CO2 cartridge** 75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	2,640.00
						NYERI	2,640.00
						EMBU	2,640.00
						GRSS	2,640.00
						NKR	2,640.00
						KSM	2,640.00
						KKMG	2,640.00
						MSA	2,640.00
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	7,320.00
						NYERI	7,320.00
						EMBU	7,320.00
						GRSS	7,320.00
						NKR	7,320.00
						KSM	7,320.00
						KKMG	7,320.00
						MSA	7,320.00
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve**	No.	FireTech	Malaysia	NRB	2,628.00
						NYERI	2,628.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent				EMBU	2,628.00
						GRSS	2,628.00
						NKR	2,628.00
						KSM	2,628.00
						KKMG	2,628.00
						MSA	2,628.00
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	12,720.00
						NYERI	12,720.00
						EMBU	12,720.00
						GRSS	12,720.00
						NKR	12,720.00
						KSM	12,720.00
						KKMG	12,720.00
						MSA	12,720.00
5(b)	**Automatic D.C.P. Cold fire extinguisher**	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	FireTech	Malaysia	NRB	10,800.00
						NYERI	10,800.00
						EMBU	10,800.00
						GRSS	10,800.00
						NKR	10,800.00
						KSM	10,800.00
						KKMG	10,800.00
						MSA	10,800.00
5(c)	**Fire Extinguishing Dry Chemical Powder**	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	FireTech	Malaysia	NRB	8,592.00
						NYERI	8,592.00
						EMBU	8,592.00
						GRSS	8,592.00
						NKR	8,592.00
						KSM	8,592.00
						KKMG	8,592.00
						MSA	8,592.00
5(d)	**Fire Extinguisher Operating Valve**	**Fire Extinguisher Operating Valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,690.00
						NYERI	3,690.00
						EMBU	3,690.00
						GRSS	3,690.00
						NKR	3,690.00
						KSM	3,690.00
						KKMG	3,690.00
						MSA	3,690.00
5(e)	**CO2 Cartridge**	**CO2 Cartridge**	No.	FireTech	Malaysia	NRB	4,470.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent				NYERI	4,470.00
						EMBU	4,470.00
						GRSS	4,470.00
						NKR	4,470.00
						KSM	4,470.00
						KKMG	4,470.00
						MSA	4,470.00
6(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	FireTech	Malaysia	NRB	2,694.00
						NYERI	2,694.00
						EMBU	2,694.00
						GRSS	2,694.00
						NKR	2,694.00
						KSM	2,694.00
						KKMG	2,694.00
						MSA	2,694.00
7(b)	**Fire Extinguisher Dry Chemical Powder**	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	6,960.00
						NYERI	6,960.00
						EMBU	6,960.00
						GRSS	6,960.00
						NKR	6,960.00
						KSM	6,960.00
						KKMG	6,960.00
						MSA	6,960.00
7(c)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,324.00
						NYERI	3,324.00
						EMBU	3,324.00
						GRSS	3,324.00
						NKR	3,324.00
						KSM	3,324.00
						KKMG	3,324.00
						MSA	3,324.00
7(d)	**CO2 Cartridge**	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,822.00
						NYERI	3,822.00
						EMBU	3,822.00
						GRSS	3,822.00
						NKR	3,822.00
						KSM	3,822.00
						KKMG	3,822.00
						MSA	3,822.00
8(a)	**9 Kgs dry chemical powder stored pressure fire extinguisher**	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle	No.	FireTech	Malaysia	NRB	7,440.00
						NYERI	7,440.00
						EMBU	7,440.00
						GRSS	7,440.00
						NKR	7,440.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent					
						KSM	7,440.00
						KKMG	7,440.00
						MSA	7,440.00
8(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge nozzle, and siphon for item 8(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,300.00
						NYERI	3,300.00
						EMBU	3,300.00
						GRSS	3,300.00
						NKR	3,300.00
						KSM	3,300.00
						KKMG	3,300.00
						MSA	3,300.00
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	FireTech	Malaysia	NRB	2,496.00
						NYERI	2,496.00
						EMBU	2,496.00
						GRSS	2,496.00
						NKR	2,496.00
						KSM	2,496.00
						KKMG	2,496.00
						MSA	2,496.00
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	2,880.00
						NYERI	2,880.00
						EMBU	2,880.00
						GRSS	2,880.00
						NKR	2,880.00
						KSM	2,880.00
						KKMG	2,880.00
						MSA	2,880.00
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	FireTech	Malaysia	NRB	2,010.00
						NYERI	2,010.00
						EMBU	2,010.00
						GRSS	2,010.00
						NKR	2,010.00
						KSM	2,010.00
						KKMG	2,010.00
						MSA	2,010.00
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	7,824.00
						NYERI	7,824.00
						EMBU	7,824.00
						GRSS	7,824.00
						NKR	7,824.00
						KSM	7,824.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	7,824.00
						MSA	7,824.00
11(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for item 11(a) above to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,432.00
						NYERI	3,432.00
						EMBU	3,432.00
						GRSS	3,432.00
						NKR	3,432.00
						KSM	3,432.00
						KKMG	3,432.00
						MSA	3,432.00
11(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent		FireTech	Malaysia	NRB	3,480.00
						NYERI	3,480.00
						EMBU	3,480.00
						GRSS	3,480.00
						NKR	3,480.00
						KSM	3,480.00
						KKMG	3,480.00
						MSA	3,480.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	10,344.00
						NYERI	10,344.00
						EMBU	10,344.00
						GRSS	10,344.00
						NKR	10,344.00
						KSM	10,344.00
						KKMG	10,344.00
						MSA	10,344.00
12(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,432.00
						NYERI	3,432.00
						EMBU	3,432.00
						GRSS	3,432.00
						NKR	3,432.00
						KSM	3,432.00
						KKMG	3,432.00
						MSA	3,432.00
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,288.00
						NYERI	3,288.00
						EMBU	3,288.00
						GRSS	3,288.00
						NKR	3,288.00
						KSM	3,288.00
						KKMG	3,288.00
						MSA	3,288.00
13(a)	**50 Kg dry chemical powder Trolley**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	No.	FireTech	Malaysia	NRB	56,160.00
						NYERI	56,160.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Type Fire Extinguisher	50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent				EMBU	56,160.00
						GRSS	56,160.00
						NKR	56,160.00
						KSM	56,160.00
						KKMG	56,160.00
						MSA	56,160.00
13(b)	**Discharge nozzle**	**Discharge nozzle** Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	10,560.00
						NYERI	10,560.00
						EMBU	10,560.00
						GRSS	10,560.00
						NKR	10,560.00
						KSM	10,560.00
						KKMG	10,560.00
						MSA	10,560.00
14(c)	**Discharge horn**	**Discharge horn** Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	7,416.00
						NYERI	7,416.00
						EMBU	7,416.00
						GRSS	7,416.00
						NKR	7,416.00
						KSM	7,416.00
						KKMG	7,416.00
						MSA	7,416.00
15(a)	**45 Litres Air Foam Trolley Type Fire Extinguisher**	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	58,800.00
						NYERI	58,800.00
						EMBU	58,800.00
						GRSS	58,800.00
						NKR	58,800.00
						KSM	58,800.00
						KKMG	58,800.00
						MSA	58,800.00
15(c)	**Spray Nozzle**	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	8,496.00
						NYERI	8,496.00
						EMBU	8,496.00
						GRSS	8,496.00
						NKR	8,496.00
						KSM	8,496.00
						KKMG	8,496.00
						MSA	8,496.00
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m	No.	FireTech	Malaysia	NRB	7,596.00
						NYERI	7,596.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket				EMBU	7,596.00
						GRSS	7,596.00
						NKR	7,596.00
						KSM	7,596.00
						KKMG	7,596.00
						MSA	7,596.00
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges	No.	FireTech	Malaysia	NRB	8,568.00
						NYERI	8,568.00
						EMBU	8,568.00
						GRSS	8,568.00
						NKR	8,568.00
						KSM	8,568.00
						KKMG	8,568.00
						MSA	8,568.00
17	**9" wall mounted hand operated alarm bell (Gong)**	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	FireTech	Malaysia	NRB	10,272.00
						NYERI	10,272.00
						EMBU	10,272.00
						GRSS	10,272.00
						NKR	10,272.00
						KSM	10,272.00
						KKMG	10,272.00
						MSA	10,272.00
18	**½ mile range tripod mounted alarm sounder (siren)**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110±2 dB at 1.0 metres and an output frequency of 600±20 hertz single tone and to BS 1721	No.	FireTech	Malaysia	NRB	69,600.00
						NYERI	69,600.00
						GRSS	69,600.00
						NKR	69,600.00
						KSM	69,600.00
						KKMG	69,600.00
						MSA	69,600.00
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	Pyroslip	India	NRB	56,400.00
						NYERI	56,400.00
						EMBU	56,400.00
						GRSS	56,400.00
						NKR	56,400.00
						KSM	56,400.00
						KKMG	56,400.00
						MSA	56,400.00
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	Pyroslip	India	NRB	57,300.00
						NYERI	57,300.00
						EMBU	57,300.00
						GRSS	57,300.00
						NKR	57,300.00
						KSM	57,300.00
						KKMG	57,300.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	57,300.00
21(a)	**swinging type hose reel**	**swinging type hose reel** 20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995	No.	Eversafe	Malaysia	NRB	43,680.00
						NYERI	43,680.00
						EMBU	43,680.00
						GRSS	43,680.00
						NKR	43,680.00
						KSM	43,680.00
						KKMG	43,680.00
						MSA	43,680.00
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	Eversafe	Malaysia	NRB	20,280.00
						NYERI	20,280.00
						EMBU	20,280.00
						GRSS	20,280.00
						NKR	20,280.00
						KSM	20,280.00
						KKMG	20,280.00
						MSA	20,280.00
21(c)	**Nylon Nozzle**	**Nylon Nozzle** Red Nylon Nozzle with at least 15 metres throw EN 694	No.	Eversafe	Malaysia	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
23(a)	**Underground Fire Hydrant**	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel	No.	Newage	India	NRB	61,440.00
						NYERI	61,440.00
						EMBU	61,440.00
						GRSS	61,440.00
						NKR	61,440.00
						KSM	61,440.00
						KKMG	61,440.00
						MSA	61,440.00
							61,440.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
23(c)	**Poker and key**	**Poker and key** Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel	No.	Newage	India	NRB	27,054.00
						NYERI	27,054.00
						EMBU	27,054.00
						GRSS	27,054.00
						NKR	27,054.00
						KSM	27,054.00
						KKMG	27,054.00
						MSA	27,054.00
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes) 2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated woundd ressings (18cm x 18cm) vii) 1No. pair of disposable gloves	No.	Newage	India	NRB	9,600.00
						NYERI	9,600.00
						EMBU	9,600.00
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
42	**Booster pump for hydraulic hose reel**	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.	No.	Davis & Shirtliff	Kenya	NRB	321,600.00
						NYERI	321,600.00
						EMBU	321,600.00
						GRSS	321,600.00
						NKR	321,600.00
						KSM	321,600.00
						KKMG	321,600.00
						MSA	321,600.00
54	**Gas Masks**	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	FireTech	Malaysia	NRB	16,440.00
						NYERI	16,440.00
						EMBU	16,440.00
						GRSS	16,440.00
						NKR	16,440.00
						KSM	16,440.00
						KKMG	16,440.00
						MSA	16,440.00
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from	No.	Orager	Germany	NRB	29,376.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		various natural disasters resulting from Fire Hazards i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas. Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two					
						NYERI	29,376.00
		generators in a duo pack The material shall be odorless and flame retardant VO grade to UL94 standards Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes The mast shall have the following features. Rubber face piece Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes Self-serving breathing hole which does not utilize external air Oxygen generating chemical cartilage for generation of therequisite Oxygen Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing				EMBU	29,376.00
						GRSS	29,376.00
						NKR	29,376.00
						KSM	29,376.00
						KKMG	29,376.00
						MSA	29,376.00
65	**Fire Sentry**	**Fire Sentry** Ionization type detector complete with: Test button to check alarm circuits Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn Flashing Red LED light which indicates alarm is receiving power Twist off mounting bracket to provide fast easy installation & battery replacement 9 volt battery operated smoke alarm **Model** – 0914E	No.	Protec	Spain	NRB	344,400.00
						NYERI	344,400.00
						EMBU	344,400.00
						GRSS	344,400.00
						NKR	344,400.00
						KSM	344,400.00
						KKMG	344,400.00
						MSA	344,400.00
92	**Fire Ball**	**Fire Ball** Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years	No.	Proshed	United Kingdom	NRB	12,180.00
						NYERI	12,180.00
						EMBU	12,180.00
						GRSS	12,180.00
						NKR	12,180.00
						KSM	12,180.00
						KKMG	12,180.00
						MSA	12,180.00

NAME; INTERTRACTOR LTD
P.O. BOX; 17887-00500, NAIROBI
TEL: 0722510585
CONTRACT NO; SB/036/006/2021

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1(a)	**Water CO2 Fire Extinguisher**	**Water CO2 Fire Extinguisher** 9Litre water CO2 fire extinguisher (cartridge type) complete with squeeze grip head cap with piercer and washer, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	6,100.00
						NYERI	6,100.00
						EMBU	6,100.00
						GRSS	6,100.00
						NKR	6,100.00
						KSM	6,100.00
						KKMG	6,100.00
						MSA	6,100.00
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge** 55g CO2 cartridge fully charged to BS EN3	No.	Naffco	UAE	NRB	2,650.00
						NYERI	2,650.00
						EMBU	2,650.00
						GRSS	2,650.00
						NKR	2,650.00
						KSM	2,650.00
						KKMG	2,650.00
						MSA	2,650.00
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.	Naffco	UAE	NRB	2,950.00
						NYERI	2,950.00
						EMBU	2,950.00
						GRSS	2,950.00
						NKR	2,950.00
						KSM	2,950.00
						KKMG	2,950.00
						MSA	2,950.00
1(d)	**Wall bracket**	**Wall bracket** Hook type	No.	Naffco	UAE	NRB	450.00
						NYERI	450.00
						EMBU	450.00
						GRSS	450.00
						NKR	450.00
						KSM	450.00
						KKMG	450.00
						MSA	450.00
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	Naffco	UAE	NRB	6,100.00
						NYERI	6,100.00
						EMBU	6,100.00
						GRSS	6,100.00
						NKR	6,100.00
						KSM	6,100.00
						KKMG	6,100.00
						MSA	6,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	Naffco	UAE	NRB	2,950.00
						NYERI	2,950.00
						EMBU	2,950.00
						GRSS	2,950.00
						NKR	2,950.00
						KSM	2,950.00
						KKMG	2,950.00
						MSA	2,950.00
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,450.00
						NYERI	10,450.00
						EMBU	10,450.00
						GRSS	10,450.00
						NKR	10,450.00
						KSM	10,450.00
						KKMG	10,450.00
						MSA	10,450.00
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	Naffco	UAE	NRB	2,900.00
						NYERI	2,900.00
						EMBU	2,900.00
						GRSS	2,900.00
						NKR	2,900.00
						KSM	2,900.00
						KKMG	2,900.00
						MSA	2,900.00
3(d)	**CO2 cartridge**	**CO2 cartridge** 75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	2,750.00
						NYERI	2,750.00
						EMBU	2,750.00
						GRSS	2,750.00
						NKR	2,750.00
						KSM	2,750.00
						KKMG	2,750.00
						MSA	2,750.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	10,450.00
						NYERI	10,450.00
						EMBU	10,450.00
						GRSS	10,450.00
						NKR	10,450.00
						KSM	10,450.00
						KKMG	10,450.00
						MSA	10,450.00
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve** Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,600.00
						NYERI	2,600.00
						EMBU	2,600.00
						GRSS	2,600.00
						NKR	2,600.00
						KSM	2,600.00
						KKMG	2,600.00
						MSA	2,600.00
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	12,400.00
						NYERI	12,400.00
						EMBU	12,400.00
						GRSS	12,400.00
						NKR	12,400.00
						KSM	12,400.00
						KKMG	12,400.00
						MSA	12,400.00
5(b)	**Automatic D.C.P. Cold fire extinguisher**	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	Naffco	UAE	NRB	8,100.00
						NYERI	8,100.00
						EMBU	8,100.00
						GRSS	8,100.00
						NKR	8,100.00
						KSM	8,100.00
						KKMG	8,100.00
						MSA	8,100.00
5(c)	**Fire Extinguishing Dry Chemical Powder**	**Fire Extinguishing Dry Chemical Powder**	No.	Naffco	UAE	NRB	9,100.00
						NYERI	9,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent				EMBU	9,100.00
						GRSS	9,100.00
						NKR	9,100.00
						KSM	9,100.00
						KKMG	9,100.00
						MSA	9,100.00
5(d)	**Fire Extinguisher Operating Valve**	**Fire Extinguisher Operating Valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
5(e)	**CO2 Cartridge**	**CO2 Cartridge** 90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	5,900.00
						NYERI	5,900.00
						EMBU	5,900.00
						GRSS	5,900.00
						NKR	5,900.00
						KSM	5,900.00
						KKMG	5,900.00
						MSA	5,900.00
6(a)	**4.5Kgs dry chemical powder stored pressure fire extinguisher**	**4.5Kgs dry chemical powder stored pressure fire extinguisher** 4.5Kgs dry chemical powder stored pressure fire extinguisher c/w cap washer discharge rubber hose, nozzle, and fixing wall bracket toBS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	9,550.00
						NYERI	9,550.00
						EMBU	9,550.00
						GRSS	9,550.00
						NKR	9,550.00
						KSM	9,550.00
						KKMG	9,550.00
						MSA	9,550.00
6(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	Naffco	UAE	NRB	2,850.00
						NYERI	2,850.00
						EMBU	2,850.00
						GRSS	2,850.00
						NKR	2,850.00
						KSM	2,850.00
						KKMG	2,850.00
						MSA	2,850.00
7(a)	**9 Kgs Cold Fire extinguisher**	**9 Kgs Cold Fire extinguisher** 9 Kgs dry Cold Fire extinguisher c/w cap, washer, discharge rubber hose, nozzle,	No.	Naffco	UAE	NRB	15,100.00
						NYERI	15,100.00
						EMBU	15,100.00
						GRSS	15,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
-		CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent				NKR	15,100.00
						KSM	15,100.00
						KKMG	15,100.00
						MSA	15,100.00
7(b)	**Fire Extinguisher Dry Chemical Powder**	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	6,400.00
						NYERI	6,400.00
						EMBU	6,400.00
						GRSS	6,400.00
						NKR	6,400.00
						KSM	6,400.00
						KKMG	6,400.00
						MSA	6,400.00
7(c)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
7(d)	**CO2 Cartridge**	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,400.00
						NYERI	4,400.00
						EMBU	4,400.00
						GRSS	4,400.00
						NKR	4,400.00
						KSM	4,400.00
						KKMG	4,400.00
						MSA	4,400.00
8(a)	**9 Kgs dry chemical powder stored pressure fire extinguisher**	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00
						KSM	8,600.00
						KKMG	8,600.00
						MSA	8,600.00
8(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge	No.	Naffco	UAE	NRB	3,950.00
						NYERI	3,950.00
						EMBU	3,950.00
						GRSS	3,950.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		nozzle, and siphon for item 8(a) above to BS 1004					
						NKR	3,950.00
						KSM	3,950.00
						KKMG	3,950.00
						MSA	3,950.00
9(a)	**2 kg dry chemical, stored pressure fire extinguisher**	**2 kg dry chemical, stored pressure fire extinguisher** 2 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	6,900.00
						NYERI	6,900.00
						EMBU	6,900.00
						GRSS	6,900.00
						NKR	6,900.00
						KSM	6,900.00
						KKMG	6,900.00
						MSA	6,900.00
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	2,400.00
						NYERI	2,400.00
						EMBU	2,400.00
						GRSS	2,400.00
						NKR	2,400.00
						KSM	2,400.00
						KKMG	2,400.00
						MSA	2,400.00
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	Naffco	UAE	NRB	1,800.00
						NYERI	1,800.00
						EMBU	1,800.00
						GRSS	1,800.00
						NKR	1,800.00
						KSM	1,800.00
						KKMG	1,800.00
						MSA	1,800.00
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)**	No.	Naffco	UAE	NRB	9,900.00
						NYERI	9,900.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent				EMBU	9,900.00
						GRSS	9,900.00
						NKR	9,900.00
						KSM	9,900.00
						KKMG	9,900.00
						MSA	9,900.00
11(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for item 11(a) above to BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,450.00
						NYERI	4,450.00
						EMBU	4,450.00
						GRSS	4,450.00
						NKR	4,450.00
						KSM	4,450.00
						KKMG	4,450.00
						MSA	4,450.00
11 (c)	**CO_2 gas discharge horn**	**CO_2 gas discharge horn** CO_2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	7,000.00
						NYERI	7,000.00
						EMBU	7,000.00
						GRSS	7,000.00
						NKR	7,000.00
						KSM	7,000.00
						KKMG	7,000.00
						MSA	7,000.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	11,400.00
						NYERI	11,400.00
						EMBU	11,400.00
						GRSS	11,400.00
						NKR	11,400.00
						KSM	11,400.00
						KKMG	11,400.00
						MSA	11,400.00
12(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,100.00
						NYERI	4,100.00
						EMBU	4,100.00
						GRSS	4,100.00
						NKR	4,100.00
						KSM	4,100.00
						KKMG	4,100.00
						MSA	4,100.00
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn**	No.	Naffco	UAE	NRB	3,900.00
						NYERI	3,900.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent				EMBU	3,900.00
						GRSS	3,900.00
						NKR	3,900.00
						KSM	3,900.00
						KKMG	3,900.00
						MSA	3,900.00
12(d)	**Throwing Fire Extinguisher**	**Throwing Fire Extinguisher** Throw –In fire extinguisher capable of extinguishment of Fire by production of copious amounts of Carbon Dioxide and Nitrous Gases. Throw-In action onto the fire and the landing shall initiate production of the extinguishment gases through chemical reactions.	No.	Naffco	UAE	NRB	5,500.00
						NYERI	5,500.00
						EMBU	5,500.00
						GRSS	5,500.00
						NKR	5,500.00
						KSM	5,500.00
						KKMG	5,500.00
						MSA	5,500.00
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid- valve – actuated pilot cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.	No.	Naffco	UAE	NRB	65,300.00
						NYERI	65,300.00
						EMBU	65,300.00
						GRSS	65,300.00
						NKR	65,300.00
						KSM	65,300.00
						KKMG	65,300.00
						MSA	65,300.00
13(a)	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher** 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	110,100.00
						NYERI	110,100.00
						EMBU	110,100.00
						GRSS	110,100.00
						NKR	110,100.00
						KSM	110,100.00
						KKMG	110,100.00
						MSA	110,100.00
		Discharge nozzle	No.	Naffco	UAE	NRB	25,400.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
13(b)	Discharge nozzle	Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent				NYERI	25,400.00
						EMBU	25,400.00
						GRSS	25,400.00
						NKR	25,400.00
						KSM	25,400.00
						KKMG	25,400.00
						MSA	25,400.00
14(a)	45 Kg CO2 gas fire extinguisher	**45 Kg CO2 gas fire extinguisher** 45 Kg CO2 gas fire extinguisher c/w, trolley, operating valve, hose and discharge horn BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	85,100.00
						NYERI	85,100.00
						EMBU	85,100.00
						GRSS	85,100.00
						NKR	85,100.00
						KSM	85,100.00
						KKMG	85,100.00
						MSA	85,100.00
14(b)	Discharge hose	**Discharge hose** Discharge hose for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	4,400.00
						NYERI	4,400.00
						EMBU	4,400.00
						GRSS	4,400.00
						NKR	4,400.00
						KSM	4,400.00
						KKMG	4,400.00
						MSA	4,400.00
14(c)	Discharge horn	**Discharge horn** Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	6,600.00
						NYERI	6,600.00
						EMBU	6,600.00
						GRSS	6,600.00
						NKR	6,600.00
						KSM	6,600.00
						KKMG	6,600.00
						MSA	6,600.00
15(a)	45 Litres Air Foam Trolley Type Fire Extinguisher	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco	UAE	NRB	79,450.00
						NYERI	79,450.00
						EMBU	79,450.00
						GRSS	79,450.00
						NKR	79,450.00
						KSM	79,450.00
						KKMG	79,450.00
						MSA	79,450.00
15(b)	Discharge hose	**Discharge hose**	No.	Naffco	UAE	NRB	4,600.00
						NYERI	4,600.00
						EMBU	4,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Discharge hose for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent				GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
15(c)	**Spray Nozzle**	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco	UAE	NRB	18,400.00
						NYERI	18,400.00
						EMBU	18,400.00
						GRSS	18,400.00
						NKR	18,400.00
						KSM	18,400.00
						KKMG	18,400.00
						MSA	18,400.00
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket	No.	Naffco	UAE	NRB	11,600.00
						NYERI	11,600.00
						EMBU	11,600.00
						GRSS	11,600.00
						NKR	11,600.00
						KSM	11,600.00
						KKMG	11,600.00
						MSA	11,600.00
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges	No.	Naffco	UAE	NRB	15,450.00
						NYERI	15,450.00
						EMBU	15,450.00
						GRSS	15,450.00
						NKR	15,450.00
						KSM	15,450.00
						KKMG	15,450.00
						MSA	15,450.00
17	**9" wall mounted hand operated alarm bell (Gong)**	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	Naffco	UAE	NRB	19,600.00
						NYERI	19,600.00
						EMBU	19,600.00
						GRSS	19,600.00
						NKR	19,600.00
						KSM	19,600.00
						KKMG	19,600.00
						MSA	19,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
18	½ mile range tripod mounted alarm sounder (siren)	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110+2 dB at 1.0 metres and an output frequency of 600+20 hertz single tone and to BS 1721	No.	Naffco	UAE	NRB	94,950.00
						NYERI	94,950.00
						EMBU	94,950.00
						GRSS	94,950.00
						NKR	94,950.00
						KSM	94,950.00
						KKMG	94,950.00
						MSA	94,950.00
19(a)	A fully portable self-contained diesel engine fire pump	**A fully portable self-contained diesel engine fire pump** Capable of continuous duty of minimum 1200litres per minute at delivery head of 10 bars at 3 metres suction lift. The pump unit shall be of aluminium construction with a wrap round stainless steel frame and shall have the following features: 4-stroke engine with electronic ignition system Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories.	No.	Naffco	UAE	NRB	2,950,000.00
						NYERI	2,950,000.00
						EMBU	2,950,000.00
						GRSS	2,950,000.00
						NKR	2,950,000.00
						KSM	2,950,000.00
						KKMG	2,950,000.00
						MSA	2,950,000.00
19(b)	Suction Fire Hose	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements	No.	Naffco	UAE	NRB	52,100.00
						NYERI	52,100.00
						EMBU	52,100.00
						GRSS	52,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Shall be semi rigid with internal metal reinforcements(steel wire helix) Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum				NKR	52,100.00
						KSM	52,100.00
						KKMG	52,100.00
						MSA	52,100.00
19(c)	**100mm diameter suction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ring Shall come with 150mm female short hand coupling	No.	Naffco	UAE	NRB	61,950.00
						NYERI	61,950.00
						EMBU	61,950.00
						GRSS	61,950.00
						NKR	61,950.00
						KSM	61,950.00
						KKMG	61,950.00
						MSA	61,950.00
20(a)	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)** Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations. Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features: 4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to provide one hour running duty Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge	No.	Naffco	UAE	NRB	11,200,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four Industrial, fully adjustable stabilizers. The Foam Tank(s) shall be of total capacity 900 litres and shall have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank. The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.					
						NYERI	11,200,100.00
						EMBU	11,200,100.00
						GRSS	11,200,100.00
						NKR	11,200,100.00
						KSM	11,200,100.00
						KKMG	11,200,100.00
						MSA	11,200,100.00
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	Naffco	UAE	NRB	47,950.00
						NYERI	47,950.00
						EMBU	47,950.00
						GRSS	47,950.00
						NKR	47,950.00
						KSM	47,950.00
						KKMG	47,950.00
						MSA	47,950.00
20(c)	**65mm dia. Male Coupling**	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of	No.	Naffco	UAE	NRB	8,600.00
						NYERI	8,600.00
						EMBU	8,600.00
						GRSS	8,600.00
						NKR	8,600.00
						KSM	8,600.00
						KKMG	8,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		achieving maximum working pressure of 15bar					
						MSA	8,600.00
20(d)	**65mm dia. Female coupling**	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar Shall come complete with 2 spring loaded catches to release the adaptor	No.	Naffco	UAE	NRB	8,400.00
						NYERI	8,400.00
						EMBU	8,400.00
						GRSS	8,400.00
						NKR	8,400.00
						KSM	8,400.00
						KKMG	8,400.00
						MSA	8,400.00
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	Naffco	UAE	NRB	54,050.00
						NYERI	54,050.00
						EMBU	54,050.00
						GRSS	54,050.00
						NKR	54,050.00
						KSM	54,050.00
						KKMG	54,050.00
						MSA	54,050.00
20(f)	**Alloy solid water branch pipe**	**Alloy solid water branch pipe** Alloy solid water branch pipe (various sizes) BS 336	No.	Naffco	UAE	NRB	95,100.00
						NYERI	95,100.00
						EMBU	95,100.00
						GRSS	95,100.00
						NKR	95,100.00
						KSM	95,100.00
						KKMG	95,100.00
						MSA	95,100.00
20(g)	**Hand Controlled Branch Pipe**	**Hand Controlled Branch Pipe** 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	Naffco	UAE	NRB	85,400.00
						NYERI	85,400.00
						EMBU	85,400.00
						GRSS	85,400.00
						NKR	85,400.00
						KSM	85,400.00
						KKMG	85,400.00
						MSA	85,400.00
21(a)		**swinging type hose reel**	No.	Naffco	UAE	NRB	45,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	swinging type hose reel	20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995				NYERI	45,100.00
						EMBU	45,100.00
						GRSS	45,100.00
						NKR	45,100.00
						KSM	45,100.00
						KKMG	45,100.00
						MSA	45,100.00
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	Naffco	UAE	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00
						MSA	25,100.00
21(c)	**Nylon Nozzle**	**Nylon Nozzle** Red Nylon Nozzle with at least 15 metres throw EN 694	No.	Naffco	UAE	NRB	9,400.00
						NYERI	9,400.00
						EMBU	9,400.00
						GRSS	9,400.00
						NKR	9,400.00
						KSM	9,400.00
						KKMG	9,400.00
						MSA	9,400.00
22	**Fixed Type Hose Reel**	**Fixed Type Hose Reel** 20mm. dia x 30 metres long fixed type hose reel c/w nozzle	No.	Naffco	UAE	NRB	22,400.00
						NYERI	22,400.00
						EMBU	22,400.00
						GRSS	22,400.00
						NKR	22,400.00
						KSM	22,400.00
						KKMG	22,400.00
						MSA	22,400.00
23(a)	**Underground Fire Hydrant**	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS	No.	Naffco	UAE	NRB	65,100.00
						NYERI	65,100.00
						EMBU	65,100.00
						GRSS	65,100.00
						NKR	65,100.00
						KSM	65,100.00
						KKMG	65,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel					
						MSA	65,100.00
							65,100.00
23b)	Outlet stand pipe	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	Naffco	UAE	NRB	45,050.00
						NYERI	45,050.00
						EMBU	45,050.00
						GRSS	45,050.00
						NKR	45,050.00
						KSM	45,050.00
						KKMG	45,050.00
						MSA	45,050.00
23(c)	Poker and key	**Poker and key** Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel	No.	Naffco	UAE	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00
						MSA	25,100.00
23(d)	Poker	**Poker** Poker for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,450.00
						NYERI	12,450.00
						EMBU	12,450.00
						GRSS	12,450.00
						NKR	12,450.00
						KSM	12,450.00
						KKMG	12,450.00
						MSA	12,450.00
23(e)	Key	**Key** Key for item No. 23 (a) above	No.	Naffco	UAE	NRB	12,600.00
						NYERI	12,600.00
						EMBU	12,600.00
						GRSS	12,600.00
						NKR	12,600.00
						KSM	12,600.00
						KKMG	12,600.00
						MSA	12,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
23(f)	**Dividing breech**	**Dividing breech** Dividing Breech having 63mm Male Instantaneous Inlet &2 nos. 63mm Female Instantaneous Outlet Made using quality grade gun metal, aluminum or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	44,900.00
						NYERI	44,900.00
						EMBU	44,900.00
						GRSS	44,900.00
						NKR	44,900.00
						KSM	44,900.00
						KKMG	44,900.00
						MSA	44,900.00
23(g)	**Collecting breech**	**Collecting breech** Collecting Breech having 1 no. 63mm Female InstantaneousInlet and 2 nos. 63mm Male Instantaneous Outlet Made using quality grade gun metal, aluminium or stainless steel 304 Size: 1" to 5 ½"	No.	Naffco	UAE	NRB	35,100.00
						NYERI	35,100.00
						EMBU	35,100.00
						GRSS	35,100.00
						NKR	35,100.00
						KSM	35,100.00
						KKMG	35,100.00
						MSA	35,100.00
24(a)	**Fluorine Free (FF) Foam Concentrate 3%**	**Fluorine Free (FF) Foam Concentrate 3%** · Appearance Clear mobile liquid · Environment ally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 20 Litres Container	Litres	Naffco	UAE	NRB	31,600.00
						NYERI	31,600.00
						EMBU	31,600.00
						GRSS	31,600.00
						NKR	31,600.00
						KSM	31,600.00
						KKMG	31,600.00
						MSA	31,600.00
24(b)		**Fluorine Free (FF) Foam Concentrate 6%**	Litres	Naffco	UAE	NRB	240,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Fluorine Free (FF) Foam Concentrate 6%	· Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 210 Litres Container				NYERI	240,100.00
						EMBU	240,100.00
						GRSS	240,100.00
						NKR	240,100.00
						KSM	240,100.00
						KKMG	240,100.00
						MSA	240,100.00
25 (a)	**Fluoro Protein foam 3%**	**Fluoro Protein foam 3%** Proprietary mixture of protein hydrolysate, fluorosurfactants, inorganic salts, and water(Chloroprene) conforming to Underwriters Laboratories Standard UL162, latestedition Appearance…… Dark brown liquidDensity 1.15 g/ml... ± 0.03 pH .....6.0 – 8.0 Viscosity .....10 ± 4 centistokes Freezing Point ..... 5 °F (–15 °C) Sediment Volume.....0.20% maximum	Litres	Naffco	**UAE**	NRB	240,100.00
						NYERI	240,100.00
						EMBU	240,100.00
						GRSS	240,100.00
						NKR	240,100.00
						KSM	240,100.00
						KKMG	240,100.00
						MSA	240,100.00
25 (b)	**Fluoro Protein foam 6%**	**Fluoro Protein foam 6%** Fluoro Protein foam in 20 lts containers marked G.K to BSEN3/BS1449/BS1004 or equivalent	No.	Naffco	UAE	NRB	34,900.00
						NYERI	34,900.00
						EMBU	34,900.00
						GRSS	34,900.00
						NKR	34,900.00
						KSM	34,900.00
						KKMG	34,900.00
						MSA	34,900.00
26	**Water/Foam Trailers 900Litres**	**Water/Foam Trailers 900Litres**	No.	AGRI 68412	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Water Foam Trailer suitable for mounting in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tank(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as we as jockey wheel and for industrial fully adjustable stabilizers. The form concentrate tank(s) shall be of total capacity 900 litres and shall have self-inducing foam/water monitor, mounted/bolted onto the top of the tank, with the following features; Foam production of 1800 litres/min at a water flow of 180litres/min and water inlet pressure of 5 bar. Approximate running time-minutes Foam throw from branchpipe-14metres				EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
27	**Mobile foam Generator**	**Mobile foam Generator** Mobile foam trolley unit on 2No. solid rubber wheels minimum 400mm dia. comprising a chemically resistant minimum 120 litres glass fibre foam concentrate tank and with hose storage compartment. The unit shall comprise of: 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-off valve capable of producing 1800 litres/min of foam with a water flowof 180 litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the	No.	SW1060 MATTS TYPE MF 140	UAE	NRB	8,500,050.00
						NYERI	8,500,050.00
						EMBU	8,500,050.00
						GRSS	8,500,050.00
						NKR	8,500,050.00
						KSM	8,500,050.00
						KKMG	8,500,050.00
						MSA	8,500,050.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		inductor conditions mentioned above.					
28	**Graz mist hydra nts**	**Graz mist hydrants** Water-Mist generating hydrant station for production of water mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc The hydrant system shall be capable of water usage rate of 6 liters / minute to produce droplets of max. 25 microns. The hydrant shall be suitable for connection to both water and pressurized air supply each at 2.0 bar pressure to produce 4 Cu Metres of mist per minute. The installation shall comprise: - Drum/ Winder and 30 metres long x 20mm diam. Air-Water Hose Jet complete with mist nozzle suitable for production of 4 Cu Metres of mist per minute of max. 25 microns at a water flow rateof 6 litres/min. Instantaneous connection outlets for both water and compressed air C/W isolation valves, including a set of flow andpressure controls. Sheet metal cabinet for housing of the above equipment The cabinet shall be of robust construction with legs suitable for grouting into a concrete ground level slab, and shall have a breakable transparent glass door. Production of 4 cu Metres of mist per minute of max. 25 microns at a water flow rate of 6 litres/min, with the mist being mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc **FOAM PRODUCTION** Production of 1800 litres/min of foam with a water flow of 180 litres/ min. at 5 bar inlet pressure The unit shall comprise the following:- Diesel/Petrol pump to power the Water Pump and the Air Compressor, Water Pump capable of duty 10 Litres/ minute at deliverypressure of 4 bar at 3 metres lift	No.	TELESTO TYPE 1246	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Compressor capable of duty 140 CFM at & 7.0 Bar delivery pressure Water (minimum 200 Litres.) and Diesel fuel (Minimum120 Litres) storage tanks, Drum/ Winder C/W 60 metres Air- Water Hose Jet equipped with mist generating Nozzle capable of production of 4 Cu Metres of mist per minute of max. 25 microns at awater flow rate of 6 Litres/min. 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-offvalve capable of producing 1800 Litres/min of foam with a water flow of 180 Litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above. 120 Litres Foam Concentrate tankControls and Control Panel MSA Page 29 of 99 The above components s					
29	**Portable compact mist and foam units**	**Portable compact mist and foam units** Self- Contained portable Water-Mist/and foam generating unit made of lightweight aluminium plastic lined cylinders capable of foam/ mist production to EN3 and EN1866 water jet capacity reach - 16 m horizontal and 10 m vertical Operating time 44 seconds (based on 10 litre back pack) Single nozzle for all applications including electrical fires to 1000 volts	No.	Telesto	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	3,800,100.00 3,800,100.00 3,800,100.00 3,800,100.00 3,800,100.00 3,800,100.00 3,800,100.00 3,800,100.00
30	**Stationary mist system**	**Stationary mist system** Mist Nozzles with Colliding Jets Long-Range Mist Nozzles Water Supply (Minimum 2-3 Bar) Pressurized Air Supply (Minimum 2 -3 Bar)	No.	TELESTO MODEL 6343-2	UAE	NRB NYERI EMBU GRSS NKR	4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00 4,500,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		System of Detector Communication System between detectors and nozzles				KSM	4,500,100.00
						KKMG	4,500,100.00
						MSA	4,500,100.00
31	**Portable ground monitor nozzle**	**Portable ground monitor nozzle** Portable automatic action Ground Monitor Nozzle capable of flow of 2000 litres/ min. at 7.0 bar water inlet pressure. The monitor shall be of gun-metal construction with base and 4No. Stainless steel foldable legs with carbide tipped spikes. The monitor shall have a carrying handle and a hand wheel for adjustment of vertical inclination of the nozzle The monitor shall be complete with: Dual - Pressure 500GPM Max Force, Automatic Nozzle Pivoting outlets allowing 20 degrees of motion either side of Centre and 40 degree of motion from 10 degrees above horizontalto 50 degrees Butterfly Valve with automatic operation capable of cutting off flow thereby reducing reaction force should the monitor start to tipfor any reason.	No.	Blitz Fire Safe Tak-11	UAE	NRB	2,500,050.00
						NYERI	2,500,050.00
						EMBU	2,500,050.00
						GRSS	2,500,050.00
						NKR	2,500,050.00
						KSM	2,500,050.00
						KKMG	2,500,050.00
						MSA	2,500,050.00
32	**Lifting pads – Up to 4000Kgs**	**Lifting pads – Up to 4000Kgs** Set of 2No Lifting Bags suitable for lifting Cars, Buses, Vans, Emergency bracing in work pits, floating sunken loads etc, without damage to thin walled vehicle bodywork. The bags shallbe manufactured in reinforced Neoprene Nylon Fabric in 8no. loops and shall satisfy the following conditions: - Operation Pressure-1.0 Bar No single point loaded more than 1000g/cm2 Variable operating pressure from 0.1 through 0.5 bar to 1 Bar Bursting pressure 4.5 times the MAX. allowableworking pressure Lifting Power-58KN Lifting Height 48Cm/18 InchDiameter 61 cm/24 Inch Testing Pressure – 4.0 bar The set shall come complete with: -	No.	SITCO MODEL 3467-11-20	England	NRB	1,700,000.00
						NYERI	1,700,000.00
						EMBU	1,700,000.00
						GRSS	1,700,000.00
						NKR	1,700,000.00
						KSM	1,700,000.00
						KKMG	1,700,000.00
						MSA	1,700,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2No. oil resistant Inflation Hoses each 5 metres long. 1No. dual safety controller fitting for separate control of the 2No.Lifting Bags C/W 2No. safety valves 1No. Pressure Reducer- 200/300 bar, adjustable up to 10bar, with protection cap, locking valve and 2 metre long Compressed Air Hose. Air Bags Pressurization Kit as described below **AIR BAGS PRESSURIZATION KIT** The Air Bags set shall be supplied complete with a Pressurization Kit for inflatic shall comprise following:- ➢ 2No. 300bar Capacity 6 litres Compressed Air Bottles strapped onto a compact carrier frame, ➢ Bottle connector 300 bar C/W Pressure Regulator, Safety Valve 8 Bar with dead man control ➢ 2no. Auto – Retracting inflation hoses each 15 metres long. The carrier frame shall be wheeled and sled type combi chassis, suitable for ligh nd on soft grou				MSA	
33(a)	**Collapsible fuel/water & liquid foam tanks(10,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (10,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 10,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 4000	UAE	NRB	4,000,000.00
						NYERI	4,000,000.00
						EMBU	4,000,000.00
						GRSS	4,000,000.00
						NKR	4,000,000.00
						KSM	4,000,000.00
						KKMG	4,000,000.00
						MSA	4,000,000.00
33(b)	**Collapsible fuel/water & liquid foam tanks(50,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (50,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 50,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 9000	UAE	NRB	8,500,100.00
						NYERI	8,500,100.00
						EMBU	8,500,100.00
						GRSS	8,500,100.00
						NKR	8,500,100.00
						KSM	8,500,100.00
						KKMG	8,500,100.00
						MSA	8,500,100.00
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes)	No.	Health Care CP 364	UAE	NRB	15,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated wounddressings (18cm x 18cm) vii) 1No. pair of disposable gloves					
						NYERI	15,100.00
						EMBU	15,100.00
						GRSS	15,100.00
						NKR	15,100.00
						KSM	15,100.00
						KKMG	15,100.00
						MSA	15,100.00
35	**Canvas rubber lined lay flat hose**	**Canvas rubber lined lay flat hose** 150mm dia. x 25 meters long, with alloy joints and Victaulic couplings and rubber seals to the BS6391 Type 3 specification with instantaneous couplings to BS366 wired on Shall have high chemical resistance, abrasion resistance, lightweight and be flexible	No.	Flexco	UAE	NRB	134,950.00
						NYERI	134,950.00
						EMBU	134,950.00
						GRSS	134,950.00
						NKR	134,950.00
						KSM	134,950.00
						KKMG	134,950.00
						MSA	134,950.00
36	**Knapsack firefighting 20 liters with mixing nozzles**	**Knapsack firefighting 20 litres with mixing nozzles** Knapsack Fire Fighting unit comprising of high resistant 20 liter Polyethylene tank with reinforced chassis. The unit shall have nylon padded carrying straps with self-regulating buckles for strapping onto the fire-fighter's back. The unit shall include a brass hand pump and delivery hose and tube C/W an adjustable nozzle for adjustment for short and long jet discharges	No.	Guarany	UAE	NRB	75,050.00
						NYERI	75,050.00
						EMBU	75,050.00
						GRSS	75,050.00
						NKR	75,050.00
						KSM	75,050.00
						KKMG	75,050.00
						MSA	75,050.00
37	**Drip torches 5 liters**	**Drip torches 5 liters** Drip torch of tank capacity 5 liters, suitable for safe and easy setting of prescribed burns. The unit shall comprise a StainlessSteel tank and have a curved discharge pipe and a protected Asbestos wick. The carrying handle and the drip pipe to the tank shall be of aluminum metal. The tank shall be complete with a threaded filling cap for fuel loading.	No.	Guarany	UAE	NRB	34,450.00
						NYERI	34,450.00
						EMBU	34,450.00
						GRSS	34,450.00
						NKR	34,450.00
						KSM	34,450.00
						KKMG	34,450.00
						MSA	34,450.00
38	**Pick-up Truck Fire Fighting Set complete**	**Drip torches 5 liters**	No.	Guarany	UAE	NRB	4,500,100.00
						NYERI	4,500,100.00


Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	with 400 lts Tank	Drip torch of tank capacity 5 liters, suitable for safe and easy setting of prescribed burns. The unit shall comprise a StainlessSteel tank and have a curved discharge pipe and a protected Asbestos wick. The carrying handle and the drip pipe to the tank shall be of aluminum metal. The tank shall be complete with a threaded filling cap for fuel loading.				EMBU	4,500,100.00
						GRSS	4,500,100.00
						NKR	4,500,100.00
						KSM	4,500,100.00
						KKMG	4,500,100.00
						MSA	4,500,100.00
39	**Fire beaters / Fire Swatter / McLeod/ Pulaski set**	**Fire beaters / Fire Swatter / McLeod / Pulaski set** The set shall comprise 1No. of items of each of the following items; Fire swatter constructed of heavy canvas material withangled iron support frame attached to a 1.52metre fire resistant wooden handle Rake and Adze hoe in one combination, with 12 gauge steelhoe C/W 1.24 meter Fire Resistant wooden handle Mattock and Axe in one combination tool , made of highgrade tempered steel and with approximately 910-mm long fire resistant wooden handle	No.	Guarany	UAE	NRB	65,450.00
						NYERI	65,450.00
						EMBU	65,450.00
						GRSS	65,450.00
						NKR	65,450.00
						KSM	65,450.00
						KKMG	65,450.00
						MSA	65,450.00
40	**Power Chain Saw**	**Power Chain Saw** Petrol Engine Powered Chain Saw suitable for cutting of trees and complete with all features necessary for safe operation and having the following specifications: . Displacement (CC) 25. 4 Form of Carburetor - DiaphragmMaxed Fuel Ratio 25.1 Tank Capacity 0.23 LtsLength – 250mm All to BS 6916 part II 1989	No.	Yongsia	UAE	NRB	149,900.00
						NYERI	149,900.00
						EMBU	149,900.00
						GRSS	149,900.00
						NKR	149,900.00
						KSM	149,900.00
						KKMG	149,900.00
						MSA	149,900.00
41	**Hydraulic rescue tools complete set**	**Hydraulic rescue tools complete set** Hydraulic Rescue Hand Tools set comprising of hand tools suitable for Spreading, Cutting	No.	Roters Lucas SP35	UAE	NRB	850,100.00
						NYERI	850,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		and Pulling to the following specifications: Top Expansion Capability 38 - 47KN Working surface Capability 68 - 114KNPull 38KN Expansion surface 620mmHydraulic combi Shears Fast stop safe tie-in 360° adjustable and moveable handle Hand pump two pole operation of high pressure and low pressure. The hand pump set shall come complete with 5 metershose and coupling for connection to the tools and shall be as manufactured by WEBER or approved equivalent.					
						EMBU	850,100.00
						GRSS	850,100.00
						NKR	850,100.00
						KSM	850,100.00
						KKMG	850,100.00
						MSA	850,100.00
42	**Booster pump for hydraulic hose reel**	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.	No.	Naffco	UAE	NRB	349,950.00
						NYERI	349,950.00
						EMBU	349,950.00
						GRSS	349,950.00
						NKR	349,950.00
						KSM	349,950.00
						KKMG	349,950.00
						MSA	349,950.00
43	**Trailer water bowser 2000 liters capacity**	**Trailer water bowser 2000 liters capacity** Mounted in conformation with Kenyan Road regulations.The trailer chassis shall be constructed from rolled steel with galvanized finish. The water tank shall be 2000 liters cylindrical welded onto the trailer bed and with internal baffles plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass l The trailer should include full ro guards, auto-reverse breaking sy andauto overrun brakes as well a industrial,fully adjustable stabili	No.	SSG/500 AGRI	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
44		**Fire Fighting aluminum extension ladders**	No.	Naffco	UAE	NRB	194,950.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Fire Fighting aluminum extension ladders	2.50M Long x Internal Width 360mm aluminum type extension ladder				NYERI	194,950.00
						EMBU	194,950.00
						GRSS	194,950.00
						NKR	194,950.00
						KSM	194,950.00
						KKMG	194,950.00
						MSA	194,950.00
45	**Disaster pouch (Treated Casualty bag)**	**Disaster pouch (Treated Casualty bag)** Full- Length- Adult size Zip Disaster Pouch fabricated from heavy duty Vinyl- Coated Nylon fabric / laminated polyester fabric. The pouch shall have six (8No.) padded carrying handles and shall be of dimensions 2000mm long x 850 mm wide Capacity: 675 # Lift Zipper shall be completely sewn with nylon thread for greater durability. Each pouch shall contain bio-hazard tag. All seams shall be dielectrically sealed to prevent leakage. Burst strength of material (lbs./sq.) 206 lbs. Each pouch shall be individually packaged in a 24" x 24" heavy duty viscera bag. Mil Thickness - 12 mil	No.	Sepco CPA	UAE	NRB	5,900.00
						NYERI	5,900.00
						EMBU	5,900.00
						GRSS	5,900.00
						NKR	5,900.00
						KSM	5,900.00
						KKMG	5,900.00
						MSA	5,900.00
46	**H/D rubber gloves**	**H/D rubber gloves** Multipurpose gloves made of PVC Fully lined with a Soft cotton tricot Length 350mm Size large (10)	No.	Cormo T146	UAE	NRB	4,700.00
						NYERI	4,700.00
						EMBU	4,700.00
						GRSS	4,700.00
						NKR	4,700.00
						KSM	4,700.00
						KKMG	4,700.00
						MSA	4,700.00
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	Cormo 6413	UAE	NRB	280,100.00
						NYERI	280,100.00
						EMBU	280,100.00
						GRSS	280,100.00
						NKR	280,100.00
						KSM	280,100.00
						KKMG	280,100.00
						MSA	280,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
48	**Fireman's Fire Fitting clothing (Fire Tunic)**	**Fireman's Fire Fitting clothing (Fire Tunic)** Fireman's Fire Fitting clothing (Fire Tunic) as TOPSPEC FIREAMN'S TUNIC manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining **or equivalent and approved**	No.	Cormo S41B2	UAE	NRB	64,900.00
						NYERI	64,900.00
						EMBU	64,900.00
						GRSS	64,900.00
						NKR	64,900.00
						KSM	64,900.00
						KKMG	64,900.00
						MSA	64,900.00
49	**Fire-fighting rescue action top 9sizes Boots**	**Fire-fighting rescue action top 9sizes Boots** Fire-fighting rescue action top 9sizes Boots (Sizes 38-48) to CSN EN 345 S3 HRO specification. Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation insert, resistant to oil, fuels, acids and anatomic 300o C temperature, replaceable washable innersole, stiffened with steel toe cap.	No.	Cormo F-641	UAE	NRB	35,100.00
						NYERI	35,100.00
						EMBU	35,100.00
						GRSS	35,100.00
						NKR	35,100.00
						KSM	35,100.00
						KKMG	35,100.00
						MSA	35,100.00
50	**Head Helmets**	**Head Helmets** suitable for Fire Fighting and Rescue services and having the following features: Shell manufactured from Flame Retardant material withgood shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior Basket in flame retardant material and allowing foradjustment for head size and shape (from 52 to 63 cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quickrelease snap connection Retractable face protector visor in flame retardant polycarbonate material, Scratch resistant and with anti-foggingprotection Neck protection of genuine leather material with separableshell connection	No.	Bic Cormo T412	UAE	NRB	47,900.00
						NYERI	47,900.00
						EMBU	47,900.00
						GRSS	47,900.00
						NKR	47,900.00
						KSM	47,900.00
						KKMG	47,900.00
						MSA	47,900.00
51	**Breathing apparatus**	**Breathing apparatus** Breathing apparatus suitable for strapping as a back pack	No.	Bic Cormo BT6424	UAE	NRB	345,100.00
						NYERI	345,100.00
						EMBU	345,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		complete with waist and chest straps. The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN137 CLASS II standards. The apparatus shall be complete with a positive pressure Face Mask Self-contained breathing apparatus (SCBA) shall contain: facemask, flow regulator, reducer, 1No. 6 litres / 300 bar cylinder with compressed air for 45 minutes nominal duration and be c/w charging connection outlet, and back frame with harness					
						GRSS	345,100.00
						NKR	345,100.00
						KSM	345,100.00
						KKMG	345,100.00
						MSA	345,100.00
52	Ear mutts	**Ear mutts** Ear protection mutts suitable for protection against dangerous noise levels. The equipment shall have the following features:- Durable, Lightweight, Non-Electrical conductivity plastic material Universal fit headband Soft Foam filled cushionsLarge ear cup openings	No.	Bit Cormo T641	UAE	NRB	6,450.00
						NYERI	6,450.00
						EMBU	6,450.00
						GRSS	6,450.00
						NKR	6,450.00
						KSM	6,450.00
						KKMG	6,450.00
						MSA	6,450.00
53	Leggings	**Leggings** Lower legs protection leggings suitable for fire fighting and rescue services and having the following features; Pull on fitting ,with adjustable elastic bracesKnee protection Suitable for sewing onto both trouser legsReflective strips	No.	Bit Cormo C426	UAE	NRB	65,100.00
						NYERI	65,100.00
						EMBU	65,100.00
						GRSS	65,100.00
						NKR	65,100.00
						KSM	65,100.00
						KKMG	65,100.00
						MSA	65,100.00
54	Gas Masks	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	Bit Cormo 7424TC	UAE	NRB	15,400.00
						NYERI	15,400.00
						EMBU	15,400.00
						GRSS	15,400.00
						NKR	15,400.00
						KSM	15,400.00
						KKMG	15,400.00
						MSA	15,400.00



Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
55	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot**	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot** Made using the aluminized FR Fabric, Fire Proof, ThermalInsulate, Penetration resist of radiation Heat sect type conforming to EN 1486	No.	Cormo RFG 97	UAE	NRB	325,100.00
						NYERI	325,100.00
						EMBU	325,100.00
						GRSS	325,100.00
						NKR	325,100.00
						KSM	325,100.00
						KKMG	325,100.00
						MSA	325,100.00
56	**Fire fluorescent waist coat**	**Fire fluorescent waist coat** Fireman's Fire Fighting clothing Waist Coat as manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining and with fluorescent material	No.	Gapco C46	UAE	NRB	28,450.00
						NYERI	28,450.00
						EMBU	28,450.00
						GRSS	28,450.00
						NKR	28,450.00
						KSM	28,450.00
						KKMG	28,450.00
						MSA	28,450.00
57	**Hydraulic Pressure tester complete with kits components for fire extinguishers**	**Hydraulic Pressure tester complete with kits components for fire extinguishers** With adaptors up to 6" diameter lines and upto 2400 ft of hose atone time. With 1 ½ " Manifold Assy to allow for fast filling of the hoses from the Hydrant or stand Pipe Twin Piston pump pressure upto 500PSI at a 3 GPM Flow Rate	No.	HPY 36-C3	UAE	NRB	920,100.00
						NYERI	920,100.00
						EMBU	920,100.00
						GRSS	920,100.00
						NKR	920,100.00
						KSM	920,100.00
						KKMG	920,100.00
						MSA	920,100.00
58(a)	**15mm dia. Marine Ropes**	**15mm dia. Marine Ropes** 1 No. Roll of 15mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	341,900.00
						NYERI	341,900.00
						EMBU	341,900.00
						GRSS	341,900.00
						NKR	341,900.00
						KSM	341,900.00
						KKMG	341,900.00
						MSA	341,900.00
58(b)	**20mm dia. Marine Ropes**	**20mm dia. Marine Ropes** 1 No. Roll of 20mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	439,050.00
						NYERI	439,050.00
						EMBU	439,050.00
						GRSS	439,050.00
						NKR	439,050.00
						KSM	439,050.00


Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	439,050.00
						MSA	439,050.00
58(c)	**25mm dia. Marine Ropes**	**25mm dia. Marine Ropes** 1 No. Roll of 25mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	589,100.00
						NYERI	589,100.00
						EMBU	589,100.00
						GRSS	589,100.00
						NKR	589,100.00
						KSM	589,100.00
						KKMG	589,100.00
						MSA	589,100.00
58(d)	**32mm dia. Marine Ropes**	**32mm dia. Marine Ropes** 1 No. Roll of 32mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	750,950.00
						NYERI	750,950.00
						EMBU	750,950.00
						GRSS	750,950.00
						NKR	750,950.00
						KSM	750,950.00
						KKMG	750,950.00
						MSA	750,950.00
58(e)	**50mm dia. Marine Ropes**	**50mm dia. Marine Ropes** 1 No. Roll of 50mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	1,200,000.00
						NYERI	1,200,000.00
						EMBU	1,200,000.00
						GRSS	1,200,000.00
						NKR	1,200,000.00
						KSM	1,200,000.00
						KKMG	1,200,000.00
						MSA	1,200,000.00
58(f)	**65mm dia. Marine Ropes**	**65mm dia. Marine Ropes** 1 No. Roll of 65mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens	UAE	NRB	1,350,000.00
						NYERI	1,350,000.00
						EMBU	1,350,000.00
						GRSS	1,350,000.00
						NKR	1,350,000.00
						KSM	1,350,000.00
						KKMG	1,350,000.00
						MSA	1,350,000.00
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas. Self-contained unit made of rubber or plastic material with comfortable mask and one	No.	Cillico EGM 43-11	UAE	NRB	24,950.00
						NYERI	24,950.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		oxygen generator in a single pack or two					
		generators in a duo pack The material shall be odorless and flame retardant VO grade to UL94 standards Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes The mast shall have the following features. Rubber face piece Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes Self-serving breathing hole which does not utilize external air Oxygen generating chemical cartilage for generation of therequisite Oxygen Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing				EMBU	24,950.00
						GRSS	24,950.00
						NKR	24,950.00
						KSM	24,950.00
						KKMG	24,950.00
						MSA	24,950.00
60	**Battery Powered Rope Ascender**	**Battery Powered Rope Ascender** Shall be powered by high density lithium battery and be suitable for scaling heights and with the following features: Robe grab system to EN 1891 and weigh 1.5kg with dimensions of 40x30x25cm Shall be able to work within 200kg safe load Shall have an automatic switch to monitor overload Speed adjustment range of 0 to 22m /min and emergency speed= 0.5m/s Temperature working range - 200C to 500C Raising a weight of minimum 450kg at a speed of not lessthan 3metres per second. Rope/Climbing Cable assembly capable of ascending a100metres High Storied building. Rechargeable Battery capable attaining 90% of maximumcharge within 5 minutes	No.	Fast Rope	UAE	NRB	4,200,100.00
						NYERI	4,200,100.00
						EMBU	4,200,100.00
						GRSS	4,200,100.00
						NKR	4,200,100.00
						KSM	4,200,100.00
		Operation control shall be both manual trigger on hand grip buttons and by remote controller.				KKMG	4,200,100.00
						MSA	4,200,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
61	**Field Mobile Tough Notebook Computer**	**Field Mobile Tough Notebook Computer** Fully Rugged Tough Notebook/Laptop Computer designed for Military Police, Fire professionals with 13.3inch Display/Screen withthe following specifications: Microsoft Windows XP professional Intel Core 7 Duo Processor L2400 mobile technology (2MBL2 Cache, 1.66 GHZ, 667MHZ FSB) Intel 945GM Express Chipset RAM512 MB(4GB Max), UMA 128MB, 80GB Hard Drive (7200RPM) Combo Drive DVD Multi Drive Built-in-Intel PRO/Wireless 3945BG network connection 802. 11. a/b/g/weight 3.8Kg max.	No.	EXXON CF 30	UAE	NRB	839,900.00
						NYERI	839,900.00
						EMBU	839,900.00
						GRSS	839,900.00
						NKR	839,900.00
						KSM	839,900.00
						KKMG	839,900.00
						MSA	839,900.00
62	**Unifold shelter**	**Unifold shelter** Foldable Fabric and Tent Frame Structure with 8 different shelter sizes ranging from 10'x6' to 11.5'x22' - ideal for decontamination, triage or command post uses; which when unfolded forms into a full enclosure comprising roof, sidewalls, floor and end walls, ready for occupation by people, equipment and supplies all assembled within seconds. Shall weigh less than 140lbs and capable of being stored in 6x8ftarea Shall not have air power fragile mechanisms Shall have easy to cut access holes for below ground operations The unifold structure shall be foldable into a flat pancake for easy storage and transport. Length - 6metres Width - 3 metres Height of Side wall - 1.7 metres Height of apex of roof - 2.4metres The unifold shelter should fold into a flat pancake Max. 1.8m x 1..8mx 0.6metre thick. The shelter should be complete with a door, a window and clip pointsfor hanging items. Material of construction should be water proof and the assembled structure shall be capable of withstanding wind speeds of 70miles per hour	No.	Fernomir 1022	UAE	NRB	380,100.00
						NYERI	380,100.00
						EMBU	380,100.00
						GRSS	380,100.00
						NKR	380,100.00
						KSM	380,100.00
						KKMG	380,100.00
						MSA	380,100.00


Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The unit shall come complete with a re-usable storage bag for transportation and storage.					
63	**Emergency Sleeping Bag**	**Emergency Sleeping Bag** Re-usable Emergency Survival protection bag for outdoor use toprovide protection from harsh natural elements. Size (vacuum packed): 21 x 11 x 4 cm. Volume: 0.9 Litres. Weight: 385 grams. Size (unpacked): 2.1 metres. Made of a layer of aluminized PVC bonded to a layer of thin non- woven nylon fibers. The seams shall be reinforced with the same multilayer material for added strength. The bag shall have an air layer formed by corrugations to form channels between outer and inner layers for provision of air gap insulation. The inner and outer surfaces of the bag shall be metalized to reflect ambient heat and retain radiated body heat emissions (optimal heat absorption). The bag shall be fully waterproof, windproof and re-usable and shall have approximate dimensions of 84" x 36" when unfolded; and be foldable into a compact unit. The maximum weight of the bag shall be 0.8kg.	No.	Nextco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	7,450.00 7,450.00 7,450.00 7,450.00 7,450.00 7,450.00 7,450.00 7,450.00
64(a)	**Unisol Solar Lamps – JS20**	**Unisol Solar Lamps – JS20** **Solar cell**: 1 watt, No of leds:20, **Battery**: Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility, **Accessories**:A6v Electrical charger, which can be used to charge thelantern in case of deficient sunlight, **Size**:26cmx17cmx17cm**Light Hours**:4-5hrs	No.	SOLAR SCROO1	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	377,000.00 377,000.00 377,000.00 377,000.00 377,000.00 377,000.00 377,000.00 377,000.00
64(b)	**Unisol Solar Lamps – JS20- Mob**	**Unisol Solar Lamps – JS20-Mob** **Solar cell**: 1 watt, No of leds:20, **Battery** : Rechargeable NimH, **Operation**:3 way Switch with Night Lamp facility	No.	SOLAR CAP	UAE	NRB NYERI EMBU GRSS	390,000.00 390,000.00 390,000.00 390,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Accessories:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:26cmx17cmx17cm **Light Hours**:4-5hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 3-4hrs of light output				NKR	390,000.00
						KSM	390,000.00
						KKMG	390,000.00
						MSA	390,000.00
64(c)	**Unisol Solar Lamps – SK30**	**Unisol Solar Lamps –SK30** **Solar cell**: 1 watt, No of leds:30 **Battery**: Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A6v Electrical charger, which can be used to charge the lantern in case of deficient sunlight **Size**:33cmx23cmx23cm**Light Hours**:4-5hrs	No.	SOLAR CAP SCR-90	UAE	NRB	380,000.00
						NYERI	380,000.00
						EMBU	380,000.00
						GRSS	380,000.00
						NKR	380,000.00
						KSM	380,000.00
						KKMG	380,000.00
						MSA	380,000.00
64(d)	**Unisol Solar Lamps – SK30- Mob**	**Unisol Solar Lamps –SK30-Mob** **Solar cell**: 1 watt, No of leds:30 **Battery** : Rechargeable NimH **Operation**:3 way Switch with Night Lamp facility **Accessories**:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone **Size**:33cmx23cmx23cm **Light Hours**:5-6hrs(without using the mobile phone charging facility) **Mobile Charging facility**:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 4-5hrs of light output	No.	SOLAR CAP SCR-005	UAE	NRB	450,000.00
						NYERI	450,000.00
						EMBU	450,000.00
						GRSS	450,000.00
						NKR	450,000.00
						KSM	450,000.00
						KKMG	450,000.00
						MSA	450,000.00
65	**Fire Sentry**	**Fire Sentry** Ionization type detector complete with: Test button to check alarm circuits Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn	No.	SISCO	UAE	NRB	1,290,100.00
						NYERI	1,290,100.00
						EMBU	1,290,100.00
						GRSS	1,290,100.00
						NKR	1,290,100.00



Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Flashing Red LED light which indicates alarm is receiving power Twist off mounting bracket to provide fast easy installation & battery replacement 9 volt battery operated smoke alarm **Model** – 0914E				KSM	1,290,100.00
						KKMG	1,290,100.00
						MSA	1,290,100.00
66	**Emergency Mobile Bridge**	**Emergency Mobile Bridge** Emergency Mobile Bridge with the following specifications: Capacity 50 Tons (50,000 Kgs) Length/span -26 metres Long Construction type Hole & PegMaterial - Aluminium Alloy Construction time - 4 Hours The kit shall also allow for cross linkage to give any variation in width up to 26 Meter width to create a bridge of 26 metres long x 26 meters wide	No.	MODEL KB4 BRIDGING EQUIPMENT	UAE	NRB	48,500,000.00
						NYERI	48,500,000.00
						EMBU	48,500,000.00
						GRSS	48,500,000.00
						NKR	48,500,000.00
						KSM	48,500,000.00
						KKMG	48,500,000.00
						MSA	48,500,000.00
67	**Floto-pump**	**Floto-pump** Pressure to 105 PSI Capacity to 140 GPM Forestry (HP) Pressure to 170PSS Capacity to 60 GPM 8 HP/133CC 4.7(1h-1.5h)	No.	CPC-4923 Sisco	UAE	NRB	349,900.00
						NYERI	349,900.00
						EMBU	349,900.00
						GRSS	349,900.00
						NKR	349,900.00
						KSM	349,900.00
						KKMG	349,900.00
						MSA	349,900.00
68	**Lifebuoy used with remote control**	**Lifebuoy used with remote control** Size 200x207x120 (mm) 2.5 Knots DC700 4 Blades 6CH Digital FM Radio Control NI-MH (6 CELL)7.2 VCD 3800mA NI-MH 12DC (INPUT)	No.	U-Tel GPE-SAUE BK.D1	UAE	NRB	4,800,100.00
						NYERI	4,800,100.00
						EMBU	4,800,100.00
						GRSS	4,800,100.00
						NKR	4,800,100.00
						KSM	4,800,100.00
						KKMG	4,800,100.00
						MSA	4,800,100.00
69	**Fire Mobile crane**	**Fire Mobile crane** Horizontal and Vertical system (For high rise building fire and limited working space/limited access where fire trucks cannot access)	No.	TESCO TB 689 234	UAE	NRB	14,200,100.00
						NYERI	14,200,100.00
						EMBU	14,200,100.00
						GRSS	14,200,100.00
						NKR	14,200,100.00
						KSM	14,200,100.00
						KKMG	14,200,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	14,200,100.00
70	**Mammoth Matting**	**Mammoth Matting** Shall be made from polypropylene/reinforced rubber with high strength, durability and resistance against chemicals and uv lights complete with framework of 6x15mm steel beams with wood timber inserts Measuring 4m wide and 30m long Capable of climbing steep gradients up to 25 degreesCapable of being used on all types of soil Capacity :60 tons	No.	Gasco MMA B63	UAE	NRB	3,499,900.00
						NYERI	3,499,900.00
						EMBU	3,499,900.00
						GRSS	3,499,900.00
						NKR	3,499,900.00
						KSM	3,499,900.00
						KKMG	3,499,900.00
						MSA	3,499,900.00
71	**Aluminium truck way Matting**	**Aluminium truck way Matting** Sheet dimension Width : 4590mm Length :17 metres Capacity :60 tons Material should be aluminium Anchoring Pin/Hole/Steel locking bolt on road surface side ofmatting	No.	Anglessy Faud	UAE	NRB	3,800,100.00
						NYERI	3,800,100.00
						EMBU	3,800,100.00
						GRSS	3,800,100.00
						NKR	3,800,100.00
						KSM	3,800,100.00
						KKMG	3,800,100.00
						MSA	3,800,100.00
72	**Location/Monitoring system**	**Location/Monitoring system** The search cam system combines a miniature video camera with a spotlight as well as a sensitive microphone to provide rescuers to look and listen into the voids of a collapsed structure	No.	SMCO	UAE	NRB	2,499,900.00
						NYERI	2,499,900.00
						EMBU	2,499,900.00
						GRSS	2,499,900.00
						NKR	2,499,900.00
						KSM	2,499,900.00
						KKMG	2,499,900.00
						MSA	2,499,900.00
73(a)	**Pyrogen fire Suppression Generators (Ex Series)**	**Pyrogen fire Suppression Generators(Ex Series)** EXA – Z1 :Aerosol Mass, 100g Generator mass: 1.0 Max. protected Volume, 1 m3 Length: 122mm Diameter: 64mm Canister Material S/S, Nozzle Outlet Lateral Discharge Time, 30s. Ignition Resistance 2.0-3.0, Minimum all fire current :1.2@12ms,	No.	SUSCO	UAE	NRB	2,800,100.00
						NYERI	2,800,100.00
						EMBU	2,800,100.00
						GRSS	2,800,100.00
						NKR	2,800,100.00
						KSM	2,800,100.00
						KKMG	2,800,100.00
						MSA	2,800,100.00



Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Minimum Activation Voltage :3.6Vdc					
73(b)	Pyrogen fire Suppression Generators	**Pyrogen fire Suppression Generators** EXA – 10R :Aerosol Mass, 1000g Generator mass 9.3 Max. protected Volume, 10m3 Length: 200mm Diameter: 220mm Canister Material M/S, Nozzle Outlet Radial Discharge Time: 30s. Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,500,050.00
						NYERI	3,500,050.00
						EMBU	3,500,050.00
						GRSS	3,500,050.00
						NKR	3,500,050.00
						KSM	3,500,050.00
						KKMG	3,500,050.00
						MSA	3,500,050.00
73(c)	Pyrogen fire Suppression Generators	**Pyrogen fire Suppression Generators** EXA – 50 :Aerosol Mass, 5000g Generator mass 28.5 Max. protected Volume, 50 m3 Length: 450mm Diameter: 310mm Canister Material M/S, Nozzle Outlet Lateral Discharge Time: 50s Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	3,800,100.00
						NYERI	3,800,100.00
						EMBU	3,800,100.00
						GRSS	3,800,100.00
						NKR	3,800,100.00
						KSM	3,800,100.00
						KKMG	3,800,100.00
						MSA	3,800,100.00
74	Emergency Security Safety Barriers	**Emergency Security Safety Barriers** **Type**: NMSB XVI 16` Mobile Hydraulic-dual buttress housing barrier system. **Deployment Positioning**: Once mobilized at site, to be lowered in position by 3(one front & two rear) manual jacks, leveled utilizing levelers at base barrier. Should consist of four (4) concrete jersey barrier, two (2) units placed behind each of the two Mobile/portable integrated buttress housing totaling a weight of 18,000 Ibs w **Road Blockers Physical dimen** 640/940mm W x 670mm D x 13 2m Road blocker - 2510mm W x **Road Blockers Basic Power re** 50Hz, 20 amps (other voltages a S.E.L V 24 v **Road Blocker Performance**: L **PAS 68 Impact absorption**: 18 immediately after impact) Full PAS 68 Classification: V/75 TestedModel 800mmHx2.0mW Road Blockers Speed of operatio lower	No.	NASATUA NMSB	UAE	NRB	9,500,100.00
						NYERI	9,500,100.00
						EMBU	9,500,100.00
						GRSS	9,500,100.00
						NKR	9,500,100.00
						KSM	9,500,100.00
						KKMG	9,500,100.00
						MSA	9,500,100.00


Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Emergency Fast Raise option - <1 second to raise Operating temperature range -25 deg C - +70 deg C Hydraulic Back Up System to provide six half cycles in the event of power failure. **Construction**: The supporting framework shall be constructed from fully welded, heavy gauge, steel angle and boxsection completely encased with steel sheets to provide a self- shuttered module. Sub-surface fixing points shall ensure the blocker iscompletely secured to its foundation.					
75	**Incinerator Assy 10,000kg**	**Incinerator Assy 10,000kg** **Installed heating capacity**: 1, 200,000Kcal/hr. **Hearth area** :1.8m2 **Changing door** :350 mm (W).350mm(H) with hinged refractory lined: **Ash door**:350 mm (W).200mm(H) with hinged refractory lined **Air Port** :One set **View Port**: One **Burner**: One 1.20.000 Kcal/hr HSD fired, ignition burner with FD fan, fuel pumps flame, control & burner control system, ignition unit etc. **Material of construction**: Shell - Boiler quality to IS 2002 Gr A Insulation: a) Castable refractories high alumina capable of withstanding 1400 degree centigrade. Outer chamber with air jacket. b) Mineral Wool c) Glass wool **Damper** :Butterfly type & Manual **Electric Motor** :TEFC Squirrel cage induction motor continuous rating with 'F' class insulation (non flameproof) **Skin temperature** :35°C above ambient **Mode of operation**: Fully automatic with alarm buzzer **Mating System burner with Automating nozzle**: Pressure jetautomatic burners with automatic **Operating pressure Draught fan**: Negative pressure though induced **Fuel Tank**:100 litre with inspection cover drain valve, gauge and pipe lines Necessary Maintenance spares, concomitant accessories,tooling and gauges have to be supplied with Incinerator System	No.	CRAWFORD	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	96,000,100.00 96,000,100.00 96,000,100.00 96,000,100.00 96,000,100.00 96,000,100.00 96,000,100.00 96,000,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Supplier shall have to arrange free training for user staff inoperation and maintenance Supplier shall have to provide related drawings/diagrams(civil, mechanical and electrical etc.)electrical load and electrical circuitry **Hearth Loading** :85Kg/m2					
77	**Emergency suction delivery hose**	**Emergency suction delivery hose** Shall be made from PU with highly chemical resistant hose of 2" diameter at suction and 10m length Shall be UV stabilized Complete with male /female camlock	No.	Susco	UAE	NRB	68,900.00
						NYERI	68,900.00
						EMBU	68,900.00
						GRSS	68,900.00
						NKR	68,900.00
						KSM	68,900.00
						KKMG	68,900.00
						MSA	68,900.00
78	**Trailer mounted communicati on system complete with station electronic equipment**	Weight (max. load):3,500 lbs Chassis: Welded steel box frame with non-slip plating deckand weather/vandal resistant housings Stabilization: Heavy duty adjustable outriggersTowing Connections:2 inch ball and ring Vehicle Status: Light trailer capable of being pulled by anystandard pickup truck to comply with all DoT and TC road-going trailer licensing requirements Electrical System:12v lighting, braking and PowerGeneration for Critical Communications **Communications Tower Construction**: Girder frame - steel Minimum of 30' tower with mounting for radio antennas, PTZ cameras, weather station and/or other systems. Secure cabling for radio, video, VSAT Satellite, and ITnetworking Height: Retracted horizontal length: 12 feetFully Extended height: 42 feet Deployment Mechanism: Electric raise, extend and lowerRoad Clearance:7 feet **Wireless Communications System** Frequency:2.4 GHz Bandwidth:11 MHz Range:1,000ft to .5 miles Encryption: 128bit AirFortress®, 256bit AES and Triple DES	No.	SILICO	UAE	NRB	17,500,100.00
						NYERI	17,500,100.00
						EMBU	17,500,100.00
						GRSS	17,500,100.00
						NKR	17,500,100.00
						KSM	17,500,100.00
						KKMG	17,500,100.00
						MSA	17,500,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Camera -Video camera system with 360 degree viewingand pan/tilt/zoom capabilities. Digital video recording on board with large storagecapabilities and remote access. Ability to control radio patching, controls, and remote videoviewing of the mast camera through secure VSAT internet connection Functions: Pan, Tilt, Zoom, Patrol, Motion Detection,Motion Reporting, Two-way audio communications Mechanical Zoom:26X					
79	**Field mobile hospital**	**Field mobile hospital** The **Field Hospital** system complex shall consist of the following elements: **One Operating Theatre (Surgical) Module** installed into two Rigid purpose built ISO Containers. The Module provides an autonomous surgical operating theatre complete with operating facilities, and Air- conditioning. **One Pre Op Container** Installed into a single ISO Container. The shelter provides autonomous intensive care facilities complete with facilities and air-conditioning to meet the standards for intensive care in a mobile environment. **One Medical Staff Preparatory Container** in a single ISO Container. **One Generator Container** **One Utilities Container** providing Water and Waste Management **Three inflatable Ward Tents** 7m x 5m x 2.5m **One inflatable Ward Tent** 5m x 5m x 2.5m **Three inflatable Ward Tent** 17m x 8m x 4m	No.	SILICO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00 23,000,100.00
80	**Floor Material- Tarpaulin (4mx5m)**	**Floor Material- Tarpaulin (4mx5m)** heavy weight PVC-tarpaulin Permanently flame retardant material - flame-retardant properties able to persist after soaking or washing. Length :65m width: 250cm density:720 g/m²thickness: 3mm 100% recyclable synthetic material capable of flatness after roll-out, dimensional stability, wear & tear resistance,	No.	Tarpo	UAE	NRB NYERI EMBU GRSS NKR KSM	15,450.00 15,450.00 15,450.00 15,450.00 15,450.00 15,450.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		c/w accessories				KKMG	15,450.00
						MSA	15,450.00
81	**Trailer mounted automated latrines complete for four people c/w generator andlights**	**Trailer mounted automated latrines complete for four people c/w generator and lights** Manufactured from Structural Grad Aluminium · Height Internal 2.2mOverall 2.6m · Width 2.4m · Depth 2.0m · Weight 700kgs · POWER:10amp power outlet · WATER: Mains water pressure (Gravity Feed - needs 6m head) · DRAINAGE: Sewer / Septic Connection (optional) Macerating pump via hose to waste holding tank Capable of pumping waste to 50m from unit and up to 11m above the unit	No.	Silico	UAE	NRB	3,500,100.00
						NYERI	3,500,100.00
						EMBU	3,500,100.00
						GRSS	3,500,100.00
						NKR	3,500,100.00
						KSM	3,500,100.00
						KKMG	3,500,100.00
						MSA	3,500,100.00
82	**Winch**	**Winch** **Vehicle-Recovery Winch** for heavy winching needs Shall have (5,440 kg) pulling capacity . Shall come with 125' of 3/8" (38 m of 9.5mm) wire ropeand roller fairlead Remote with 12' (3.7 m) lead	No.	Fisco	Englan d	NRB	480,100.00
						NYERI	480,100.00
						EMBU	480,100.00
						GRSS	480,100.00
						NKR	480,100.00
						KSM	480,100.00
						KKMG	480,100.00
						MSA	480,100.00
83	**Crane**	**Crane** **Hoisting capacity:** 10 tonnes **Crane span:** 19 + 0.2metres **Longitudinal travel of crane:** 70+ 0.5metres **Lifting range:** 6.5metres(hook height) **Main hoist speed:** 3.0m/min **Long travel speed:** 20.0m/min **Cross travel speed:** 16.0m/min **Creep speed:** pre-settable minimum 10% to 100% in steps of 10% full speeds by VVVF **Duty class of crane(as per IS:807-206):** M7 Shall come complete with : Bridge structure with platform and hand railing Travelling mechanism for long and cross travel shall include wheels, runway rails, end stops	No.	FHAM CRANE	England	NRB	12,500,050.00
						NYERI	12,500,050.00
						EMBU	12,500,050.00
						GRSS	12,500,050.00
						NKR	12,500,050.00
						KSM	12,500,050.00
						KKMG	12,500,050.00
						MSA	12,500,050.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		with spring/rubber buffers and wheel stops Trolleys Hoisting mechanism Service platform on both sides of crab girder Brake mechanism for long travel, cross travel and hoisting Pendant control and wireless remote operation for all movements Electric motors, control gear and switch gear AC variable frequency controls for all motions of the crane Lighting fixtures and accessories for cranes Earthing for all electrical equipment in the crane					
84	**Field kitchen trailer**	**Field kitchen trailer** Shall consist of: 1 x 150 Litre Double Walled Kettle2 x 20 Litre Water Heaters Revised Chassis with Height Adjustable Tow Bar Equipment for Diesel Operation (including upgraded burner) Platform for Carrying a Generator Generator Cover Spare Tyre & Wheel Wedge Toolset Shelter/Transportation Cover – Military Green (or UN White) **Optional LPG Variant** ses Liquid Petroleum Gas (LPG) as Pressure 2 Bar, Max Flow 2.1 kg/h rner Equipped with Power Control/Shut-off Valve, Flame Safety Device and Pierzo-electric Ignition as Burner Made of Stainless Steelurner is Installable without Tools. Gas Pipe with Quick Connector as Tubing and Valves Installed on Trailer Body as Cylinder Holder in Front of Trailer. Position for Two (2) x 11Kgs Gas Cylinders essure Regulator for Gas Cylinder with Press-on Valve, diam 35mm according to EN 12864 E Marked and Type Approved in Accordance with Gas ApplianceDirective 90/396/EEC	No.	FERWISE	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	6,500,100.00 6,500,100.00 6,500,100.00 6,500,100.00 6,500,100.00 6,500,100.00 6,500,100.00 6,500,100.00
85	**Syphon Hose**	**Syphon Hose** is used with boats, autos, lawn mowers, tractors, motorcycles, stopped up sinks and tubs, water	No.	Udaya	England	NRB NYERI EMBU	13,900.00 13,900.00 13,900.00



Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		beds, aquarium and fish tank maintenance, ponds, pools, hot tubs and home brewery's to safely transfer gasoline, diesel fuel, kerosene, light weight oil, water, thinners, paint and more Either Self-Priming Syphon Hose or manual suction siphon, it shall come with: 6 feet of FDA grade poly tubing, hose adaptor and High quality brass fitting for excellent longevity Shall have a 3-1/2 gallon per minute flow rate, depending on the liquid being transferred.				GRSS	13,900.00
						NKR	13,900.00
						KSM	13,900.00
						KKMG	13,900.00
						MSA	13,900.00
86	Vaccine refrigerator	**Vaccine refrigerator** Mains powered version that works on as little as 2½ hours power per day, or a solar 'direct drive' model that doesn't need a battery to maintain cooling performance overnight. In severe power outages, both models keep vaccines at safe temperatures for extended periods without any power whatsoever – 10 days or more at 32°C ambient, and even longer at lower temperatures.	No.	Udaya	England	NRB	1,500,100.00
						NYERI	1,500,100.00
						EMBU	1,500,100.00
		Model AC (Mains) DC(Solar) Size (cm): D: 76cm W: 89cm H: 185cm Gross storage capacity 124L 124L (litres): Vaccine storage 99L 99L capacity (litres): Holdover time 43°C: 250 hours 184 hours (>10 days) (>7 Days) Holdover time 32°C: 309 hours (>12 days)* 288 hours (12 days)* 43°C 32°C Solar arrayPower consumption: < 4 hours < 2½ 370W dep supply per day hours geographic supply per day 200W to ending on al location Minimum rated ambient 10°C 5°C temperature: Refrigerant: R134a R600a (CFC free) (CFC/HFC Insulation: CFC/HFC free CFC/HFC				GRSS	1,500,100.00
						NKR	1,500,100.00
						KSM	1,500,100.00
						KKMG	1,500,100.00
						MSA	1,500,100.00
							1,500,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
87	3 way valve	**3 way valve** The purpose of a 3-way control valve is to shut off water flow in one pipe while opening water flow in another pipe, to mix water from two different pipes into one pipe, or to separate water from one pipe into two different pipes. Shall have capacity of air supply pressures up to 5.0 bars (72 psig),allowing valve shutoff at high pressure drop A 3-way valve shall be provided with an electrical, pneumaticor thermal actuator. **Valve Body Size;** DN 25, 40, 50, 80, 100 **Pressure Rating**: PN 10 / 16 / 25 / 40 per EN 1092-1 **End Connections**: Flanged raised face per EN 1092-1 **Valve Body Materials**:1.0619 steel 1.4409 stainless steel **Bonnet Materials:1**.4409 stainless steel **Flow Direction:** Converging and Diverging	No.	Silico	England	NRB	65,100.00
						NYERI	65,100.00
						EMBU	65,100.00
						GRSS	65,100.00
						NKR	65,100.00
						KSM	65,100.00
						KKMG	65,100.00
						MSA	65,100.00
88	Mist type nozzles	**Mist type nozzles** Stainless steel/ Brass body Connecting thread:1/8 Flow rate: 200 ml/min Spray angle:18°	No.	Udaya	Englan d	NRB	150,100.00
						NYERI	150,100.00
						EMBU	150,100.00
						GRSS	150,100.00
						NKR	150,100.00
						KSM	150,100.00
						KKMG	150,100.00
						MSA	150,100.00
89	Firefighting motorcycle	**Firefighting motorcycle** Propellant: Compressed atmospheric air Pressure source: 6.8 litres breathing apparatus tank made of aluminium inner and carbon composite outer for 300 bar pressure Working pressure: Preset at 20 bars Nozzle: dual nozzle Nozzle pressure: 13 bars Lance measurements: 104 cm long, 4 kg Spray options: Micro-drops or jet stream of aspirated foam as selected by operator with instant change Stream options: Continues stream or manual pulsing Range: 11 meters Drop size (micro-drops): 7-100 microns	No.	FIRE EXPRESS BMW	UAE	NRB	4,500,100.00
						NYERI	4,500,100.00
						EMBU	4,500,100.00
						GRSS	4,500,100.00
						NKR	4,500,100.00
						KSM	4,500,100.00
						KKMG	4,500,100.00
						MSA	4,500,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Water/foam tank: 2 x 25 liter stainless steel water/foam tanks, sufficient for 136 seconds on constant spray Flow: 22 liters per min. (micro-drops), 110 liters per min. (aspirated foam) Recommended foam solution: 3% AR-AFFF (alcohol resistant) foam solution, premixed in water Foam expansion rate: Low expansion rate, approximately 1:5 Hose: 30 meter ½" hose on reel with manual rewind **Hose type**: Oil and temperature resistant (-40° C up to +100° C) according to EN 854 Corrosion resistance: Water tank – stainless steel type 1.4462 (werkstoff no.)/ UNS S 31803 (ASTM) **Safety features**: Two pressure safety valves (26 bars and 40 bars) Non-return valve between pressure regulator andwater/foam tank **Accessories**: Lance with cavity spear, lance with cleaning nozzle, flat jet spray adapter for penetration of forest floor, filling kit, fully certified tailor-made fire suits appropriate for riding motorcycles **Motorcycle:** Model: BMW R 1200 RT - police version Engine capacity: 1,170 cc Output: 81 Kw (110 HP) at 7,500 rpm Maximum torque: 115 Nm at 6,000 rpm Dimensions (D x W x H) : 223 x 91 x 143 cm Weight:359 kg (fully loaded) **Driving limitations**: Maximum speed limit is 180 km/h Water/foam tanks must either be completely full or completely empty when driving Riders must receive special training Regular control of technical condition of the motorcycle must be performed **Firefighting capability:** Able to fight class A, B, C and E fires Tested according to EN 3-7 standard Approved for electrical fires up to 10,000 volts					
90	**All-terrain vehicle**	**All-terrain vehicle** Vehicles driven like a motorcycle, but the extra wheels give more stability at slower speeds. Typically equipped with four) wheels, though six-wheel models exist	No.	FIRE EXPRESS POLARIS	UAE	NRB	2,300,100.00
						NYERI	2,300,100.00
						EMBU	2,300,100.00
						GRSS	2,300,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		for specialized applications. Engine sizes of ATVs currently range from 49 to 1,000 cc 15 HP engine 220cc typical for fire fighting 13HP Pump mounted at the rear(manual or automatic start) with output of 600 l/min at operating pressure of 8 bars Complete with accessories: 20m long 4 no. hermaphrodite connection delivery hoses,2" branch nozzle, rubber lined 40m hose reel 100 litre foam tank6 litre premix AFF 2 no portable fire extinguishers(dry powder) Fireman's axe, spanner, key and bar 7m long suction hose with strainer battery				NKR	2,300,100.00
						KSM	2,300,100.00
						KKMG	2,300,100.00
						MSA	2,300,100.00
91	**Emergency dewatering pumping units**	**Emergency dewatering pumping units** Provides a quick and easy solution in case of flooded basements, garages and residential buildings. The kit is composed of a stainless steel drainage electric pump and a 6 meters long flexible hose complete with quick coupling, all inside a plastic box that can be usedto store the kit on a shelf when not in use, or as a strainer during operation. **Specifications**: Head: up to 7 m Power supply: single-phase	No.	Udaya	England	NRB	9,500,100.00
						NYERI	9,500,100.00
						EMBU	9,500,100.00
						GRSS	9,500,100.00
						NKR	9,500,100.00
						KSM	9,500,100.00
						KKMG	9,500,100.00
						MSA	9,500,100.00
92	**Fire Ball**	**Fire Ball** Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years	No.	Udaya	England	NRB	13,550.00
						NYERI	13,550.00
						EMBU	13,550.00
						GRSS	13,550.00
						NKR	13,550.00
						KSM	13,550.00
						KKMG	13,550.00
						MSA	13,550.00
93	**Air Diffuser Pack**	**Air Diffuser Pack Contents:**	No.	Bio- Chem		NRB	28,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		1x Air Diffuser Machine Wall Mounted 2x40m Refills Containing Solution 2xWick to insert into each refill. Made of lime wood and shall have polyester powder coated white/silver finishes Shall come in 2-10pack packaging complete with non-visiongrilles(satin silver finish) Packaged in shrink wraps and fitted with removable plastic covers Complete with opposed blade dumpers Plenum boxes shall be made of polystyrene and galvanized sheet steel			England	NYERI	28,100.00
						EMBU	28,100.00
						GRSS	28,100.00
						NKR	28,100.00
						KSM	28,100.00
						KKMG	28,100.00
						MSA	28,100.00
94	**De watering pumps for flooding heavy duty trailer mounted**	**De watering pumps for flooding heavy duty trailer mounted** Available in 4x4, 6x6 and 8x8-inch versions, automatic, dry-priming trash pump for contractors, dewatering firms, sewage-bypass operations, mine or quarry operators, municipalities, and industrial operations. Units shall be self-contained in either skid or trailer configurations Range : 0.75 Hp To 75.0 Hp Head : Up To 100 Mtr. Capacity : Up To 450 M3/Hr Solid Size: Up To 35 Mm (Suspended Solid) Speed : 2850 Rpm/1440 Rpm Control : Thermistor & Moisture (Optional)	No.	Udaya	England	NRB	2,500,100.00
						NYERI	2,500,100.00
						EMBU	2,500,100.00
						GRSS	2,500,100.00
						NKR	2,500,100.00
						KSM	2,500,100.00
						KKMG	2,500,100.00
						MSA	2,500,100.00
95	**Generator Distribution Panels**	**Generator Distribution Panels** To provide electric-power distribution for 3-phase electrical equipment. Ability to deliver electric power for up to eight 60 amp rectifier-welders operating on 240, 380, 480 or 600 volt, 3-phase power 1600 Amps • 208-600Vac, 50/60Hz rated • MEC 20 Microprocessor-based Engine/Generator Controller • Digital AC/DC Instrumentation • Optional remote annunciator Stainless Steel Construction **Specifications**	No.	Vicks England	England	NRB	150,050.00
						NYERI	150,050.00
						EMBU	150,050.00
						GRSS	150,050.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		240, 380, 480 or 600 volt electric power distribution 8 - 60 amp, 3 phase receptacles with 50 amp breakers1 - 9 connection terminal board with 20 amp breaker 1 - 225 amp, 600 volt main breaker CSA Approved				NKR	150,050.00
						KSM	150,050.00
						KKMG	150,050.00
						MSA	150,050.00
96	**Rotax Firetec**	**Rotax Firetec** **Engine Specifications** Rotax Model 185 cc Maximum power: 10 HP (7.46kW) Engine : 2-cycle, air cooled single cylinder with cast iron sleeve Starting system: Recoil with backup manual rope starter Ignition system: Electronic ignition Stroke: 2.40" (61 mm) Bore: 2.44" (62 mm) Displacement:185 cc (11.29 cubic inches) Lubrication :Oil in fuel mixture	No.	Firetec	England	NRB	375,100.00
						NYERI	375,100.00
						EMBU	375,100.00
						GRSS	375,100.00
						NKR	375,100.00
						KSM	375,100.00
						KKMG	375,100.00
						MSA	375,100.00
97	**Multi Power Mobile Fire Pump**	**Multi Power Mobile Fire Pump** Pump unit specifications •12-16, detachable 4-stage centrifugal pump end •Quick release pump clamp •Lightweight aluminium alloy pump parts •Anodized pump parts for corrosion resistance •Stainless steel shaft •Mechanical rotary seal •Automatic overspeed safety switch •Painted steel frame •2" (51mm) suction threads •1 ½" (38mm) discharge threads •Fuel consumption 4.5 L hour) Length 23" (58cm) Width 12" (31cm) Height 16 ¼" (41cm) Weight58lbs (26.3kg)	No.	Udaya	England	NRB	8,500,100.00
						NYERI	8,500,100.00
						EMBU	8,500,100.00
						GRSS	8,500,100.00
						NKR	8,500,100.00
						KSM	8,500,100.00
						KKMG	8,500,100.00
						MSA	8,500,100.00
98	**Portable Fire Detector Tester**	**Portable Fire Detector Tester** Wireless and battery powered complete with protective carrying bag Made of fibre glass with four section telescopic pole complete with extension pole Shall have a universal detector removal tool and aerosol smoke dispenser	No.	PEDY	England	NRB	185,000.00
						NYERI	185,000.00
						EMBU	185,000.00
						GRSS	185,000.00
						NKR	185,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Capable of detecting fixed temperature to rate of rise and combination up to 900 C Shall have capacity to remove, replace and test smoke detector up to 23 ft.				KSM	185,000.00
						KKMG	185,000.00
						MSA	185,000.00
99	**Air Tent For Disaster Control Point**	**Air Tent For Disaster Control Point** Shall be made from highly breathable and strong cotton /polyester fabric Heavy duty 75-150D fabric with fully taped seems Shall have 4-8 persons capacity Shall have 1 door per 1 room and 4 mesh windows Complete with internal pre-attached pole system	No.	DCP-11	Englan d	NRB	1,850,000.00
						NYERI	1,850,000.00
						EMBU	1,850,000.00
						GRSS	1,850,000.00
						NKR	1,850,000.00
						KSM	1,850,000.00
						KKMG	1,850,000.00
						MSA	1,850,000.00
100	**Petrol Engine Driven Water Pump 2" BSP**	**Petrol Engine Driven Water Pump 2" BSP** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 4.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kg	No.	Naffco	UAE	NRB	280,100.00
						NYERI	280,100.00
						EMBU	280,100.00
						GRSS	280,100.00
						NKR	280,100.00
						KSM	280,100.00
						KKMG	280,100.00
						MSA	280,100.00
101(a)	**Cold fire extinguishers 9.5 Litres Cold fire extinguisher**	**Cold fire extinguishers** **9.5 Litres Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed.	No.	Naffco	UAE	NRB	26,900.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NYERI	26,900.00
						EMBU	26,900.00
						GRSS	26,900.00
						NKR	26,900.00
						KSM	26,900.00
						KKMG	26,900.00
						MSA	26,900.00
101(b)	**5.7 liters Cold fire extinguisher**	**5.7 liters Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby	No.	Naffco	UAE		24,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
101(c)	**Heavy duty steel mounting brackets above Units**	**Heavy duty steel mounting brackets above Units**	No.	Naffco	UAE	NRB	8,950.00
						NYERI	8,950.00
						EMBU	8,950.00
						GRSS	8,950.00
						NKR	8,950.00
						KSM	8,950.00
						KKMG	8,950.00
						MSA	8,950.00
(e)	**4 Litre Extinguisher**	**4 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) •Considered an acceptable substitute to toxic foams and Halon. ▪Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable •Unique Thermal Insulation capability. Helps to minimize heat exhaustion. •Prevents re-ignition when properly applied. •Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. •Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. •No messy Cleanup is required. •Cold Fire is non-slip. •Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB	8,950.00
						NYERI	8,950.00
						EMBU	8,950.00
						GRSS	8,950.00
						KSM	8,950.00
						KKMG	8,950.00
						MSA	8,950.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
(f)	3 Litre	**3 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) Listed. •Capable of suppressing multiple classes of fire ABDK Fires •Considered an acceptable substitute to toxic foams and Halon. Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	5,900.00 5,900.00 5,900.00 5,900.00 5,900.00 5,900.00 5,900.00
(g)	2 Litre Extinguisher	**2 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion.	No.	Naffco	UAE	NRB NYERI	4,600.00 4,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				EMBU	4,600.00
						GRSS	4,600.00
						NKR	4,600.00
						KSM	4,600.00
						KKMG	4,600.00
						MSA	4,600.00
(h)	**1 Litre Extinguisher**	**1 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, and thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	Naffco	UAE	NRB	3,450.00
						NYERI	3,450.00
						EMBU	3,450.00
						GRSS	3,450.00
						NKR	3,450.00
						KSM	3,450.00
						KKMG	3,450.00
						MSA	3,450.00
(i)	**50 Kg Cold Fire Trolley Type Fire Extinguisher**	**50 Kg Cold Fire Trolley Type Fire Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed.	No.	Naffco	UAE	NRB	104,950.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NYERI	104,950.00
						EMBU	104,950.00
						GRSS	104,950.00
						NKR	104,950.00
						KSM	104,950.00
						KKMG	104,950.00
						MSA	104,950.00
(j)	**Mounting Brackets for Above units**	**Mounting Brackets for Above units**	No.	Naffco	UAE	NRB	8,900.00
						NYERI	8,900.00
						EMBU	8,900.00
						GRSS	8,900.00
						NKR	8,900.00
						KSM	8,900.00
						KKMG	8,900.00
						MSA	8,900.00
102 (a)	**Cold Fire Foaming Nozzle**	**Cold Fire Foaming Nozzle** Short to medium range of up to about 10 feet and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	Naffco	UAE	NRB	7,700.00
						NYERI	7,700.00
						EMBU	7,700.00
						GRSS	7,700.00
						NKR	7,700.00
						KSM	7,700.00
						KKMG	7,700.00
						MSA	7,700.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
(b)	**Cold Fire Wand Nozzle**	**Cold Fire Wand Nozzle** Made to fight fires at a very close distance and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	Naffco	UAE	NRB	10,400.00
						NYERI	10,400.00
						EMBU	10,400.00
						GRSS	10,400.00
						NKR	10,400.00
						KSM	10,400.00
						KKMG	10,400.00
						MSA	10,400.00
(c)	**Cold Fire Aspirating Nozzle**	**Cold Fire Aspirating Nozzle** Helps aerate when spaying and by doing so makes more foam. Together with standard units and at the correct pressure, it can be used to spray up to about 20 feet. This is the most user friendly and versatile nozzle, which makes it the most, recommended one for general use.	No.	Naffco	UAE	NRB	8,950.00
						NYERI	8,950.00
						EMBU	8,950.00
						GRSS	8,950.00
						NKR	8,950.00
						KSM	8,950.00
						KKMG	8,950.00
						MSA	8,950.00
103(a)	**Cold fire Spray**	**Cold fire Spray** Easy to use spray can Lightweight, convenient size Environmentally safe! No fumes or odors Biodegradable, nontoxic, non-corrosive Leaves no mess, stain or residue! No special cleanup required Prevents re-ignition Quickly and effectively suppresses: Class A (wood/paper/furnishings) & Class B (grease/oil) spot fires Used on surfaces such as wood, paper, cotton, furnishings, fabrics, carpeting, curtains, packaging materials and storage boxes Kitchen stove grease fires; barbeque grill flare-ups fireplace sparks and embers; fires ignited by candles; cigarettes/cigar fires; campfires; car, boat use Available in the following sizes: **Cold Fire Ultimate Spray Can (340g)**	No.	Naffco	UAE	NRB	12,900.00
						NYERI	12,900.00
						EMBU	12,900.00
						GRSS	12,900.00
						NKR	12,900.00
						KSM	12,900.00
						KKMG	12,900.00
						MSA	12,900.00
(b)	**Cold Fire Pre- Mix 1 Litre Pump Spray**	**Cold Fire Pre-Mix 1 Litre Pump Spray**	No.	Naffco	UAE	NRB	12,100.00
						NYERI	12,100.00
						EMBU	12,100.00
						GRSS	12,100.00
						NKR	12,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KSM	12,100.00
						KKMG	12,100.00
						MSA	12,100.00
(c)	0.5 Litres Spray Can Holster	**0.5 Litres Spray Can Holster** made from 100% real leather, nylon threads or metal studs	No.	Naffco	UAE	NRB	4,400.00
						NYERI	4,400.00
						EMBU	4,400.00
						GRSS	4,400.00
						NKR	4,400.00
						KSM	4,400.00
						KKMG	4,400.00
						MSA	4,400.00
(a)	Cold Fire Concentrate 1 Litre Ext. Refill	**Cold Fire Concentrate 1 Litre Ext. Refill** This concentrate will refill a 9.5 litres extinguisher a 10% mixture for fire suppression and ultimate cooling properties	No.	Naffco	UAE	NRB	7,400.00
						NYERI	7,400.00
						EMBU	7,400.00
						GRSS	7,400.00
						NKR	7,400.00
						KSM	7,400.00
						KKMG	7,400.00
						MSA	7,400.00
(b)	Cold Fire Concentrate 20 Litres Bucket	**Cold Fire Concentrate 20 Litres Bucket** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes	No.	Naffco	UAE	NRB	35,100.00
						NYERI	35,100.00
						EMBU	35,100.00
						GRSS	35,100.00
						NKR	35,100.00
						KSM	35,100.00
						KKMG	35,100.00
						MSA	35,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
(c)	**Cold Fire Concentrate 210 Litres Drum**	**Cold Fire Concentrate 210 Litres Drum** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes	No.	Naffco	UAE	NRB	24,100.00
						NYERI	24,100.00
						EMBU	24,100.00
						GRSS	24,100.00
						NKR	24,100.00
						KSM	24,100.00
						KKMG	24,100.00
						MSA	24,100.00
104 (a)	**Fire Block**	**Fire Block** a specially formulated, environmentally friendly product which is used to retard fire in all Class A materials. It forms a thermal insulation barrier that prevents dangerous flames from spreading. Fire Block also inhibits the development of toxic hydrocarbon smoke Available in the following sizes: PH : 7.0 Concentrate Boiling Point : 212°F **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Biodegradability : 100% in 21 days under ideal conditions **Fire Block 1 Litre**	No.	Naffco	UAE	NRB	7,400.00
						NYERI	7,400.00
						EMBU	7,400.00
						GRSS	7,400.00
						NKR	7,400.00
						KSM	7,400.00
						KKMG	7,400.00
						MSA	7,400.00
(b)	**Fire Block 20 Litres Bucket**	**Fire Block 20 Litres Bucket**	No.	Naffco	UAE	NRB	40,050.00
						NYERI	40,050.00
						EMBU	40,050.00
						GRSS	40,050.00
						NKR	40,050.00
						KSM	40,050.00
						KKMG	40,050.00
						MSA	40,050.00
(c)	**Fire Block 210 Litres Drum**	**Fire Block 210 Litres Drum**	No.	Naffco	UAE	NRB	240,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NYERI	240,100.00
						EMBU	240,100.00
						GRSS	240,100.00
						NKR	240,100.00
						KSM	240,100.00
						KKMG	240,100.00
						MSA	240,100.00
105 (a)	Motor Max	**Motor Max** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Available in the following capacities: **Motor Max 1 Litre Bottle** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color	No.	Naffco	UAE	NRB	1,550.00
						NYERI	1,550.00
						EMBU	1,550.00
						GRSS	1,550.00
						NKR	1,550.00
						KSM	1,550.00
						KKMG	1,550.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Water Solubility: Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F				MSA	1,550.00
(b)	**Motor Max 20 Liters Bucket**	**Motor Max 20 Liters Bucket** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	35,100.00 35,100.00 35,100.00 35,100.00 35,100.00 35,100.00 35,100.00 35,100.00
106	**Odor Seal**	**Odor Seal** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,700.00 9,700.00 9,700.00 9,700.00 9,700.00 9,700.00 9,700.00 9,700.00
(a)	**Odor Seal 1 Litre**	**Odor Seal 1 Litre** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following	No.	Naffco	UAE	NRB NYERI EMBU	9,600.00 9,600.00 9,600.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification					
						GRSS	9,600.00
						NKR	9,600.00
						KSM	9,600.00
						KKMG	9,600.00
						MSA	9,600.00
(b)	**Odor Seal 20 Litres Bucket**	**Odor Seal 20 Litres Bucket** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	90,100.00
						NYERI	90,100.00
						EMBU	90,100.00
						GRSS	90,100.00
						NKR	90,100.00
						KSM	90,100.00
						KKMG	90,100.00
						MSA	90,100.00
(c)	**Odor Seal 210 Liters Drum**	**Odor Seal 210 Liters Drum** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order: Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	Naffco	UAE	NRB	450,100.00
						NYERI	450,100.00
						EMBU	450,100.00
						GRSS	450,100.00
							450,100.00
						KSM	450,100.00
						KKMG	450,100.00
						MSA	450,100.00
107	**John Dee Firefighting Engine**	**John Dee Firefighting Engine** 1500 CREW EXPRESS4X4 (140 in WB 5 FT 7 IN box) 5.7L V8 HEMI MDS VVT Engine	No.	JDEE	UAE	NRB	7,500,050.00
						NYERI	7,500,050.00
						EMBU	7,500,050.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		6-Spd Automatic 65RFE Transmission Monotone Paint Cloth 40/20/40 Bench Seat - Black/Diesel Gray Class IV Receiver Hitch Rear Back-up Camera Air Suspension - 4-Corner 32 Gallon Fuel Tank Anti-Spin Differential Rear Axle Premium Display Package Popular Equipment Group Power Black Trailer Tow Mirrors Remote Start and Security Group Trailer Brake Control Dealer added Sport Hood upper glove box door sport headlights				GRSS	7,500,050.00
						NKR	7,500,050.00
						KSM	7,500,050.00
						KKMG	7,500,050.00
						MSA	7,500,050.00
108 (a)	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	No.	Agam	England	NRB	649,900.00
						NYERI	649,900.00
						EMBU	649,900.00
						GRSS	649,900.00
						NKR	649,900.00
						KSM	649,900.00
						KKMG	649,900.00
						MSA	649,900.00
(b)	**Inflatable Cold Storage**	**Inflatable Cold Storage** Suitable for storage ,production, packaging and preparing food during emergencies 3 sizes-single, double and triple Single 4.8m x 6.8m x2.8m Double 9.8m x 6.8m x2.8m Triple 14.4m x 6.8m x2.8m Assembly time 1 ½ hours Power supply needed 32amp single phase or 16amp 3 phase Chill temp +2^{0}C t0 +8^{0}C	No.	Supcool	England	NRB	849,950.00
						NYERI	849,950.00
						EMBU	849,950.00
						GRSS	849,950.00
						NKR	849,950.00
						KSM	849,950.00
						KKMG	849,950.00
						MSA	849,950.00
(c)	**Green House Kit Assy**	**Green House Kit Assy** (Width x Length) 8 1/2' x 6 1/2', 8 1/2' x 10', and 8 1/2' x 14' shall include a PVC frame and 6 mil thermal polyethylene plastic covering (both UV protected), exhaust fan, hinged door with lockable latch, built-in shelving, and anchors	No.	Agam	England	NRB	649,900.00
						NYERI	649,900.00
						EMBU	649,900.00
						GRSS	649,900.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	649,900.00
						KSM	649,900.00
						KKMG	649,900.00
						MSA	649,900.00
(d)	**Green house Irrigation Kit**	**Green house Irrigation Kit** Perfect for the average 8' x 6' greenhouse. Shall contain a pressure reducing connector, 20m of hose, two Aqua Pods, and 10 stakes. This kit will water up to four growing bags or 10 individual plants.	No.	Agam	England	NRB	350,050.00
						NYERI	350,050.00
						EMBU	350,050.00
						GRSS	350,050.00
						NKR	350,050.00
						KSM	350,050.00
						KKMG	350,050.00
						MSA	350,050.00
(f)	**Dam/Pond lining**	**Dam/Pond lining** Are used primarily to prevent the loss of water from storage ponds and dams. These storage ponds can be for dairy farm waste ponds, stock watering, irrigation and firefighting □ shall be able to: withstand severe heat temperature fluctuations (- 45°C to +130°C) □ Withstand prolonged ozone exposure to the sunlight □ Combine strength and durability □ Puncture resistant-UV treated □ Elongation of 400% (Flexible able to conform over rocks) □ Tear resistant □ Fish and Plant friendly □ Environmentally friendly (should not break down underneath the ground)	No.	Genap	England	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00
						KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00
(g)	**Water Pump, Petrol Engine**	**Water pump Petrol engine** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 5.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute	No.	SSP	England	NRB	450,000.00
						NYERI	450,000.00
						EMBU	450,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kgs				GRSS	450,000.00
						NKR	450,000.00
						KSM	450,000.00
						KKMG	450,000.00
						MSA	450,000.00
(h)	**Delivery Hose for (g) above**	**Delivery Hose for (g) above** Rubber lined hose all sizes 4 bar working pressure	No.	SSP	England	NRB	600.00
						NYERI	600.00
						EMBU	600.00
						GRSS	600.00
						NKR	600.00
						KSM	600.00
						KKMG	600.00
						MSA	600.00
(i)	**Ditch lining**	**Ditch lining** Concrete canvas made of a 3-dimensional fibre matrix containing a specially formulated dry concrete mix. A PVC backing on one surface to ensure the material is water proof. Once hydrated the material remain should remain flexible and workable for 2 hours (subject to ambient temperatures) and gain 80% of its 28 day strength in the first 24 hours. 3 thicknesses, 5, 8 and 13mm. standard roll width of 1.0m 5mm mas kg/ M^2 Density(unset)kg/M^3 1500	No.	Genap	England	NRB	8,450.00
						NYERI	8,450.00
						EMBU	8,450.00
						GRSS	8,450.00
						NKR	8,450.00
						KSM	8,450.00
						KKMG	8,450.00
						MSA	8,450.00
(j)	**Floating Modular cube**	**Floating Modular cube** Dimensions L x W x H(500mmx500mmx400mm) Live load 93kgF/M^2 material :HDPE Top Area 0.25 M^2 Tensile strength Upper 20000N	No.	Duraline	England	NRB	25,100.00
						NYERI	25,100.00
						EMBU	25,100.00
						GRSS	25,100.00
						NKR	25,100.00
						KSM	25,100.00
						KKMG	25,100.00
						MSA	25,100.00
		JCB Firefighting Engine		JCB-DRW	England	NRB	7,500,150.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
109	**JCB Firefighting Engine**	**Technical Specs** • 4-Door DRW 4×4 Chassis • Power Stroke 6.7L V-8, 300-HP Diesel Engine • 6-speed Automatic Transmission • Heavy Duty 3/16" Aluminum Body with Roll Up Doors • stainless steel running boards • Two (2) rear SCBA back bucket seats EMS compartment with shelf between rear seats • Grill Guard with 12,000-lb Winch • One (1) trailer hitch with electrical connections, rear • One (1) Single bottle Air bottle compartment, right side wheel well area • One (1) Dual bottle Air bottle compartment, right side wheel well area • Attic ladder/Pike Pole storage with rear access, upper raised area • Turtle tile on floors and /or shelves and trays of compartments • Stokes basket/backboard storage, front transverse compartment • One (1) Air bag rack, left side • Fire Extinguisher Rack, right side • One (1) Hinged Pegboard tool board, right side • Two (2) Vertical Pull out tool boards, right side Floor mounted console for emergency switches with map/binder storage, cab Class 1 Total system manager for electrical load management on-board battery charger Super Auto Eject 120-volt shoreline Code 3 Electronic Siren with 100-watt speaker Two (2) Air horns, front bumper One (1) hand held spotlight, cab Four (4) 12-volt LED telescopic lights Smart Power Hydraulically driven 5500-watt Generator with 120-volt system Two (2) Electric cord reels with 100-ft of 12/3 cord and junction box LED Warning Light Package	No.			NYERI	7,500,150.00
						EMBU	7,500,150.00
						GRSS	7,500,150.00
						NKR	7,500,150.00
						KSM	7,500,150.00
						KKMG	7,500,150.00
						MSA	7,500,150.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Chevron pattern striping, rear 7' 11" Overall height 26' 2" Overall length 200.2 " Wheelbase 84" Cab to Axle 7,000 FAWR 14,700 RAWR 19,500 GVWR					
110	**Portable Data System (MRT)**	**Portable Data System(MRT)** System Characteristics: TAMCN: A25607G NSN:7010-09-000-2546 (Block I-Disposal) NSN:7010-01-524-4120(Block II-Phasing Out MRT-A) NSN:7010-01-571-6450(Block II-Sustaining MRT-B) Spectrum: Operates per DoD Directive 4650.1 Mobility: Man-Portable Power: Internal and operating in a range of +15 to +24 Volts of Direct Current (VDC) (T). Operation will be from an external Alternating Current (AC)/DC adapter or a +15 Volts (V) battery system. The circuit steady-state voltage shall be between 23 and 33 VDC. Distance: Dependent on Laser Range Finder/Radio used Operational Mode: Day, Night, Limited-Visibility Conditions Encryption: Dependent on the radio Processor: Intel® Core™ i7processor, 64-bit architecture System Memory: 4 GB expandable to 8 GB Mass Storage: 128 GB solid state hard drive (SSHD) Display: 10.4" XGA LCD Audio: Single channel In/Out, AC'97 compatible, Integrated speakers (2x) VGA Output: Via sealed HD-15 connector. Secondary display resolutions up to 1600 x 1200 pixels Video In:RS-170 analog video capture, MPEG4 hardware compression, Local playback, LAN broadcast	No.	OMAHANE	JAPAN	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,200,100.00 9,200,100.00 9,200,100.00 9,200,100.00 9,200,100.00 9,200,100.00 9,200,100.00 9,200,100.00
111	**Flammable Liquid Pumps**	Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar	No.	AFLOMIX	England	NRB NYERI EMBU	9,100,200.00 9,100,200.00 9,100,200.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Capacity 120m3 per hour @ 28 bar				GRSS	9,100,200.00
						NKR	9,100,200.00
						KSM	9,100,200.00
						KKMG	9,100,200.00
						MSA	9,100,200.00
112	**CC Shelters**	Pre-deployment (Crate) dimensions Unit Length (m) Width (m) Height (m) Weight (m) CCS25 2.61 2.30 1.13 1900 CCS50 2.90 2.24 1.70 3100 Post deployment dimensions Unit Length (m) Width (m) Height (m) Internal Area (m3) CCS25 5.00 5.60 2.45 25.00 CCS50 9.50 5.60 2.60 50.00 General Specifications Unit Water Requirement (L) Deployment Time (min) Cot Space Available CCS25 2.61 2.30 1.13 CCS50 2.90 2.24 1.70	No.	CCL	England	NRB	4,950,200.00
						NYERI	4,950,200.00
						EMBU	4,950,200.00
						GRSS	4,950,200.00
						NKR	4,950,200.00
						KSM	4,950,200.00
						KKMG	4,950,200.00
						MSA	4,950,200.00
113 (a)	**Dura line Plastic Modular Molded Cube**	Standard Size: L500mm, W500mm, H400mm Weight: 7.00kg Live Load: 93kgf /about 372kgF/m2 Material: HDPE Free Board: 37.5cm Top Area: 0.25m2 Tensile Strength: Upper 20,000N	No.	Duraline	England	NRB	26,500.00
						NYERI	26,500.00
						EMBU	26,500.00
						GRSS	26,500.00
						NKR	26,500.00
						KSM	26,500.00
						KKMG	26,500.00
						MSA	26,500.00
(b)	**Concrete Impregnated Fabric**	CC Thickness (mm) Batch Roll Size (sqm) Bulk Roll Size (sqm) Roll Width CC5 5 10 200 1.0 CC8 8 5 125 1.1 CC13 13 N/A 80 1.1	No.	CCL	England	NRB	10,200.00
						NYERI	10,200.00
						EMBU	10,200.00
						GRSS	10,200.00
						NKR	10,200.00
						KSM	10,200.00
						KKMG	10,200.00
						MSA	10,200.00
114	**Emergency Bridge**	Length when folded is 10.4 metres and the length when unfolded is 20 metres. The	No.	ALGONGUM	England	NRB	12,650,000.00
						NYERI	12,650,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		bridge is a Class 50 so it is capable of supporting 50 Tons when deployed. The width of tract being 1.14 metres wide. Track element is self- supporting; height folded is 1.55 metres and unfolded is 0.83 metres. (OPTION) Two Bridges width tol is 3.27 metres with each track being 1.14 metres wide. The resultant gap between the tracks being approximately 900mm. Each track element is self-supporting but is held in position by cross braces that link two tracks together.				EMBU	12,650,000.00
						GRSS	12,650,000.00
						NKR	12,650,000.00
						KSM	12,650,000.00
						KKMG	12,650,000.00
						MSA	12,650,000.00
115	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	Aflomix	England	NRB	9,100,000.00
						NYERI	9,100,000.00
						EMBU	9,100,000.00
						GRSS	9,100,000.00
						NKR	9,100,000.00
						KSM	9,100,000.00
						KKMG	9,100,000.00
						MSA	9,100,000.00
116	**MP 2006 designed 60M tower range**	58 M-Antenna area= 6m2 2 M-Antenna diameter= 0.6m2 56M-Antenna area=6m2 0.3 M- Antenna diameter=0.07m2	No.	Naffco	UAE	NRB	8,600,100.00
						NYERI	8,600,100.00
						EMBU	8,600,100.00
						GRSS	8,600,100.00
						NKR	8,600,100.00
						KSM	8,600,100.00
						KKMG	8,600,100.00
						MSA	8,600,100.00
117	**Portable Monitoring, Recording and Data Transmitting System.**	HDD rack stacked for data backup. -Built in LCD monitor for instant playback. -Unit erupted power supply for continuous operation. -Supported by 3 Axis mount for safe transportation and positioning. -Secured with a lighting rod. -Uber friendly trailer-toeing capability	No.	OMAHAME	JAPAN		125,550,000.00
							125,550,000.00
							125,550,000.00
							125,550,000.00
							125,550,000.00
							125,550,000.00
							125,550,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		-Wireless video data transmission and antenna. Details -CCTV Cameras The solid uses up to 4 PTZ cameras. The built in fan/heater and the IP66 weather proof housing offers maximum protection from all weather conditions. -Wireless Antenna Wireless video data transmission and antenna -**Warning light** The light turns to red and warns the battery level status. -Taillight To provide the safety and distance estimation from the following cars in driving, two backlights are equipped. -Landing jack The heavy duty 3 axis mount safely supports the solid during operation and transportation. -DVR The uninterrupted power supply and mobile DVR allows for continuous recording. **-LCD Monitor & Keyboard** All viewing operations are independently controlled with built in keyboard controller which is conveniently located and securely stored in the trailer. **-System & Pole-moving switches** For system power on/off, pull up/down and its height adjustment. -Copular The hauling loop is specially designed to be user friendly for trailer towing purposes. -Digital charging system The charging connector is easily accessible for charging and powering the solid.					125,550,000.00
118	**Air Tent For Disaster Control Point**	Inspection Pole Length – Min. about 1,180 mm / Max.; Testable Detector – Heat rate of rise fixed Temperature;	No.	Naffco	UAE	NRB	1,900,100.00
						NYERI	1,900,100.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Smoke – Ionization Smoke Detector; Battery Charging Time 5 Hours				EMBU	1,900,100.00
						GRSS	1,900,100.00
						NKR	1,900,100.00
						KSM	1,900,100.00
						KKMG	1,900,100.00
						MSA	1,900,100.00
119	**All-Terrain Vehicle**	To be self-contained c/w pump driven unit, to have a 160 litre tank for water and 12 liter tank for foam. The pump to be operating at 37bar. The vehicle to be as per EN 3-7 standard	No.	Naffco	UAE	NRB	2,350,200.00
						NYERI	2,350,200.00
						EMBU	2,350,200.00
						GRSS	2,350,200.00
						NKR	2,350,200.00
						KSM	2,350,200.00
						KKMG	2,350,200.00
						MSA	2,350,200.00
120 (a)	**Hawk Thermal Imaging Camera**	**Detector array resolution: 640 x 512 pixels** **Detector pitch: 16µm** **Field of view: 1.8o horizontal x 1.44o vertical (narrow)** **24o horizontal x 19.2o vertical (wide) continuous zoom** **Detector technology: CMT** **Band: : 3.7µm-: 4.95µm** **Physical dimensions: 373 x 108 x 100mm** **Operational temperature: 82-88K** **Video output: HCCIR/STANAG 3350, PAL-1 compatible** **Auto focus: on demand** **Frame rate: 25Hz** **Focus distance range: ∞ to 10m narrow field of view; ∞ to 10m wide field of view**	No.	FLIR SWEDEN	SWEDEN	NRB	110,500,100.00
						NYERI	110,500,100.00
						EMBU	110,500,100.00
						GRSS	110,500,100.00
						NKR	110,500,100.00
						KSM	110,500,100.00
						KKMG	110,500,100.00
						MSA	110,500,100.00
(b)	**Horizon Thermal Imaging Camera**	**Detector array resolution: 1280 x 720 (HD)** **Detector pitch: 12µm** **Field of view: 11 x 6.2o to 0.0 x 0.5o (HD)** **Detector technology: CMT** **Band: : 3.7µm-: 4.95µm** **Focal length: 80-960mm**	No.	FLIR SWEDEN	SWEDEN	NRB	115,000,000.00
						NYERI	115,000,000.00
						EMBU	115,000,000.00
						GRSS	115,000,000.00
						NKR	115,000,000.00
						KSM	115,000,000.00
						KKMG	115,000,000.00


Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	115,000,000.00
1 12	a	Water bottles complete with carrier	No.	Naffco	UAE	NRB	1,900.00
						NYERI	1,900.00
						EMBU	1,900.00
						GRSS	1,900.00
						NKR	1,900.00
						KSM	1,900.00
						KKMG	1,900.00
						MSA	1,900.00
	b	Knapsack food containers with a capacity of 20kg	No.	LERON/EU	England	NRB	39,400.00
						NYERI	39,400.00
						EMBU	39,400.00
						GRSS	39,400.00
						NKR	39,400.00
						KSM	39,400.00
						KKMG	39,400.00
						MSA	39,400.00
	c	Canvas floor material	No.	TARPO	UAE	NRB	6,338.00
						NYERI	6,338.00
						EMBU	6,338.00
						GRSS	6,338.00
						NKR	6,338.00
						KSM	6,338.00
						KKMG	6,338.00
						MSA	6,338.00
	d	Stretcher foldable	No.	Naffco	UAE	NRB	13,200.00
						NYERI	13,200.00
						EMBU	13,200.00
						GRSS	13,200.00
						NKR	13,200.00
						KSM	13,200.00
						KKMG	13,200.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	13,200.00
	e	10000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	960,000.00
						NYERI	960,000.00
						EMBU	960,000.00
						GRSS	960,000.00
						NKR	960,000.00
						KSM	960,000.00
						KKMG	960,000.00
						MSA	960,000.00
	f	80000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	2,720,000.00
						NYERI	2,720,000.00
						EMBU	2,720,000.00
						GRSS	2,720,000.00
						NKR	2,720,000.00
						KSM	2,720,000.00
						KKMG	2,720,000.00
						MSA	2,720,000.00
	g	40000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	1,520,000.00
						NYERI	1,520,000.00
						EMBU	1,520,000.00
						GRSS	1,520,000.00
						NKR	1,520,000.00
						KSM	1,520,000.00
						KKMG	1,520,000.00
						MSA	1,520,000.00
	h	Hydromaster Propelling Unit	No.	Hydromaster	UAE	NRB	9,850,000.00
						NYERI	9,850,000.00
						EMBU	9,850,000.00
						GRSS	9,850,000.00
						NKR	9,850,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KSM	9,850,000.00
						KKMG	9,850,000.00
						MSA	9,850,000.00
	i	Rubber speed hump	No.	SAFEROADS	England	NRB	127,200.00
						NYERI	127,200.00
						EMBU	127,200.00
						GRSS	127,200.00
						NKR	127,200.00
						KSM	127,200.00
						KKMG	127,200.00
						MSA	127,200.00
	j	Cabin pressure test trolley	No.	SAFEROADS	England	NRB	8,570,000.00
						NYERI	8,570,000.00
						EMBU	8,570,000.00
						GRSS	8,570,000.00
						NKR	8,570,000.00
						KSM	8,570,000.00
						KKMG	8,570,000.00
						MSA	8,570,000.00
	k	**Flexible Delineator Post**	No.	SAFEROADS	England	NRB	126,500.00
						NYERI	126,500.00
						EMBU	126,500.00
						GRSS	126,500.00
						NKR	126,500.00
						KSM	126,500.00
						KKMG	126,500.00
						MSA	126,500.00
	l	Crash cushion system	No.	SAFEROADS	England	NRB	3,850,000.00
						NYERI	3,850,000.00
						EMBU	3,850,000.00
						GRSS	3,850,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	3,850,000.00
						KSM	3,850,000.00
						KKMG	3,850,000.00
						MSA	3,850,000.00
	m	End Terminal (material SS400)	No.	SAFEROADS	England	NRB	96,000.00
						NYERI	96,000.00
						EMBU	96,000.00
						GRSS	96,000.00
						NKR	96,000.00
						KSM	96,000.00
						KKMG	96,000.00
						MSA	96,000.00
	n	Rolling Guard Barrier	No.	SAFEROADS	England	NRB	77,500.00
						NYERI	77,500.00
						EMBU	77,500.00
						GRSS	77,500.00
						NKR	77,500.00
						KSM	77,500.00
						KKMG	77,500.00
						MSA	77,500.00
	o	Plastic Jersey Barrier	No.	SAFEROADS	England	NRB	46,500.00
						NYERI	46,500.00
						EMBU	46,500.00
						GRSS	46,500.00
						NKR	46,500.00
						KSM	46,500.00
						KKMG	46,500.00
						MSA	46,500.00
	p	Field water pamp 6" complete with diesel engine	No.	SHAKTI	UAE	NRB	4,300,000.00
						NYERI	4,300,000.00
						EMBU	4,300,000.00
						GRSS	4,300,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	4,300,000.00
						KSM	4,300,000.00
						KKMG	4,300,000.00
						MSA	4,300,000.00
	q	Field De-water pump unit 6"	No.	SHAKTI	UAE	NRB	5,200,000.00
						NYERI	5,200,000.00
						EMBU	5,200,000.00
						GRSS	5,200,000.00
						NKR	5,200,000.00
						KSM	5,200,000.00
						KKMG	5,200,000.00
						MSA	5,200,000.00
	r	Field De-water hose c/w victolic coupling 6" x 7ft	No.	SHAKTI	UAE	NRB	149,200.00
						NYERI	149,200.00
						EMBU	149,200.00
						GRSS	149,200.00
						NKR	149,200.00
						KSM	149,200.00
						KKMG	149,200.00
						MSA	149,200.00
	s	Field water osmosis water treatment plant	No.	WEC	England	NRB	47,740,000.00
						NYERI	47,740,000.00
						EMBU	47,740,000.00
						GRSS	47,740,000.00
						NKR	47,740,000.00
						KSM	47,740,000.00
						KKMG	47,740,000.00
						MSA	47,740,000.00
	t	Field tower lights 2.5 metres long	No.	MPMC	England	NRB	2,950,100.00
						NYERI	2,950,100.00
						EMBU	2,950,100.00
						GRSS	2,950,100.00
						NKR	2,950,100.00
						KSM	2,950,100.00



Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KKMG	2,950,100.00
						MSA	2,950,100.00
	u	20m Steel Structure Mast Tower	No.	MPMC	England	NRB	4,350,000.00
						NYERI	4,350,000.00
						EMBU	4,350,000.00
						GRSS	4,350,000.00
						NKR	4,350,000.00
						KSM	4,350,000.00
						KKMG	4,350,000.00
						MSA	4,350,000.00
	v	30m Steel Structure Mast Tower	No.	MPMC	England	NRB	5,700,000.00
						NYERI	5,700,000.00
						EMBU	5,700,000.00
						GRSS	5,700,000.00
						NKR	5,700,000.00
						KSM	5,700,000.00
						KKMG	5,700,000.00
						MSA	5,700,000.00
	w	Bucket toilet	No.	Naffco	UAE	NRB	3,950.00
						NYERI	3,950.00
						EMBU	3,950.00
						GRSS	3,950.00
						NKR	3,950.00
						KSM	3,950.00
						KKMG	3,950.00
						MSA	3,950.00
	x	Turntable firefighting platform surface –Mounted 88Meter high including a rotable 45-degree main bucket 10x4 axle configuration	No.	Naffco	UAE	NRB	272,000,000.00
						NYERI	272,000,000.00
						EMBU	272,000,000.00
						GRSS	272,000,000.00
						NKR	272,000,000.00
						KSM	272,000,000.00
						KKMG	272,000,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	272,000,000.00
	y	AFF Foam 20ltrs	No.	Naffco	UAE	NRB	39,000.00
						NYERI	39,000.00
						EMBU	39,000.00
						GRSS	39,000.00
						NKR	39,000.00
						KSM	39,000.00
						KKMG	39,000.00
						MSA	39,000.00

NAME; INTERNATIONAL PARTNERSHIP SERVICES
P.O. BOX; 14660-00200, NAIROBI
TEL: 0733864216
CONTRACT NO; SB/036/005/2021

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
3 (a)	**9 Litres Cold Fire foam fire extinguisher**	Capable of suppressing multiple classes ABDK fires, it is non-toxic and 100% biodegradable Shall come complete with squeeze grip operating lever, pressure gauge and flejhxible discharge tube and aspirating nozzle: BS EN 3/BS 1449 or Equivalent	AWR	Cold Fire	USA	MSA	18,500.00
						NYERI	17,500.00
						EMBU	17,500.00
						KSM	18,500.00
						KKMG	18,500.00
						EMBU	18,500.00
						GRSS	18,500.00
						NKR	17,500.00
						NRB	15,500.00
3(b)	**6 Litres Cold Fire Foam Fire Extinguisher**	Capable of suppressing multiple classes ABDK fires, it is non-toxic and 100% biodegradable Shall come complete with squeeze grip operating lever, pressure gauge and flexible discharge tube and aspirating nozzle: BS EN 3/BS 1449 or Equivalent	AWR	Cold Fire	USA	MSA	16,500.00
						NYERI	14,500.00
						EMBU	14,500.00
						NKR	14,500.00
						KSM	16,500.00
						KSM	16,500.00
						KKMG	16,500.00
						EMBU	14,500.00
						GRSS	16,500.00
						NRB	12,500.00
5(B)	**Automatic D.C.P Cold**	Automatic D.C.P Cold Fire Extinguisher Cylinder: Stainless	AWR	Cold Fire	USA	MSA	65,000.00
						NYERI	45,500.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Fire Extinguisher	Weight: 12kgs Content: ADBK Expellant: Cold Fire Cylinder Test Pressure: 150 PSI Complete with elctro piston actuator and ceiling mounting bracket				EMBU	45,500.00
						NKR	40,000.00
						KSM	65,000.00
						KKMG	65,000.00
						EMBU	45,500.00
						GRSS	65,000.00
						NRB	35,000.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	ColdFire	USA	NRB	7,500.00
						NYERI	9,500.00
						EMBU	9,500.00
						GRSS	12,900.00
						NKR	9,500.00
						KSM	10,500.00
						KKMG	10,500.00
						MSA	10,500.00
13(a)	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher** 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	ColdFire	USA	NRB	50,000.00
						NYERI	65,500.00
						EMBU	65,500.00
						GRSS	85,690.00
						NKR	65,500.00
						KSM	75,500.00
						KKMG	75,500.00
						MSA	75,500.00
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket	No.	ColdFire	USA	NRB	3,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	6,500.00
						NKR	4,500.00
						KSM	5,500.00
						KKMG	5,500.00
						MSA	5,500.00
18	**½ mile range tripod mounted alarm sounder (siren)**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110±2 dB at 1.0 metres and an output frequency of 600±20 hertz single tone and to BS 1721	No.	ColdFire	USA	NRB	7,500.00
						NYERI	9,500.00
						GRSS	14,500.00
						NKR	9,500.00
						KSM	12,500.00
						KKMG	12,500.00
						MSA	12,500.00
20(b)	**Delivery Hose**	Delivery Hose Angus Duraline Delivery Hose 25 metres *65mm dia Rubber Lined Delivery Hose C/W Male and Female Coupling BS 6391	No.	ColdFire	USA	MSA	67,800.00
						NYERI	62,700.00
						NKR	62,700.00
						KSM	67,800.00
						KKMG	67,800.00
						EMBU	62,700.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	67,800.00
						NRB	59,000.00
24(a)	**Fluorine Free (FF) Foam Concentrate 3%**	**Fluorine Free (FF) Foam Concentrate 3%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 20 Litres Container	Litres	ColdFire	USA	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	32,000.00 34,500.00 34,500.00 38,000.00 34,500.00 36,000.00 36,000.00 36,000.00
24(b)	**Fluorine Free (FF) Foam Concentrate 6%**	**Fluorine Free (FF) Foam Concentrate 6%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 210 Litres Container	Litres	ColdFire	USA	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	250,000.00 250,000.00 250,000.00 300,000.00 250,000.00 255,000.00 255,000.00 255,000.00
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	ColdFire	USA	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	300,000.00 305,000.00 305,000.00 320,000.00 305,000.00 320,000.00 320,000.00 320,000.00
49	**Fire Fighters Boots**	Fire Fighting rescue action top 9 sizes Boots (Sizes 38 – 48) to CSN EN 345 S3 HRO Specification	No	ColdFire	USA	NRB NYERI EMBU GRSS	85,000.00 82,500.00 82,500.00 85,000.00

Item No.	Description	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation inserts, resistant to oil, fuels, acids and anatomic 300^{o}c temperature, replaceable washable innersole, stiffened with steel toe cap				NKR	85,000.00
						KSM	82,500.00
						KKMG	90,000.00
						MSA	75,000.00
50.	**Firefighting Head Helmet**	Suitable for firefighting and rescue services and having the following features: Shell manufactured from Flame Retardant material with good shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior basket in Flame Retardant material and allowing for adjustment for head size and shape (from 52 to 63cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quick release snap connection Retractable face protector visor in flame retardant polycarbonate material, scratch resistant and with antifogging protection Neck protection of genuine leather material with separable shell connection	No	ColdFire	USA	MSA	75,000.00

NAME; OOLYX ENTERPRISES
P.O. BOX; 5305-00200, NAIROBI
TEL: 0727960907
CONTRACT NO; SB/036/007/2021

				Bidder 10			
ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge** 55g CO2 cartridge fully charged to BS EN3	No.	FireTech	Malaysia	NRB	2,448
						NYERI	2,448
						EMBU	2,448
						GRSS	2,448
						NKR	2,448
						KSM	2,448
						KKMG	2,448
						MSA	2,448
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.		Malaysia	NRB	3,132
				FireTech		NYERI	3,132
						EMBU	3,132
						GRSS	3,132
						NKR	3,132
						KSM	3,132
						KKMG	3,132
						MSA	3,132


				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
1(d)	**Wall bracket**	**Wall bracket** Hook type	No.	FireTech	Malaysia	NRB	390
						NYERI	390
						EMBU	390
						GRSS	390
						NKR	390
						KSM	390
						KKMG	390
						MSA	390
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.		Malaysia	NRB	6,330
				FireTech		NYERI	6,330
						EMBU	6,330
						GRSS	6,330
						NKR	6,330
						KSM	6,330
						KKMG	6,330
						MSA	6,330
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	FireTech	Malaysia	NRB	2,760
						NYERI	2,760
						EMBU	2,760
						GRSS	2,760
						NKR	2,760
						KSM	2,760
						KKMG	2,760
						MSA	2,760
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	12,600
						NYERI	12,600
						EMBU	12,600
						GRSS	12,600
						NKR	12,600
						KSM	12,600
						KKMG	12,600
						MSA	12,600
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	3,144
						NYERI	3,144
						EMBU	3,144
						GRSS	3,144
						NKR	3,144
						KSM	3,144
						KKMG	3,144
						MSA	3,144

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	FireTech	Malaysia	NRB	2,064
						NYERI	2,064
						EMBU	2,064
						GRSS	2,064
						NKR	2,064
						KSM	2,064
						KKMG	2,064
						MSA	2,064
3(d)	**CO2 cartridge**	**CO2 cartridge** 75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	2,658
						NYERI	2,658
						EMBU	2,658
						GRSS	2,658
						NKR	2,658
						KSM	2,658
						KKMG	2,658
						MSA	2,658
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	7,374
						NYERI	7,374
						EMBU	7,374
						GRSS	7,374
						NKR	7,374
						KSM	7,374
						KKMG	7,374
						MSA	7,374
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve** Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent	No.	FireTech	Malaysia	NRB	2,604
						NYERI	2,604
						EMBU	2,604
						GRSS	2,604
						NKR	2,604
						KSM	2,604
						KKMG	2,604
						MSA	2,604
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	12,960
						NYERI	12,960
						EMBU	12,960
						GRSS	12,960
						NKR	12,960
						KSM	12,960
						KKMG	12,960

				Bidder 10			
ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	12,960
5(b)	Automatic D.C.P. Cold fire extinguisher	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	FireTech	Malaysia	NRB	10,590
						NYERI	10,590
						EMBU	10,590
						GRSS	10,590
						NKR	10,590
						KSM	10,590
						KKMG	10,590
						MSA	10,590
5(c)	Fire Extinguishing Dry Chemical Powder	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	FireTech	Malaysia	NRB	8,496
						NYERI	8,496
						EMBU	8,496
						GRSS	8,496
						NKR	8,496
						KSM	8,496
						KKMG	8,496
						MSA	8,496
5(d)	Fire Extinguisher Operating Valve	**Fire Extinguisher Operating Valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,720
						NYERI	3,720
						EMBU	3,720
						GRSS	3,720
						NKR	3,720
						KSM	3,720
						KKMG	3,720
						MSA	3,720
5(e)	CO2 Cartridge	**CO2 Cartridge** 90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	4,500
						NYERI	4,500
						EMBU	4,500
						GRSS	4,500
						NKR	4,500
						KSM	4,500
						KKMG	4,500
						MSA	4,500
6(b)	Dry chemical powder fire extinguisher operating valve	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	FireTech	Malaysia	NRB	2,718
						NYERI	2,718
						EMBU	2,718
						GRSS	2,718
						NKR	2,718
						KSM	2,718
						KKMG	2,718
						MSA	2,718

				Bidder 10			
ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
7(b)	Fire Extinguisher Dry Chemical Powder	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	6,990
						NYERI	6,990
						EMBU	6,990
						GRSS	6,990
						NKR	6,990
						KSM	6,990
						KKMG	6,990
						MSA	6,990
7(c)	Dry chemical powder fire extinguisher operating valve	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,360
						NYERI	3,360
						EMBU	3,360
						GRSS	3,360
						NKR	3,360
						KSM	3,360
						KKMG	3,360
						MSA	3,360
7(d)	CO2 Cartridge	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,840
						NYERI	3,840
						EMBU	3,840
						GRSS	3,840
						NKR	3,840
						KSM	3,840
						KKMG	3,840
						MSA	3,840
8(a)	9 Kgs dry chemical powder stored pressure fire extinguisher	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	7,320
						NYERI	7,320
						EMBU	7,320
						GRSS	7,320
						NKR	7,320
						KSM	7,320
						KKMG	7,320
						MSA	7,320
8(b)	Dry chemical powder fire extinguisher operating valve	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge nozzle, and siphon for item 8(a) above to BS 1004	No.	FireTech	Malaysia	NRB	3,360
						NYERI	3,360
						EMBU	3,360
						GRSS	3,360
						NKR	3,360
						KSM	3,360
						KKMG	3,360
						MSA	3,360

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	FireTech	Malaysia	NRB	2,430
						NYERI	2,430
						EMBU	2,430
						GRSS	2,430
						NKR	2,430
						KSM	2,430
						KKMG	2,430
						MSA	2,430
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	FireTech	Malaysia	NRB	2,964
						NYERI	2,964
						EMBU	2,964
						GRSS	2,964
						NKR	2,964
						KSM	2,964
						KKMG	2,964
						MSA	2,964
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	FireTech	Malaysia	NRB	2,040
						NYERI	2,040
						EMBU	2,040
						GRSS	2,040
						NKR	2,040
						KSM	2,040
						KKMG	2,040
						MSA	2,040
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	7,680
						NYERI	7,680
						EMBU	7,680
						GRSS	7,680
						NKR	7,680
						KSM	7,680
						KKMG	7,680
						MSA	7,680
11(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent		FireTech	Malaysia	NRB	3,360
						NYERI	3,360
						EMBU	3,360
						GRSS	3,360
						NKR	3,360
						KSM	3,360
						KKMG	3,360
						MSA	3,360
12(a)	**4.5 Kg CO2 gas fire**	**4.5 Kg CO2 gas fire extinguisher (charged)**	No.	FireTech	Malaysia	NRB	10,440



				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
	extinguisher (charged)	4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent				NYERI	10,440
						EMBU	10,440
						GRSS	10,440
						NKR	10,440
						KSM	10,440
						KKMG	10,440
						MSA	10,440
12(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,336
						NYERI	3,336
						EMBU	3,336
						GRSS	3,336
						NKR	3,336
						KSM	3,336
						KKMG	3,336
						MSA	3,336
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent	No.	FireTech	Malaysia	NRB	3,324
						NYERI	3,324
						EMBU	3,324
						GRSS	3,324
						NKR	3,324
						KSM	3,324
						KKMG	3,324
						MSA	3,324
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid- valve – actuated pilot cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.	No.	Naffco		NRB	78,360
						NYERI	78,360
						EMBU	78,360
						GRSS	78,360
						NKR	78,360
						KSM	78,360
						KKMG	78,360
						MSA	78,360
13(a)	**50 Kg dry chemical powder Trolley**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	No.	Naffco		NRB	56,076
						NYERI	56,076

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
	Type Fire Extinguisher	50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent				EMBU	56,076
						GRSS	56,076
						NKR	56,076
						KSM	56,076
						KKMG	56,076
						MSA	56,076
13(b)	**Discharge nozzle**	**Discharge nozzle** Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco		NRB	10,404
						NYERI	10,404
						EMBU	10,404
						GRSS	10,404
						NKR	10,404
						KSM	10,404
						KKMG	10,404
						MSA	10,404
14(c)	**Discharge horn**	**Discharge horn** Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco		NRB	7,332
						NYERI	7,332
						EMBU	7,332
						GRSS	7,332
						NKR	7,332
						KSM	7,332
						KKMG	7,332
						MSA	7,332
15(a)	**45 Litres Air Foam Trolley Type Fire Extinguisher**	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	Naffco		NRB	58,680
						NYERI	58,680
						EMBU	58,680
						GRSS	58,680
						NKR	58,680
						KSM	58,680
						KKMG	58,680
						MSA	58,680
15(c)	**Spray Nozzle**	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	Naffco		NRB	8,436
						NYERI	8,436
						EMBU	8,436
						GRSS	8,436
						NKR	8,436
						KSM	8,436
						KKMG	8,436
						MSA	8,436
16	**Fire blanket**	**Fire blanket** Size ranging from 1mx1m to 1.2mx1.8m	No.	Naffco		NRB	7,680
						NYERI	7,680
						EMBU	7,680

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket				GRSS	7,680
						NKR	7,680
						KSM	7,680
						KKMG	7,680
						MSA	7,680
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges	No.	Naffco		NRB	8,496
						NYERI	8,496
						EMBU	8,496
						GRSS	8,496
						NKR	8,496
						KSM	8,496
						KKMG	8,496
						MSA	8,496
17	**9" wall mounted hand operated alarm bell (Gong)**	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	Naffco		NRB	10,200
						NYERI	10,200
						EMBU	10,200
						GRSS	10,200
						NKR	10,200
						KSM	10,200
						KKMG	10,200
						MSA	10,200
18	**½ mile range tripod mounted alarm sounder (siren)**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110±2 dB at 1.0 metres and an output frequency of 600±20 hertz single tone and to BS 1721	No.	Naffco		NRB	70,320
						NYERI	70,320
						GRSS	70,320
						NKR	70,320
						KSM	70,320
						KKMG	70,320
						MSA	70,320
19(a)	**A fully portable self-contained diesel engine fire pump**	**A fully portable self-contained diesel engine fire pump** Capable of continuous duty of minimum 1200litres per minute at delivery head of 10 bars at 3 metres suction lift. The pump unit shall be of aluminium construction with a wrap round stainless steel frame and shall have the following features: 4-stroke engine with electronic ignition system Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge	No.	Naffco		NRB	3,480,240
						NYERI	3,480,240
						EMBU	3,480,240
						GRSS	3,480,240
						NKR	3,480,240

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle,				KSM	3,480,240
		1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility				KKMG	3,480,240
		All other necessary tools & accessories.				MSA	3,480,240
19(b)	**Suction Fire Hose**	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements Shall be semi rigid with internal metal reinforcements(steel wire helix) Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum	No.	FireTech	Malaysia	NRB	63,600
						NYERI	63,600
						EMBU	63,600
						GRSS	63,600
						NKR	63,600
						KSM	63,600
						KKMG	63,600
						MSA	63,600
19(c)	**100mm diameter suction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ring Shall come with 150mm female short hand coupling	No.	FireTech	Malaysia	NRB	73,980
						NYERI	73,980
						EMBU	73,980
						GRSS	73,980
						NKR	73,980
						KSM	73,980
						KKMG	73,980
						MSA	73,980
20(a)	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)** Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations. Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features: 4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to provide one hour running duty	No.	Angus	United Kingdom	NRB	13,448,100

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e					
		Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge					
		Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle,					
		1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility				NYERI	13,448,100
		All other necessary tools & accessories.				EMBU	13,448,100
		The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard.				GRSS	13,448,100
						NKR	13,448,100
		The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four Industrial, fully adjustable stabilizers.				KSM	13,448,100
						KKMG	13,448,100
		The Foam Tank(s) shall be of total capacity 900 litres and shall				MSA	13,448,100
		have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank.					
		The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.					
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	Ayroslip	India	NRB	55,200
						NYERI	55,200
						EMBU	55,200
						GRSS	55,200
						NKR	55,200
						KSM	55,200
						KKMG	55,200
						MSA	55,200
20(c)	**65mm dia. Male Coupling**	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail	No.	Ayroslip	India	NRB	10,440
						NYERI	10,440
						EMBU	10,440
						GRSS	10,440
						NKR	10,440
						KSM	10,440


				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar				KKMG	10,440
						MSA	10,440
20(d)	**65mm dia. Female coupling**	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar Shall come complete with 2 spring loaded catches to release the adaptor	No.	Ayroslip	India	NRB	10,416
						NYERI	10,416
						EMBU	10,416
						GRSS	10,416
						NKR	10,416
						KSM	10,416
						KKMG	10,416
						MSA	10,416
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	Ayroslip	India	NRB	57,720
						NYERI	57,720
						EMBU	57,720
						GRSS	57,720
						NKR	57,720
						KSM	57,720
						KKMG	57,720
						MSA	57,720
21(a)	**swinging type hose reel**	**swinging type hose reel** 20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995	No.	Eversafe	Malaysia	NRB	43,440
						NYERI	43,440
						EMBU	43,440
						GRSS	43,440
						NKR	43,440
						KSM	43,440
						KKMG	43,440
						MSA	43,440
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	Eversafe	Malaysia	NRB	19,920
						NYERI	19,920
						EMBU	19,920
						GRSS	19,920
						NKR	19,920
						KSM	19,920
						KKMG	19,920
						MSA	19,920
21(c)	**Nylon Nozzle**	**Nylon Nozzle** Red Nylon Nozzle with at least 15 metres throw EN 694	No.	Eversafe	Malaysia	NRB	3,060
						NYERI	3,060
						EMBU	3,060
						GRSS	3,060

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
						NKR	3,060
						KSM	3,060
						KKMG	3,060
						MSA	3,060
23(a)	**Underground Fire Hydrant**	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel	No.	NewAge	India	NRB	61,530
						NYERI	61,530
						EMBU	61,530
						GRSS	61,530
						NKR	61,530
						KSM	61,530
						KKMG	61,530
						MSA	61,530
							61,530
23b)	**Outlet stand pipe**	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	Naffco		NRB	54,000
						NYERI	54,000
						EMBU	54,000
						GRSS	54,000
						NKR	54,000
						KSM	54,000
						KKMG	54,000
						MSA	54,000
23(c)	**Poker and key**	**Poker and key** Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel	No.	New Age	India	NRB	27,072
						NYERI	27,072
						EMBU	27,072
						GRSS	27,072
						NKR	27,072
						KSM	27,072
						KKMG	27,072
						MSA	27,072
23(e)	**Key**	**Key** Key for item No. 23 (a) above	No.	New Age	India	NRB	15,053
						NYERI	15,053
						EMBU	15,053
						GRSS	15,053
						NKR	15,053
						KSM	15,053

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
						KKMG	15,053
						MSA	15,053
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes) 2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated wounddressings (18cm x 18cm) vii) 1No. pair of disposable gloves	No.	Newark	India	NRB	9,840
						NYERI	9,840
						EMBU	9,840
						GRSS	9,840
						NKR	9,840
						KSM	9,840
						KKMG	9,840
						MSA	9,840
42	**Booster pump for hydraulic hose reel**	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.	No.	Davis and Shirtliff		NRB	322,800
						NYERI	322,800
						EMBU	322,800
						GRSS	322,800
						NKR	322,800
						KSM	322,800
						KKMG	322,800
						MSA	322,800
54	**Gas Masks**	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	FireTech	Malaysia	NRB	16,368
						NYERI	16,368
						EMBU	16,368
						GRSS	16,368
						NKR	16,368
						KSM	16,368
						KKMG	16,368
						MSA	16,368
57	**Hydraulic Pressure tester complete with kits components for fire extinguishers**	**Hydraulic Pressure tester complete with kits components for fire extinguishers** With adaptors up to 6" diameter lines and upto 2400 ft of hose atone time.	No.	Drager	Germany	NRB	1,105,440
						NYERI	1,105,440
						EMBU	1,105,440
						GRSS	1,105,440

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		With 1 ½ " Manifold Assy to allow for fast filling of the hoses from the Hydrant or stand				NKR	1,105,440
						KSM	1,105,440
		Pipe Twin Piston pump pressure upto 500PSI at a 3 GPM Flow Rate				KKMG	1,105,440
						MSA	1,105,440
59	**Oxygen Generating Mask**	**Oxygen Generating Mask**	No.	Drager	Germany	NRB	29,400
		Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards					
		i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas.					
		Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two				NYERI	29,400
		generators in a duo pack				EMBU	29,400
		The material shall be odorless and flame retardant VO grade to UL94 standards					
		Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes					
		The mast shall have the following features. Rubber face piece				GRSS	29,400
		Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes				NKR	29,400
		Self-serving breathing hole which does not utilize external air				KSM	29,400
		Oxygen generating chemical cartilage for generation of therequisite Oxygen				KKMG	29,400
		Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing				MSA	29,400
65	**Fire Sentry**	**Fire Sentry**	No.	Protec	Spain	NRB	273,600
		Ionization type detector complete with: Test button to check alarm circuits				NYERI	273,600
		Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn				EMBU	273,600
		Flashing Red LED light which indicates alarm is receiving power				GRSS	273,600
		Twist off mounting bracket to provide fast easy installation & battery replacement				NKR	273,600
		9 volt battery operated smoke alarm				KSM	273,600
						KKMG	273,600
		Model – 0914E				MSA	273,600
92	**Fire Ball**	**Fire Ball**	No.	Proshed	United Kingdom	NRB	12,180

				Bidder 10			
ITEM NO.	**DESCRIPTION**	**SPECIFICATION**	**Unit of Issue**	**Brand**	**Country of Origin**	**Location**	**Unit Price**
		Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years				NYERI	12,180
						EMBU	12,180
						GRSS	12,180
						NKR	12,180
						KSM	12,180
						KKMG	12,180
						MSA	12,180
98	**Portable Fire Detector Tester**	**Portable Fire Detector Tester** Wireless and battery powered complete with protective carrying bag Made of fibre glass with four section telescopic pole complete with extension pole Shall have a universal detector removal tool and aerosol smoke dispenser	No.	AWG	Germany	NRB	223,320
						NYERI	223,320
						EMBU	223,320
						GRSS	223,320
						NKR	223,320
		Capable of detecting fixed temperature to rate of rise and combination up to 900 C Shall have capacity to remove, replace and test smoke detector up to 23 ft.				KSM	223,320
						KKMG	223,320
						MSA	223,320



NAME; PEWIN MOTORS
P.O. BOX; 61555, NAIROBI
TEL: 0722512963
CONTRACT NO; SB/036/008/2021

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
1(a)	**Water CO2 Fire Extinguisher**	**Water CO2 Fire Extinguisher** 9Litre water CO2 fire extinguisher (cartridge type) complete with squeeze grip head cap with piercer and washer, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	FIRE CHEM		NRB	7,286
				FIRE CHEM	INDIA	NYERI	7,286
				FIRE CHEM	INDIA	EMBU	7,286
				FIRE CHEM	INDIA	GRSS	7,286
				FIRE CHEM	INDIA	NKR	7,286
				FIRE CHEM	INDIA	KSM	7,286
				FIRE CHEM	INDIA	KKMG	7,286
				FIRE CHEM	INDIA	MSA	7,286
1 (b)	Water CO_2cartridge	**Water CO_2 cartridge** 55g CO_2 cartridge fully charged to BS EN3	No.	FIRE CHEM	INDIA	NRB	3334
				FIRE CHEM	INDIA	NYERI	3334
				FIRE CHEM	INDIA	EMBU	3334
				FIRE CHEM	INDIA	GRSS	3334
				FIRE CHEM	INDIA	NKR	3334
				FIRE CHEM	INDIA	KSM	3334
				FIRE CHEM	INDIA	KKMG	3334
				FIRE CHEM	INDIA	MSA	3334
1(c)	**Water CO_2 Operating valve**	**Water CO_2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose,nozzle and siphon tube	No	FIRE CHEM	INDIA	NRB	7286
				FIRE CHEM	INDIA	NYERI	7286
				FIRE CHEM	INDIA	EMBU	7286
				FIRE CHEM	INDIA	GRSS	7286
				FIRE CHEM	INDIA	NKR	7286
				FIRE CHEM	INDIA	KSM	7286
				FIRE CHEM	INDIA	KKMG	7286
				FIRE CHEM	INDIA	MSA	7286
				FIRE CHEM	INDIA	NRB	7286
2(a)	Water CO_2stored pressure Fire Extinguisher	**Water CO_2 stored pressure Fire Extinguisher** 9Litre water CO_2 fire extinguisher(stored pressure type) complete withsqueeze grip head, pressure gauge, flexible rubber hose, nozzle, siphontube and fixing wall bracket to BS EN3	No.	FIRE CHEM	INDIA	NRB	12967.5
				FIRE CHEM	INDIA	NYERI	12967.5
				FIRE CHEM	INDIA	EMBU	12967.5
				FIRE CHEM	INDIA	GRSS	12967.5
				FIRE CHEM	INDIA	NKR	12967.5
				FIRE CHEM	INDIA	KSM	12967.5

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
				FIRE CHEM	INDIA	KKMG	12967.5
				FIRE CHEM	INDIA	MSA	12967.5
				FIRE CHEM	INDIA	NRB	12967.5
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	FIRE CHEM	INDIA	NRB	2,964
				FIRE CHEM	INDIA	NYERI	2,964
				FIRE CHEM	INDIA	EMBU	2,964
				FIRE CHEM	INDIA	GRSS	2,964
				FIRE CHEM	INDIA	NKR	2,964
				FIRE CHEM	INDIA	KSM	2,964
				FIRE CHEM	INDIA	KKMG	2,964
				FIRE CHEM	INDIA	MSA	2,964
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	3,709
				FIRE CHEM	INDIA	NYERI	3,709
				FIRE CHEM	INDIA	EMBU	3,709
				FIRE CHEM	INDIA	GRSS	3,709
				FIRE CHEM	INDIA	NKR	3,709
				FIRE CHEM	INDIA	KSM	3,709
				FIRE CHEM	INDIA	KKMG	3,709
				FIRE CHEM	INDIA	MSA	3,709
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	3,211
				FIRE CHEM	INDIA	NYERI	3,211
				FIRE CHEM	INDIA	EMBU	3,211
				FIRE CHEM	INDIA	GRSS	3,211
				FIRE CHEM	INDIA	NKR	3,211
				FIRE CHEM	INDIA	KSM	3,211
				FIRE CHEM	INDIA	KKMG	3,211
				FIRE CHEM	INDIA	MSA	3,211
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 orEquivalent 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	litres	FIRE CHEM	INDIA	NRB	12740
				FIRE CHEM	INDIA	NYERI	12740
				FIRE CHEM	INDIA	EMBU	12740
				FIRE CHEM	INDIA	GRSS	12740
				FIRE CHEM	INDIA	NKR	12740
				FIRE CHEM	INDIA	KSM	12740
				FIRE CHEM	INDIA	KKMG	12740
				FIRE CHEM	INDIA	MSA	12740

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
4(a)	9 litre Cold firefoam stored pressure fire extinguisher	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixingwall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	12740
				FIRE CHEM	INDIA	NYERI	12740
				FIRE CHEM	INDIA	EMBU	12740
				FIRE CHEM	INDIA	GRSS	12740
				FIRE CHEM	INDIA	NKR	12740
				FIRE CHEM	INDIA	KSM	12740
				FIRE CHEM	INDIA	KKMG	12740
				FIRE CHEM	INDIA	MSA	12740
5(b)	Automatic D.C.P.Cold fire extinguisher	**Automatic D.C.P. Cold fire extinguisher** Cylinder Stainless Steel Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	FIRE CHEM	INDIA	NRB	71,500
				FIRE CHEM	INDIA	NYERI	71,500
				FIRE CHEM	INDIA	EMBU	71,500
				FIRE CHEM	INDIA	GRSS	71,500
				FIRE CHEM	INDIA	NKR	71,500
				FIRE CHEM	INDIA	KSM	71,500
				FIRE CHEM	INDIA	KKMG	71,500
				FIRE CHEM	INDIA	MSA	71,500
5(c)	Fire ExtinguishingDry ChemicalPowder	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	FIRE CHEM	INDIA	NRB	10,003
				FIRE CHEM	INDIA	NYERI	10,003
				FIRE CHEM	INDIA	EMBU	10,003
				FIRE CHEM	INDIA	GRSS	10,003
				FIRE CHEM	INDIA	NKR	10,003
				FIRE CHEM	INDIA	KSM	10,003
				FIRE CHEM	INDIA	KKMG	10,003
				FIRE CHEM	INDIA	MSA	10,003
6(a)	4.5Kgs dry chemical powderstored pressure fire extinguisher	**4.5Kgs dry chemical powder stored pressure fire extinguisher** 4.5Kgs dry chemical powder stored pressure fire extinguisher c/w cap washer discharge rubber hose, nozzle,	No.	FIRE CHEM	INDIA	NRB	5200

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		and fixing wall bracket toBS EN3/ BS 1449 or Equivalent 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent					
				FIRE CHEM	INDIA	NYERI	5200
				FIRE CHEM	INDIA	EMBU	5200
				FIRE CHEM	INDIA	GRSS	5200
				FIRE CHEM	INDIA	NKR	5200
				FIRE CHEM	INDIA	KSM	5200
				FIRE CHEM	INDIA	KKMG	5200
				FIRE CHEM	INDIA	MSA	5200
7(a)	9 Kgs Cold Fire extinguisher	**9 Kgs Cold Fire extinguisher** 9 Kgs dry Cold Fire extinguisher c/w cap, washer, discharge rubberhose, nozzle, CO_2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	18,525
				FIRE CHEM	INDIA	NYERI	18,525
				FIRE CHEM	INDIA	EMBU	18,525
				FIRE CHEM	INDIA	GRSS	18,525
				FIRE CHEM	INDIA	NKR	18,525
				FIRE CHEM	INDIA	KSM	18,525
				FIRE CHEM	INDIA	KKMG	18,525
				FIRE CHEM	INDIA	MSA	18,525
7(b)	Fire ExtinguisherDry Chemical Powder	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	8027
				FIRE CHEM	INDIA	NYERI	8027
				FIRE CHEM	INDIA	EMBU	8027
				FIRE CHEM	INDIA	GRSS	8027
				FIRE CHEM	INDIA	NKR	8027
				FIRE CHEM	INDIA	KSM	8027
				FIRE CHEM	INDIA	KKMG	8027
				FIRE CHEM	INDIA	MSA	8027
8(a)	9 Kgs dry chemical powderstored pressure fire extinguisher	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	10497
				FIRE CHEM	INDIA	NYERI	10497
				FIRE CHEM	INDIA	EMBU	10497
				FIRE CHEM	INDIA	GRSS	10497
				FIRE CHEM	INDIA	NKR	10497
				FIRE CHEM	INDIA	KSM	10497
				FIRE CHEM	INDIA	KKMG	10497

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
9(b)	**2 kg dry chemicalpowder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/wwasher, discharge nozzle for item 9(a) above to BS 1004 or Equivalent	No.	FIRE CHEM	INDIA	NRB	3087
				FIRE CHEM	INDIA	NYERI	3087
				FIRE CHEM	INDIA	EMBU	3087
				FIRE CHEM	INDIA	GRSS	3087
				FIRE CHEM	INDIA	NKR	3087
				FIRE CHEM	INDIA	KSM	3087
				FIRE CHEM	INDIA	KKMG	3087
				FIRE CHEM	INDIA	MSA	3087
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	3,120
				FIRE CHEM	INDIA	NYERI	3,120
				FIRE CHEM	INDIA	EMBU	3,120
				FIRE CHEM	INDIA	GRSS	3,120
				FIRE CHEM	INDIA	NKR	3,120
				FIRE CHEM	INDIA	KSM	3,120
				FIRE CHEM	INDIA	KKMG	3,120
				FIRE CHEM	INDIA	MSA	3,120
10(b)	**1 kg dry chemicalpowder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 orEquivalent	No.	FIRE CHEM	INDIA	NRB	2285
				FIRE CHEM	INDIA	NYERI	2285
				FIRE CHEM	INDIA	EMBU	2285
				FIRE CHEM	INDIA	GRSS	2285
				FIRE CHEM	INDIA	NKR	2285
				FIRE CHEM	INDIA	KSM	2285
				FIRE CHEM	INDIA	KKMG	2285
				FIRE CHEM	INDIA	MSA	2285
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	FIRE CHEM	INDIA	NRB	5,434
				FIRE CHEM	INDIA	NYERI	5,434
				FIRE CHEM	INDIA	EMBU	5,434
				FIRE CHEM	INDIA	GRSS	5,434
				FIRE CHEM	INDIA	NKR	5,434
				FIRE CHEM	INDIA	KSM	5,434
				FIRE CHEM	INDIA	KKMG	5,434
				FIRE CHEM	INDIA	MSA	5,434

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
11 (c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent		FIRE CHEM	INDIA	NRB	2,418
				FIRE CHEM	INDIA	NYERI	2,418
				FIRE CHEM	INDIA	EMBU	2,418
				FIRE CHEM	INDIA	GRSS	2,418
				FIRE CHEM	INDIA	NKR	2,418
				FIRE CHEM	INDIA	KSM	2,418
				FIRE CHEM	INDIA	KKMG	2,418
				FIRE CHEM	INDIA	MSA	2,418
12(d)	**Throwing Fire Extinguisher**	**Throwing Fire Extinguisher** Throw –In fire extinguisher capable of extinguishment of Fire by production of copious amounts of Carbon Dioxide and Nitrous Gases. Throw-In action onto the fire and the landing shall initiate production of the extinguishment gases through chemical reactions.	No.	FIRE CHEM	INDIA	NRB	6,669
				FIRE CHEM	INDIA	NYERI	6,669
				FIRE CHEM	INDIA	EMBU	6,669
				FIRE CHEM	INDIA	GRSS	6,669
				FIRE CHEM	INDIA	NKR	6,669
				FIRE CHEM	INDIA	KSM	6,669
				FIRE CHEM	INDIA	KKMG	6,669
				FIRE CHEM	INDIA	MSA	6,669
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid- valve – actuated pilot cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.	No.	FIRE CHEM	INDIA	NRB	80,769
				FIRE CHEM	INDIA	NYERI	80,769
				FIRE CHEM	INDIA	EMBU	80,769
				FIRE CHEM	INDIA	GRSS	80,769
				FIRE CHEM	INDIA	NKR	80,769
				FIRE CHEM	INDIA	KSM	80,769
				FIRE CHEM	INDIA	KKMG	80,769
				FIRE CHEM	INDIA	MSA	80,769
13(a)	**50 Kg dry chemical powder Trolley Type Fire Extinguisher**	**50 Kg dry chemical powder Trolley Type Fire Extinguisher** 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	60,580
				FIRE CHEM	INDIA	NYERI	60,580
				FIRE CHEM	INDIA	EMBU	60,580
				FIRE CHEM	INDIA	GRSS	60,580
				FIRE CHEM	INDIA	NKR	60,580

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
				FIRE CHEM	INDIA	KSM	60,580
				FIRE CHEM	INDIA	KKMG	60,580
				FIRE CHEM	INDIA	MSA	60,580
13(b)	Discharge nozzle	**Discharge nozzle** Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FIRE CHEM	INDIA	NRB	6,862
				FIRE CHEM	INDIA	NYERI	6,862
				FIRE CHEM	INDIA	EMBU	6,862
				FIRE CHEM	INDIA	GRSS	6,862
				FIRE CHEM	INDIA	NKR	6,862
				FIRE CHEM	INDIA	KSM	6,862
				FIRE CHEM	INDIA	KKMG	6,862
				FIRE CHEM	INDIA	MSA	6,862
14(a)	45 Kg CO2 gas fire extinguisher	**45 Kg CO2 gas fire extinguisher** 45 Kg CO2 gas fire extinguisher c/w, trolley, operating valve, hose and discharge horn BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	104,975
				FIRE CHEM	INDIA	NYERI	104,975
				FIRE CHEM	INDIA	EMBU	104,975
				FIRE CHEM	INDIA	GRSS	104,975
				FIRE CHEM	INDIA	NKR	104,975
				FIRE CHEM	INDIA	KSM	104,975
				FIRE CHEM	INDIA	KKMG	104,975
				FIRE CHEM	INDIA	MSA	104,975
14(b)	Discharge hose	**Discharge hose** Discharge hose for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FIRE CHEM	INDIA	NRB	5,557
				FIRE CHEM	INDIA	NYERI	5,557
				FIRE CHEM	INDIA	EMBU	5,557
				FIRE CHEM	INDIA	GRSS	5,557
				FIRE CHEM	INDIA	NKR	5,557
				FIRE CHEM	INDIA	KSM	5,557
				FIRE CHEM	INDIA	KKMG	5,557
				FIRE CHEM	INDIA	MSA	5,557
15(a)	45 Litres Air Foam Trolley Type Fire Extinguisher	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	FIRE CHEM	INDIA	NRB	63,180
				FIRE CHEM	INDIA	NYERI	63,180
				FIRE CHEM	INDIA	EMBU	63,180
				FIRE CHEM	INDIA	GRSS	63,180
				FIRE CHEM	INDIA	NKR	63,180
				FIRE CHEM	INDIA	KSM	63,180
				FIRE CHEM	INDIA	KKMG	63,180
				FIRE CHEM	INDIA	MSA	63,180

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
15(b)	Discharge hose	**Discharge hose** Discharge hose for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FIRE CHEM	INDIA	NRB	5,557
				FIRE CHEM	INDIA	NYERI	5,557
				FIRE CHEM	INDIA	EMBU	5,557
				FIRE CHEM	INDIA	GRSS	5,557
				FIRE CHEM	INDIA	NKR	5,557
				FIRE CHEM	INDIA	KSM	5,557
				FIRE CHEM	INDIA	KKMG	5,557
				FIRE CHEM	INDIA	MSA	5,557
15(c)	Spray Nozzle	**Spray Nozzle** Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	FIRE CHEM	INDIA	NRB	4,680
				FIRE CHEM	INDIA	NYERI	4,680
				FIRE CHEM	INDIA	EMBU	4,680
				FIRE CHEM	INDIA	GRSS	4,680
				FIRE CHEM	INDIA	NKR	4,680
				FIRE CHEM	INDIA	KSM	4,680
				FIRE CHEM	INDIA	KKMG	4,680
				FIRE CHEM	INDIA	MSA	4,680
				FIRE CHEM	INDIA	NYERI	14,202
				FIRE CHEM	INDIA	EMBU	14,202
				FIRE CHEM	INDIA	GRSS	14,202
				FIRE CHEM	INDIA	NKR	14,202
				FIRE CHEM	INDIA	KSM	14,202
				FIRE CHEM	INDIA	KKMG	14,202
				FIRE CHEM	INDIA	MSA	14,202
16(b)	Fire ProofBlanket	**Fire Proof Blanket** 2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN1869 with reinforced edges	No.	FIRE CHEM	INDIA	NRB	19,142
				FIRE CHEM	INDIA	NYERI	19,142
				FIRE CHEM	INDIA	EMBU	19,142
				FIRE CHEM	INDIA	GRSS	19,142
				FIRE CHEM	INDIA	NKR	19,142
				FIRE CHEM	INDIA	KSM	19,142
				FIRE CHEM	INDIA	KKMG	19,142
				FIRE CHEM	INDIA	MSA	19,142
17	9" wall mounted hand operated alarm bell (Gong)	**9" wall mounted hand operated alarm bell (Gong)** Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	FIRE CHEM	INDIA	NRB	9,750
				FIRE CHEM	INDIA	NYERI	9,750
				FIRE CHEM	INDIA	EMBU	9,750
				FIRE CHEM	INDIA	GRSS	9,750
				FIRE CHEM	INDIA	NKR	9,750
				FIRE CHEM	INDIA	KSM	9,750
				FIRE CHEM	INDIA	KKMG	9,750
				FIRE CHEM	INDIA	MSA	9,750

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
18	**½ mile range tripod mounted alarm sounder (siren)**	**½ mile range tripod mounted alarm sounder (siren)** Tripod mounted with minimum sound rating of 110±2 dB at 1.0 metres and an output frequency of 600±20 hertz single tone and to BS 1721	No.	FIRE CHEM	INDIA	NRB	75,400
				FIRE CHEM	INDIA	NYERI	75,400
				FIRE CHEM	INDIA	GRSS	75,400
				FIRE CHEM	INDIA	NKR	75,400
				FIRE CHEM	INDIA	KSM	75,400
				FIRE CHEM	INDIA	KKMG	75,400
				FIRE CHEM	INDIA	MSA	75,400
19(a)	**A fully portable self-contained diesel engine fire pump**	**A fully portable self-contained diesel engine fire pump** Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories.	No.	FIRE CHEM	INDIA	NRB	3,581,500
				FIRE CHEM	INDIA	NYERI	3,581,500
				FIRE CHEM	INDIA	EMBU	3,581,500
				FIRE CHEM	INDIA	GRSS	3,581,500
				FIRE CHEM	INDIA	NKR	3,581,500
				FIRE CHEM	INDIA	KSM	3,581,500
				FIRE CHEM	INDIA	KKMG	3,581,500
				FIRE CHEM	INDIA	MSA	3,581,500
19(b)	**Suction Fire Hose**	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements Shall be semi rigid with internal metal reinforcements(steel wire helix) Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum	No.	FIRE CHEM	INDIA	NRB	64,220
				FIRE CHEM	INDIA	NYERI	64,220
				FIRE CHEM	INDIA	EMBU	64,220
				FIRE CHEM	INDIA	GRSS	64,220
				FIRE CHEM	INDIA	NKR	64,220
				FIRE CHEM	INDIA	KSM	64,220
				FIRE CHEM	INDIA	KKMG	64,220
				FIRE CHEM	INDIA	MSA	64,220
19(c)	**100mm diametersuction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar	No.	FIRE CHEM	INDIA	NRB	76,570

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ringShall come with 150mm female short hand coupling					
				FIRE CHEM	INDIA	NYERI	76,570
				FIRE CHEM	INDIA	EMBU	76,570
				FIRE CHEM	INDIA	GRSS	76,570
				FIRE CHEM	INDIA	NKR	76,570
				FIRE CHEM	INDIA	KSM	76,570
				FIRE CHEM	INDIA	KKMG	76,570
				FIRE CHEM	INDIA	MSA	76,570
20(a)	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	No.	FIRE CHEM	INDIA	NRB	13,630,500
		Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations.					
		Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features:					
		4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to					
		provide one hour running duty					
		Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e					
		Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge					
		Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle,					
		1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility		FIRE CHEM	INDIA	NYERI	13,630,500
		All other necessary tools & accessories.		FIRE CHEM	INDIA	EMBU	13,630,500
		The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard.		FIRE CHEM	INDIA	GRSS	13,630,500

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four Industrial, fully adjustable stabilizers.		FIRE CHEM	INDIA	NKR	13,630,500
				FIRE CHEM	INDIA	KSM	13,630,500
				FIRE CHEM	INDIA	KKMG	13,630,500
		The Foam Tank(s) shall be of total capacity 900 litres and shall		FIRE CHEM	INDIA	MSA	13,630,500
		have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank.					
		The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.					
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	FIRE CHEM	INDIA	NRB	59,280
				FIRE CHEM	INDIA	NYERI	59,280
				FIRE CHEM	INDIA	EMBU	59,280
				FIRE CHEM	INDIA	GRSS	59,280
				FIRE CHEM	INDIA	NKR	59,280
				FIRE CHEM	INDIA	KSM	59,280
				FIRE CHEM	INDIA	KKMG	59,280
				FIRE CHEM	INDIA	MSA	59,280
20(c)	**65mm dia. Male Coupling**	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar	No.	FIRE CHEM	INDIA	NRB	10,497
				FIRE CHEM	INDIA	NYERI	10,497
				FIRE CHEM	INDIA	EMBU	10,497
				FIRE CHEM	INDIA	GRSS	10,497
				FIRE CHEM	INDIA	NKR	10,497
				FIRE CHEM	INDIA	KSM	10,497
				FIRE CHEM	INDIA	KKMG	10,497
				FIRE CHEM	INDIA	MSA	10,497
20(d)	**65mm dia. Female coupling**	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar Shall come complete with 2 spring loaded catches to release the adaptor	No.	FIRE CHEM	INDIA	NRB	10,497
				FIRE CHEM	INDIA	NYERI	10,497
				FIRE CHEM	INDIA	EMBU	10,497
				FIRE CHEM	INDIA	GRSS	10,497
				FIRE CHEM	INDIA	NKR	10,497
				FIRE CHEM	INDIA	KSM	10,497
				FIRE CHEM	INDIA	KKMG	10,497
				FIRE CHEM	INDIA	MSA	10,497
20(e)		**PVC / PU coated Fire Hose**	No.	FIRE CHEM	INDIA	NRB	62,075

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
	PVC / PU coated Fire Hose	PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391		FIRE CHEM	INDIA	NYERI	62,075
				FIRE CHEM	INDIA	EMBU	62,075
				FIRE CHEM	INDIA	GRSS	62,075
				FIRE CHEM	INDIA	NKR	62,075
				FIRE CHEM	INDIA	KSM	62,075
				FIRE CHEM	INDIA	KKMG	62,075
				FIRE CHEM	INDIA	MSA	62,075
20(f)	**Alloy solid water branch pipe**	**Alloy solid water branch pipe** Alloy solid water branch pipe (various sizes) BS 336	No.	FIRE CHEM	INDIA	NRB	66,690
				FIRE CHEM	INDIA	NYERI	66,690
				FIRE CHEM	INDIA	EMBU	66,690
				FIRE CHEM	INDIA	GRSS	66,690
				FIRE CHEM	INDIA	NKR	66,690
				FIRE CHEM	INDIA	KSM	66,690
				FIRE CHEM	INDIA	KKMG	66,690
				FIRE CHEM	INDIA	MSA	66,690
20(g)	**Hand Controlled Branch Pipe**	**Hand Controlled Branch Pipe** 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	FIRE CHEM	INDIA	NRB	12,584
				FIRE CHEM	INDIA	NYERI	12,584
				FIRE CHEM	INDIA	EMBU	12,584
				FIRE CHEM	INDIA	GRSS	12,584
				FIRE CHEM	INDIA	NKR	12,584
				FIRE CHEM	INDIA	KSM	12,584
				FIRE CHEM	INDIA	KKMG	12,584
				FIRE CHEM	INDIA	MSA	12,584
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	FIRE CHEM	INDIA	NRB	30,875
				FIRE CHEM	INDIA	NYERI	30,875
				FIRE CHEM	INDIA	EMBU	30,875
				FIRE CHEM	INDIA	GRSS	30,875
				FIRE CHEM	INDIA	NKR	30,875
				FIRE CHEM	INDIA	KSM	30,875
				FIRE CHEM	INDIA	KKMG	30,875
				FIRE CHEM	INDIA	MSA	30,875
21(c)	**Nylon Nozzle**	**Nylon Nozzle** Red Nylon Nozzle with at least 15 metres throw EN 694	No.	FIRE CHEM	INDIA	NRB	3,250
				FIRE CHEM	INDIA	NYERI	3,250
				FIRE CHEM	INDIA	EMBU	3,250
				FIRE CHEM	INDIA	GRSS	3,250
				FIRE CHEM	INDIA	NKR	3,250
				FIRE CHEM	INDIA	KSM	3,250

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
				FIRE CHEM	INDIA	KKMG	3,250
				FIRE CHEM	INDIA	MSA	3,250
22	**Fixed Type Hose Reel**	**Fixed Type Hose Reel** 20mm. dia x 30 metres long fixed type hose reel c/w nozzle	No.	FIRE CHEM	INDIA	NRB	22,787
				FIRE CHEM	INDIA	NYERI	22,787
				FIRE CHEM	INDIA	EMBU	22,787
				FIRE CHEM	INDIA	GRSS	22,787
				FIRE CHEM	INDIA	NKR	22,787
				FIRE CHEM	INDIA	KSM	22,787
				FIRE CHEM	INDIA	KKMG	22,787
				FIRE CHEM	INDIA	MSA	22,787
23b)	**Outlet stand pipe**	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	FIRE CHEM	INDIA	NRB	55,575
				FIRE CHEM	INDIA	NYERI	55,575
				FIRE CHEM	INDIA	EMBU	55,575
				FIRE CHEM	INDIA	GRSS	55,575
				FIRE CHEM	INDIA	NKR	55,575
				FIRE CHEM	INDIA	KSM	55,575
				FIRE CHEM	INDIA	KKMG	55,575
				FIRE CHEM	INDIA	MSA	55,575
23(d)	**Poker**	**Poker** Poker for item No. 23 (a) above	No.	FIRE CHEM	INDIA	NRB	15,315
				FIRE CHEM	INDIA	NYERI	15,315
				FIRE CHEM	INDIA	EMBU	15,315
				FIRE CHEM	INDIA	GRSS	15,315
				FIRE CHEM	INDIA	NKR	15,315
				FIRE CHEM	INDIA	KSM	15,315
				FIRE CHEM	INDIA	KKMG	15,315
				FIRE CHEM	INDIA	MSA	15,315
23(e)	**Key**	**Key** Key for item No. 23 (a) above	No.	FIRE CHEM	INDIA	NRB	15,437
				FIRE CHEM	INDIA	NYERI	15,437
				FIRE CHEM	INDIA	EMBU	15,437
				FIRE CHEM	INDIA	GRSS	15,437
				FIRE CHEM	INDIA	NKR	15,437
				FIRE CHEM	INDIA	KSM	15,437
				FIRE CHEM	INDIA	KKMG	15,437
				FIRE CHEM	INDIA	MSA	15,437
23(f)	**Dividing breech**	**Dividing breech** Dividing Breech having 63mm Male Instantaneous Inlet &2 nos. 63mm Female Instantaneous Outlet	No.	FIRE CHEM	INDIA	NRB	55,575
				FIRE CHEM	INDIA	NYERI	55,575
				FIRE CHEM	INDIA	EMBU	55,575
				FIRE CHEM	INDIA	GRSS	55,575

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		Made using quality grade gun metal, aluminum or stainless steel 304 Size: 1" to 5 ½"		FIRE CHEM	INDIA	NKR	55,575
				FIRE CHEM	INDIA	KSM	55,575
				FIRE CHEM	INDIA	KKMG	55,575
				FIRE CHEM	INDIA	MSA	55,575
23(g)	Collecting breech	**Collecting breech** Collecting Breech having 1 no. 63mm Female InstantaneousInlet and 2 nos. 63mm Male Instantaneous Outlet Made using quality grade gun metal, aluminium or stainless steel 304 Size: 1" to 5 ½"	No.	FIRE CHEM	INDIA	NRB	43,225
				FIRE CHEM	INDIA	NYERI	43,225
				FIRE CHEM	INDIA	EMBU	43,225
				FIRE CHEM	INDIA	GRSS	43,225
				FIRE CHEM	INDIA	NKR	43,225
				FIRE CHEM	INDIA	KSM	43,225
				FIRE CHEM	INDIA	KKMG	43,225
				FIRE CHEM	INDIA	MSA	43,225
41	Hydraulic rescuetools complete set	**Hydraulic rescue tools complete set** Hydraulic Rescue Hand Tools set comprising of hand tools suitablefor Spreading, Cutting and Pulling to the following specifications: Top Expansion Capability 38 - 47KN Workingsurface Capability 68 - 114KNPull 38KN Expansion surface 620mmHydraulic combi Shears Fast stop safe tie-in 360° adjustable and moveable handle Hand pump two pole operation of high pressure and lowpressure. The hand pump set shall come complete with 5 metershose and coupling for connection to the tools and shall be as manufactured by WEBER or approved equivalent.	No.	FIRE CHEM	INDIA	NRB	1,049,750
				FIRE CHEM	INDIA	NYERI	1,049,750
				FIRE CHEM	INDIA	EMBU	1,049,750
				FIRE CHEM	INDIA	GRSS	1,049,750
				FIRE CHEM	INDIA	NKR	1,049,750
				FIRE CHEM	INDIA	KSM	1,049,750
				FIRE CHEM	INDIA	KKMG	1,049,750
				FIRE CHEM	INDIA	MSA	1,049,750
42	Booster pump for hydraulic hose reel	**Booster pump for hydraulic hose reel** Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle,	No.	FIRE CHEM	INDIA	NRB	432,250

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressuregauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.					
				FIRE CHEM	INDIA	NYERI	432,250
				FIRE CHEM	INDIA	EMBU	432,250
				FIRE CHEM	INDIA	GRSS	432,250
				FIRE CHEM	INDIA	NKR	432,250
				FIRE CHEM	INDIA	KSM	432,250
				FIRE CHEM	INDIA	KKMG	432,250
				FIRE CHEM	INDIA	MSA	432,250
				FIRE CHEM			
46	H/D rubbergloves	**H/D rubber gloves** Multipurpose gloves made of PVCFully lined with a Soft cotton tricot Length 350mm Size large (10)	No.	FIRE CHEM	INDIA	NRB	11,500
				FIRE CHEM	INDIA	NYERI	11,500
				FIRE CHEM	INDIA	EMBU	11,500
				FIRE CHEM	INDIA	GRSS	11,500
				FIRE CHEM	INDIA	NKR	11,500
				FIRE CHEM	INDIA	KSM	11,500
				FIRE CHEM	INDIA	KKMG	11,500
				FIRE CHEM	INDIA	MSA	11,500
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	FIRE CHEM	INDIA	NRB	180,000
				FIRE CHEM	INDIA	NYERI	180,000
				FIRE CHEM	INDIA	EMBU	180,000
				FIRE CHEM	INDIA	GRSS	180,000
				FIRE CHEM	INDIA	NKR	180,000
				FIRE CHEM	INDIA	KSM	180,000
				FIRE CHEM	INDIA	KKMG	180,000
				FIRE CHEM	INDIA	MSA	180,000
48	**Fireman's Fire Fitting clothing (Fire Tunic)**	**Fireman's Fire Fitting clothing (Fire Tunic)** Fireman's Fire Fitting clothing (Fire Tunic) as TOPSPEC FIREAMN'S TUNIC manufactured from Nomexâ	No.	FIRE CHEM	INDIA	NRB	44,987
				FIRE CHEM	INDIA	NYERI	44,987
				FIRE CHEM	INDIA	EMBU	44,987
				FIRE CHEM	INDIA	GRSS	44,987
				FIRE CHEM	INDIA	NKR	44,987

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining **or equivalent and approved**		FIRE CHEM	INDIA	KSM	44,987
				FIRE CHEM		KKMG	44,987
				FIRE CHEM	INDIA	MSA	44,987
49	**Fire-fighting rescue action top 9sizes Boots**	**Fire-fighting rescue action top 9sizes Boots** Fire-fighting rescue action top 9sizes Boots (Sizes 38-48) to CSN EN 345 S3 HRO specification. Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation insert, resistant to oil, fuels, acids and anatomic 300o C temperature, replaceable washable innersole, stiffened with steel toe cap.	No.	FIRE CHEM	INDIA	NRB	24,853
				FIRE CHEM	INDIA	NYERI	24,853
				FIRE CHEM	INDIA	EMBU	24,853
				FIRE CHEM	INDIA	GRSS	24,853
				FIRE CHEM	INDIA	NKR	24,853
				FIRE CHEM	INDIA	KSM	24,853
				FIRE CHEM	INDIA	KKMG	24,853
				FIRE CHEM	INDIA	MSA	24,853
50	**Head Helmets**	**Head Helmets** suitable for Fire Fighting and Rescue services and having the following features: Shell manufactured from Flame Retardant material withgood shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior Basket in flame retardant material and allowing foradjustment for head size and shape (from 52 to 63 cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quickrelease snap connection Retractable face protector visor in flame retardant polycarbonate material, Scratch resistant and with anti-foggingprotection Neck protection of genuine leather material with separableshell connection	No.	FIRE CHEM	INDIA	NRB	40,740
				FIRE CHEM	INDIA	NYERI	40,740
				FIRE CHEM	INDIA	EMBU	40,740
				FIRE CHEM	INDIA	GRSS	40,740
				FIRE CHEM	INDIA	NKR	40,740
				FIRE CHEM	INDIA	KSM	40,740
				FIRE CHEM	INDIA	KKMG	40,740
				FIRE CHEM	INDIA	MSA	40,740
51	**Breathing apparatus**	**Breathing apparatus** Breathing apparatus suitable for strapping as a back pack complete with waist and chest straps. The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN137 CLASS II standards. The apparatus shall be complete with a positive pressure Face Mask	No.	FIRE CHEM	INDIA	NRB	426,075
				FIRE CHEM	INDIA	NYERI	426,075
				FIRE CHEM	INDIA	EMBU	426,075
				FIRE CHEM	INDIA	GRSS	426,075
				FIRE CHEM	INDIA	NKR	426,075
				FIRE CHEM	INDIA	KSM	426,075

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		Self-contained breathing apparatus (SCBA) shall contain: facemask, flow regulator, reducer, 1No. 6 litres / 300 bar cylinder with compressed air for 45 minutes nominal duration and be c/w charging connection outlet, and back frame with harness		FIRE CHEM	INDIA	KKMG	426,075
				FIRE CHEM	INDIA	MSA	426,075
54	Gas Masks	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes Filters for protection against high speed particles	No.	FIRE CHEM	INDIA	NRB	19,142
				FIRE CHEM	INDIA	NYERI	19,142
				FIRE CHEM	INDIA	EMBU	19,142
				FIRE CHEM	INDIA	GRSS	19,142
				FIRE CHEM	INDIA	NKR	19,142
				FIRE CHEM	INDIA	KSM	19,142
				FIRE CHEM	INDIA	KKMG	19,142
				FIRE CHEM	INDIA	MSA	19,142
55	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot**	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot** Made using the aluminized FR Fabric, Fire Proof, ThermalInsulate, Penetration resist of radiation Heat sect type conforming to EN 1486	No.	FIRE CHEM	INDIA	NRB	361,160
				FIRE CHEM	INDIA	NYERI	361,160
				FIRE CHEM	INDIA	EMBU	361,160
				FIRE CHEM	INDIA	GRSS	361,160
				FIRE CHEM	INDIA	NKR	361,160
				FIRE CHEM	INDIA	KSM	361,160
				FIRE CHEM	INDIA	KKMG	361,160
				FIRE CHEM	INDIA	MSA	361,160
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards	No.	FIRE CHEM	INDIA	NRB	30,875

Item No.	Description	Specification	Unit Of Issue	Brand	Country Of Origin	Location	Unit Price
		i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas.					
		Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two		FIRE CHEM	INDIA	NYERI	30,875
		generators in a duo pack		FIRE CHEM	INDIA	EMBU	30,875
		The material shall be odorless and flame retardant VO grade to UL94 standards					
		Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes					
		The mast shall have the following features. Rubber face piece		FIRE CHEM	INDIA	GRSS	30,875
		Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes		FIRE CHEM	INDIA	NKR	30,875
		Self-serving breathing hole which does not utilize external air		FIRE CHEM	INDIA	KSM	30,875
		Oxygen generating chemical cartilage for generation of therequisite Oxygen		FIRE CHEM	INDIA	KKMG	30,875
		Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing		FIRE CHEM	INDIA	MSA	30,875

NAME; UNICOM LTD
P.O. BOX; 17740-00500, NAIROBI
TEL: 020-2405979
CONTRACT NO; SB/036/009/2021

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
1(a)	**Water CO2 Fire Extinguisher**	**Water CO2 Fire Extinguisher** 9Litre water CO2 fire extinguisher (cartridge type) complete with squeeze grip head cap with piercer and washer, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	NAFFCO	UAE	NRB	6,000.00
						NYERI	6,000.00
						EMBU	6,000.00
						GRSS	6,000.00
						NKR	6,000.00
						KSM	6,000.00
						KKMG	6,000.00
						MSA	6,000.00
1 (b)	**Water CO2 cartridge**	**Water CO2 cartridge** 55g CO2 cartridge fully charged to BS EN3	No.	NAFFCO	UAE	NRB	2,700.00
						NYERI	2,700.00
						EMBU	2,700.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	2,700.00
						NKR	2,700.00
						KSM	2,700.00
						KKMG	2,700.00
						MSA	2,700.00
1 (c)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip head cap with piercer and washer , flexible rubber hose, nozzle and siphon tube	No.	NAFFCO	UAE	NRB	2,900.00
						NYERI	2,900.00
						EMBU	2,900.00
						GRSS	2,900.00
						NKR	2,900.00
						KSM	2,900.00
						KKMG	2,900.00
						MSA	2,900.00
1 (d)	**Wall bracket**	**Wall bracket** Hook type	No.	NAFFCO	UAE	NRB	2,900.00
						NYERI	2,900.00
						EMBU	2,900.00
						GRSS	2,900.00
						NKR	2,900.00
						KSM	2,900.00
						KKMG	2,900.00
						MSA	2,900.00
2(a)	**Water CO2 stored pressure Fire Extinguisher**	**Water CO2 stored pressure Fire Extinguisher** 9Litre water CO2 fire extinguisher(stored pressure type) complete with squeeze grip head, pressure gauge, flexible rubber hose, nozzle, siphon tube and fixing wall bracket to BS EN3	No.	NAFFCO	UAE	NRB	6,000.00
						NYERI	6,000.00
						EMBU	6,000.00
						GRSS	6,000.00
						NKR	6,000.00
						KSM	6,000.00
						KKMG	6,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	6,000.00
2(b)	**Water CO2 Operating valve**	**Water CO2 Operating valve** Squeeze grip valve complete with pressure gauge, flexible rubber hose, nozzle and locking pin	No.	NAFFCO	UAE	NRB	2,900.00
						NYERI	2,900.00
						EMBU	2,900.00
						GRSS	2,900.00
						NKR	2,900.00
						KSM	2,900.00
						KKMG	2,900.00
						MSA	2,900.00
3(a)	**9 litre Cold Fire foam fire extinguisher**	**9 litre Cold Fire foam fire extinguisher** 9 litre Cold Fire foam fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket., spray nozzle, siphon tube, 1 litre premix form, CO2 cartridge and fixing wall bracket. BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	10,500.00
						NYERI	10,500.00
						EMBU	10,500.00
						GRSS	10,500.00
						NKR	10,500.00
						KSM	10,500.00
						KKMG	10,500.00
						MSA	10,500.00
3(b)	**9 litre Cold Fire foam fire extinguisher operating valve**	**9 litre Cold Fire foam fire extinguisher operating valve** 9 litre Cold Fire foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 3(a) above BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00
						KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00
3(c)	**Premix Foam**	**Premix Foam** 1 litre premix foam for 9 Litres air foam extinguisher. BS EN 3 or Equivalent	litres	NAFFCO	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
3(d)	**CO2 cartridge**	**CO2 cartridge** 75gm CO2 cartridge for 9 Litres air foam spray extinguisher to BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	2,700.00
						NYERI	2,700.00
						EMBU	2,700.00
						GRSS	2,700.00
						NKR	2,700.00
						KSM	2,700.00
						KKMG	2,700.00
						MSA	2,700.00
4(a)	**9 litre Cold fire foam stored pressure fire extinguisher**	**9 litre Cold fire foam stored pressure fire extinguisher** 9 litre air foam stored pressure fire extinguisher C/W cap, flexible rubber hose, spray nozzle, siphon tube, 1 litre premix form, and fixing wall bracket. to BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	10,500.00
						NYERI	10,500.00
						EMBU	10,500.00
						GRSS	10,500.00
						NKR	10,500.00
						KSM	10,500.00
						KKMG	10,500.00
						MSA	10,500.00
4(b)	**Air foam fire extinguisher operating valve**	**Air foam fire extinguisher operating valve** Air foam fire extinguisher operating valve c/w flexible rubber hose, spray nozzle, and siphon tube for item 4(a) above to BS 1004 or Equivalent	No.	NAFFCO	UAE	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00
						KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
5(a)	**4.5Kgs dry chemical powder fire extinguisher**	**4.5Kgs dry chemical powder fire extinguisher** 4.5Kgs dry chemical powder fire extinguisher c/w cap washer discharge rubber hose , nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	12,500.00
						NYERI	12,500.00
						EMBU	12,500.00
						GRSS	12,500.00
						NKR	12,500.00
						KSM	12,500.00
						KKMG	12,500.00
						MSA	12,500.00
5(b)	**Automatic D.C.P. Cold fire extinguisher**	**Automatic D.C.P. Cold fire extinguisher** Cylinder : Stainless Steel Weight: 12kg Content: ABDK Expellant : Cold Fire Cylinder Test Pressure : 150 PSI Complete with Electro Piston Actuator switch which can be linked into the wiring circuit for electric operation with solenoid actuator; and ceiling mounting bracket.	No.	NAFFCO	UAE	NRB	8,000.00
						NYERI	8,000.00
						EMBU	8,000.00
						GRSS	8,000.00
						NKR	8,000.00
						KSM	8,000.00
						KKMG	8,000.00
						MSA	8,000.00
5(c)	**Fire Extinguishing Dry Chemical Powder**	**Fire Extinguishing Dry Chemical Powder** 4.5Kgs bag of fire extinguishing dry chemical powder to BS EN 3or Equivalent	No.	NAFFCO	UAE	NRB	9,200.00
						NYERI	9,200.00
						EMBU	9,200.00
						GRSS	9,200.00
						NKR	9,200.00
						KSM	9,200.00
						KKMG	9,200.00
						MSA	9,200.00
5(d)	**Fire Extinguisher Operating Valve**	**Fire Extinguisher Operating Valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 5(a) above to BS 1004	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
5(e)	**CO2 Cartridge**	**CO2 Cartridge** 90gm CO2 Cartridge for 4.5Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	6,000.00
						NYERI	6,000.00
						EMBU	6,000.00
						GRSS	6,000.00
						NKR	6,000.00
						KSM	6,000.00
						KKMG	6,000.00
						MSA	6,000.00
6(a)	**4.5Kgs dry chemical powder stored pressure fire extinguisher**	**4.5Kgs dry chemical powder stored pressure fire extinguisher** 4.5Kgs dry chemical powder stored pressure fire extinguisher c/w cap washer discharge rubber hose, nozzle, and fixing wall bracket toBS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	9,500.00
						NYERI	9,500.00
						EMBU	9,500.00
						GRSS	9,500.00
						NKR	9,500.00
						KSM	9,500.00
						KKMG	9,500.00
						MSA	9,500.00
6(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 6(a) above to BS 1004 or equivalent	No.	NAFFCO	UAE	NRB	2,900.00
						NYERI	2,900.00
						EMBU	2,900.00
						GRSS	2,900.00
						NKR	2,900.00
						KSM	2,900.00
						KKMG	2,900.00
						MSA	2,900.00
7(a)	**9 Kgs Cold Fire extinguisher**	**9 Kgs Cold Fire extinguisher** 9 Kgs dry Cold Fire extinguisher c/w cap, washer, discharge rubber hose,	No.	NAFFCO	UAE	NRB	15,000.00
						NYERI	15,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		nozzle, CO2 cartridge and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent				EMBU	15,000.00
						GRSS	15,000.00
						NKR	15,000.00
						KSM	15,000.00
						KKMG	15,000.00
						MSA	15,000.00
7(b)	**Fire Extinguisher Dry Chemical Powder**	**Fire Extinguisher Dry Chemical Powder** 9 Kgs bag of fire extinguisher dry chemical powder to BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00
7(c)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose, discharge nozzle, and siphon for item 7(a) above to BS 1004	No.	NAFFCO	UAE	NRB	4,000.00
						NYERI	4,000.00
						EMBU	4,000.00
						GRSS	4,000.00
						NKR	4,000.00
						KSM	4,000.00
						KKMG	4,000.00
						MSA	4,000.00
7(d)	**CO2 Cartridge**	**CO2 Cartridge** 120/150gm CO2 Cartridge for 9Kgs dry chemical powder fire extinguisher to BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
8(a)	**9 Kgs dry chemical powder stored pressure fire extinguisher**	**9 Kgs dry chemical powder stored pressure fire extinguisher** 9 Kgs dry chemical powder stored pressure fire extinguisher c/w cap, washer discharge rubber hose, nozzle and fixing wall bracket to BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	8,500.00
						NYERI	8,500.00
						EMBU	8,500.00
						GRSS	8,500.00
						NKR	8,500.00
						KSM	8,500.00
						KKMG	8,500.00
						MSA	8,500.00
8(b)	**Dry chemical powder fire extinguisher operating valve**	**Dry chemical powder fire extinguisher operating valve** Dry chemical powder fire extinguisher operating valve c/w flexible rubber hose , discharge nozzle, and siphon for item 8(a) above to BS 1004	No.	NAFFCO	UAE	NRB	4,000.00
						NYERI	4,000.00
						EMBU	4,000.00
						GRSS	4,000.00
						NKR	4,000.00
						KSM	4,000.00
						KKMG	4,000.00
						MSA	4,000.00
9(a)	**2 kg dry chemical, stored pressure fire extinguisher**	**2 kg dry chemical, stored pressure fire extinguisher** 2 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	6,800.00
						NYERI	6,800.00
						EMBU	6,800.00
						GRSS	6,800.00
						NKR	6,800.00
						KSM	6,800.00
						KKMG	6,800.00
						MSA	6,800.00
9(b)	**2 kg dry chemical powder fire extinguisher operating valve**	**2 kg dry chemical powder fire extinguisher operating valve** 2 kg dry chemical powder fire extinguisher operating valve c/w washer, discharge nozzle for item 9(a) above to	No.	NAFFCO	UAE	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		BS 1004 or Equivalent				KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00
10(a)	**1 kg dry chemical, stored pressure fire extinguisher**	**1 kg dry chemical, stored pressure fire extinguisher** 1 kg dry chemical, stored pressure fire extinguisher c/w cap, washer and discharge nozzle to BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
10(b)	**1 kg dry chemical powder fire extinguisher operating valve**	**1 kg dry chemical powder fire extinguisher operating valve** 1 kg dry chemical powder fire extinguisher operating valve c/w washer and discharge nozzle for item 10(a) above to BS 1004 or Equivalent	No.	NAFFCO	UAE	NRB	1,850.00
						NYERI	1,850.00
						EMBU	1,850.00
						GRSS	1,850.00
						NKR	1,850.00
						KSM	1,850.00
						KKMG	1,850.00
						MSA	1,850.00
11(a)	**2.3 Kg CO2 gas fire extinguisher (charged)**	**2.3 Kg CO2 gas fire extinguisher (charged)** 2.3 Kg CO2 gas fire extinguisher (charged) C/W squeeze grip operating head, discharged horn, and fixing wall bracket to BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	9,800.00
						NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00
						MSA	9,800.00
11(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head**	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		CO2 gas squeeze grip operating head for item 11(a) above to BS EN 3 or Equivalent				EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
11(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharged horn for item No. 11(a) above BS EN 3 or Equivalent 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	6,900.00
						NYERI	6,900.00
						EMBU	6,900.00
						GRSS	6,900.00
						NKR	6,900.00
						KSM	6,900.00
						KKMG	6,900.00
						MSA	6,900.00
						MSA	6,900.00
12(a)	**4.5 Kg CO2 gas fire extinguisher (charged)**	**4.5 Kg CO2 gas fire extinguisher (charged)** 4.5 Kg CO2 gas fire extinguisher (charged) c/w squeeze grip operating head, discharge nozzle and fixing bracket. BS 5045/EIB 9316/BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	11,500.00
						NYERI	11,500.00
						EMBU	11,500.00
						GRSS	11,500.00
						NKR	11,500.00
						KSM	11,500.00
						KKMG	11,500.00
						MSA	11,500.00
						MSA	11,500.00
12(b)	**CO2 gas squeeze grip operating head**	**CO2 gas squeeze grip operating head** CO2 gas squeeze grip operating head for 12(a) above. BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	4,000.00
						NYERI	4,000.00
						EMBU	4,000.00
						GRSS	4,000.00
						NKR	4,000.00
						KSM	4,000.00
						KKMG	4,000.00
						MSA	4,000.00
12(c)	**CO2 gas discharge horn**	**CO2 gas discharge horn** CO2 gas discharge horn for Item No. 12(a) above BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	4,000.00
						NYERI	4,000.00
						EMBU	4,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	4,000.00
						NKR	4,000.00
						KSM	4,000.00
						KKMG	4,000.00
						MSA	4,000.00
12(d)	**Throwing Fire Extinguisher**	**Throwing Fire Extinguisher** Throw –In fire extinguisher capable of extinguishment of Fire by production of copious amounts of Carbon Dioxide and Nitrous Gases. Throw-In action onto the fire and the landing shall initiate production of the extinguishment gases through chemical reactions.	No.	NAFFCO	UAE	NRB	5,400.00
						NYERI	5,400.00
						EMBU	5,400.00
						GRSS	5,400.00
						NKR	5,400.00
						KSM	5,400.00
						KKMG	5,400.00
						MSA	5,400.00
12(e)	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System**	**Fixed total flooding system – Carbon Dioxide Autonomous and Automatic Fire Extinguishing System** Total Flooding Carbon Dioxide Gas Fire Suppression system capable of automatic action triggered by a solenoid- valve – actuated pilot cylinder and comprising of the following components: 3No. 45 kg Carbon Dioxide Gas storage cylinders C/WValves, discharge hoses and pilot loops 2.2 kg Pilot Carbon Dioxide Cylinder C/W solenoidactuation valve Vent bleed and safety valve Interconnection / Assembly Manifold pipe Brackets & associated hoops for secure anchoring to walls.	No.	NAFFCO	UAE	NRB	65,400.00
						NYERI	65,400.00
						EMBU	65,400.00
						GRSS	65,400.00
						NKR	65,400.00
						KSM	65,400.00
						KKMG	65,400.00
						MSA	65,400.00
13(a)	50 Kg dry chemical powder Trolley Type Fire Extinguisher	50 Kg dry chemical powder Trolley Type Fire Extinguisher 50 Kg dry chemical powder fire extinguisher c/w propellant, trolley, operating valve, hose and discharge nozzle BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	110,000.00
						NYERI	110,000.00
						EMBU	110,000.00
						GRSS	110,000.00
						NKR	110,000.00
						KSM	110,000.00
						KKMG	110,000.00
						MSA	110,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
13(b)	Discharge nozzle	Discharge nozzle Discharge nozzle for 50 kg dry chemical Powder fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	25,000.00
						NYERI	25,000.00
						EMBU	25,000.00
						GRSS	25,000.00
						NKR	25,000.00
						KSM	25,000.00
						KKMG	25,000.00
						MSA	25,000.00
14(a)	**45 Kg CO2 gas fire extinguisher**	**45 Kg CO2 gas fire extinguisher** 45 Kg CO2 gas fire extinguisher c/w, trolley, operating valve, hose and discharge horn BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	85,000.00
						NYERI	85,000.00
						EMBU	85,000.00
						GRSS	85,000.00
						NKR	85,000.00
						KSM	85,000.00
						KKMG	85,000.00
						MSA	85,000.00
14(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
14(c)	**Discharge horn**	**Discharge horn** Discharge horn for 45 kg CO2 gas fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
15(a)	**45 Litres Air Foam Trolley Type Fire Extinguisher**	**45 Litres Air Foam Trolley Type Fire Extinguisher** 45 Litre Air Foam fire extinguisher c/w, propellant trolley, operating valve, hose and spray nozzle BS EN 3/ BS 1449 or Equivalent	No.	NAFFCO	UAE	NRB	80,000.00
						NYERI	80,000.00
						EMBU	80,000.00
						GRSS	80,000.00
						NKR	80,000.00
						KSM	80,000.00
						KKMG	80,000.00
						MSA	80,000.00
15(b)	**Discharge hose**	**Discharge hose** Discharge hose for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
15(c)	Spray Nozzle	Spray Nozzle Spray Nozzle for 45 Litre Air Foam fire extinguisher (trolley type) BS EN 3 or Equivalent	No.	NAFFCO	UAE	NRB	18,500.00
						NYERI	18,500.00
						EMBU	18,500.00
						GRSS	18,500.00
						NKR	18,500.00
						KSM	18,500.00
						KKMG	18,500.00
						MSA	18,500.00
16	Fire blanket	Fire blanket Size ranging from 1mx1m to 1.2mx1.8m Fibre glass woven with flame proof handles and tested to BS EN 1869 The blanket shall come with metal or hardened plastic container and fixing wall bracket	No.	NAFFCO	UAE	NRB	11,500.00
						NYERI	11,500.00
						EMBU	11,500.00
						GRSS	11,500.00
						NKR	11,500.00
						KSM	11,500.00
						KKMG	11,500.00
						MSA	11,500.00
16(b)	**Fire Proof Blanket**	**Fire Proof Blanket**	No.	NAFFCO	UAE	NRB	15,500.00
						NYERI	15,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		2000mm x 1500mm Flame Resistant woolen blanket tested to BS EN 1869 with reinforced edges				EMBU	15,500.00
						GRSS	15,500.00
						NKR	15,500.00
						KSM	15,500.00
						KKMG	15,500.00
						MSA	15,500.00
17	**9" wall mounted hand operated alarm bell (Gong)**	9" wall mounted hand operated alarm bell (Gong) Made of aluminium alloy/stainless steel Hand-Operated Alarm Bell/ Gong capable of minimum noise rating of 105dB at 1.0metre and toBS 1721 Shall be coloured red	No.	NAFFCO	UAE	NRB	19,500.00
						NYERI	19,500.00
						EMBU	19,500.00
						GRSS	19,500.00
						NKR	19,500.00
						KSM	19,500.00
						KKMG	19,500.00
						MSA	19,500.00
18	**½ mile range tripod mounted alarm sounder (siren)**	½ mile range tripod mounted alarm sounder (siren) Tripod mounted with minimum sound rating of 110+2 dB at 1.0 metres and an output frequency of 600+20 hertz single tone and to BS 1721	No.	NAFFCO	UAE	NRB	95,000.00
						NYERI	95,000.00
						GRSS	95,000.00
						NKR	95,000.00
						KSM	95,000.00
						KKMG	95,000.00
						MSA	95,000.00
19(a)	**A fully portable self-contained diesel engine fire pump**	**A fully portable self-contained diesel engine fire pump** Capable of continuous duty of minimum 1200litres per minute at delivery head of 10 bars at 3 metres suction lift. The pump unit shall be of aluminium construction with a wrap round stainless steel frame and shall have the following features: 4-stroke engine with electronic ignition system Rotationally molded minimum 14 litre fuel tank connection facility to provide one hour running duty Remote fuel tank connection facility including battery charging sockets The pump shall have no external belts Comprehensive instrumentation and gauges, i.e. Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button. Hours counter, Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility	No.	NAFFCO	UAE	NRB	2,900,000.00
						NYERI	2,900,000.00
						EMBU	2,900,000.00
						GRSS	2,900,000.00
						NKR	2,900,000.00
						KSM	2,900,000.00
						KKMG	2,900,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		All other necessary tools & accessories.				MSA	2,900,000.00
19(b)	**Suction Fire Hose**	**Suction Fire Hose** 100mm dia. x 2400mm long rubber covered Nylon reinforced PVC Suction Hose c/w instantaneous coupling for connection to 100mm. metallic Suction Strainer and to a 100mm dia. fire pump inlet to BS 6391 / NFPA 1962:1901 requirements Shall be semi rigid with internal metal reinforcements(steel wire helix) Nominal internal diameter 64mm to154mm Standard length 3.05m Shall be capable of sucking water out of unpressurized sources by means of a vacuum	No.	NAFFCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	52,000.00 52,000.00 52,000.00 52,000.00 52,000.00 52,000.00 52,000.00 52,000.00
19(c)	**100mm diameter suction strainer**	**100mm diameter suction strainer** Shall be made of hard anodized and powder coated aluminium with natural finish of light alloy or gun metal c/w instantaneous coupling to fit onto a 100mm. dia. suction Hose to BS 6391 or equivalent Shall be capable of working at 16 bar maximum working pressure and maximum test pressure at 24 bar Shall be capable of rotating on a polymer bearing ring Shall come with 150mm female short hand coupling	No.	NAFFCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	62,000.00 62,000.00 62,000.00 62,000.00 62,000.00 62,000.00 62,000.00 62,000.00
20(a)	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)**	**A fully portable self-contained petrol / diesel engine fire pump trailer mounted, complete with tank (foam / water)** Fully Self-Contained Closed-Circuit, Water Cooled Diesel/ Petrol Engine Driven Fire Pump mounted on a trailer in conformation to Kenyan Road Regulations. Capable of continuous duty of minimum 1200 Litres per minute ata delivery head of 10 bar at 3 metres suction lift. The pump unit shall be of Aluminium construction and shall have the following features: 4- stroke engine with electronic ignition system Rotationally molded minimum 14litre fuel tank to provide one hour running duty	No.	NAFFCO	UAE	NRB	11,200,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Remote fuel tank connection facility including batterycharging sockets The pumpset shall have no external belts Comprehensive instrumentation and gauges, i.e Compound gauge - 1-0 to 16bar, Pressure gauge. 25 bar Gauge Illumination, High water temperature warning light, Choke control, On/Off Switch/Start button, hours counter & Throttle, 1No. water suction inlet 100mm dia., & 2No. delivery outlets each 65mm dia., C/W Screw-Down valves with pressure release facility All other necessary tools & accessories. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tanks(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four Industrial, fully adjustable stabilizers. The Foam Tank(s) shall be of total capacity 900 litres and shall have self-inducing foam /Water monitor, Mounted / bolted onto thetop of the tank. The trailer shall allow for adequate space for operation of the fire fighting equipment by at least 2No. firemen.					
						NYERI	11,200,000.00
						EMBU	11,200,000.00
						GRSS	11,200,000.00
						NKR	11,200,000.00
						KSM	11,200,000.00
						KKMG	11,200,000.00
						MSA	11,200,000.00
20(b)	**Delivery Hose**	**Delivery Hose** 25 metres x 65 mm dia. rubber lined delivery hose c/w male and female couplings BS 6391	No.	NAFFCO	UAE	NRB	48,000.00
						NYERI	48,000.00
						EMBU	48,000.00
						GRSS	48,000.00
						NKR	48,000.00
						KSM	48,000.00
						KKMG	48,000.00
						MSA	48,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
20(c)	**65mm dia. Male Coupling**	**65mm dia. Male Coupling** With 2 1 2" nominal bore head terminating in BSP male thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar	No.	NAFFCO	UAE	NRB	8,500.00
						NYERI	8,500.00
						EMBU	8,500.00
						GRSS	8,500.00
						NKR	8,500.00
						KSM	8,500.00
						KKMG	8,500.00
						MSA	8,500.00
20(d)	**65mm dia. Female coupling**	**65mm dia. Female coupling** With 2 1 2" nominal bore head terminating in BSP female thread and hose tail Shall have light alloy/gun metal finish for corrosive environments Capable of achieving maximum working pressure of 15bar Shall come complete with 2 spring loaded catches to release the adaptor	No.	NAFFCO	UAE	NRB	8,500.00
						NYERI	8,500.00
						EMBU	8,500.00
						GRSS	8,500.00
						NKR	8,500.00
						KSM	8,500.00
						KKMG	8,500.00
						MSA	8,500.00
20(e)	**PVC / PU coated Fire Hose**	**PVC / PU coated Fire Hose** PVC / PU coating fire hose 25 metres x 65 mm. dia. delivery hose complete with male and female coupling red type BS 6391	No.	NAFFCO	UAE	NRB	54,000.00
						NYERI	54,000.00
						EMBU	54,000.00
						GRSS	54,000.00
						NKR	54,000.00
						KSM	54,000.00
						KKMG	54,000.00
						MSA	54,000.00
20(f)	**Alloy solid water branch pipe**	Alloy solid water branch pipe Alloy solid water branch pipe (various sizes) BS 336	No.	NAFFCO	UAE	NRB	95,000.00
						NYERI	95,000.00
						EMBU	95,000.00
						GRSS	95,000.00
						NKR	95,000.00
						KSM	95,000.00
						KKMG	95,000.00
						MSA	95,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
20(g)	Hand Controlled Branch Pipe	Hand Controlled Branch Pipe 6mm. dia. nozzle alloy hand-controlled branch pipe BS 336	No.	NAFFCO	UAE	NRB	85,000.00
						NYERI	85,000.00
						EMBU	85,000.00
						GRSS	85,000.00
						NKR	85,000.00
						KSM	85,000.00
						KKMG	85,000.00
						MSA	85,000.00
21(a)	**swinging type hose reel**	**swinging type hose reel** 20mm. dia x 30 metres long swinging type hose reel c/w nozzle BS EN 671-1:1995	No.	NAFFCO	UAE	NRB	45,000.00
						NYERI	45,000.00
						EMBU	45,000.00
						GRSS	45,000.00
						NKR	45,000.00
						KSM	45,000.00
						KKMG	45,000.00
						MSA	45,000.00
21(b)	**Hose Reel tubing**	**Hose Reel tubing** 20mm. dia x 30 metres long (tubing) for item 21 (a) above EN 694	No.	NAFFCO	UAE	NRB	25,000.00
						NYERI	25,000.00
						EMBU	25,000.00
						GRSS	25,000.00
						NKR	25,000.00
						KSM	25,000.00
						KKMG	25,000.00
						MSA	25,000.00
21(c)	**Nylon Nozzle**	Nylon Nozzle Red Nylon Nozzle with at least 15 metres throw EN 694	No.	NAFFCO	UAE	NRB	9,500.00
						NYERI	9,500.00
						EMBU	9,500.00
						GRSS	9,500.00
						NKR	9,500.00
						KSM	9,500.00
						KKMG	9,500.00
						MSA	9,500.00
22	**Fixed Type Hose Reel**	**Fixed Type Hose Reel** 20mm. dia x 30 metres long fixed type hose reel c/w nozzle	No.	NAFFCO	UAE	NRB	22,500.00
						NYERI	22,500.00
						EMBU	22,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	22,500.00
						NKR	22,500.00
						KSM	22,500.00
						KKMG	22,500.00
						MSA	22,500.00
23(a)	Underground Fire Hydrant	**Underground Fire Hydrant** Body made of Ductile Cast Iron to BS 1452 or (SG) BS 2789 Test Pressure: 300Psi (20Bar) Inlet : Universal drilled Flange PN16 to BS EN 1092:1997Outlet: Male instantaneous to BS 336 2½" London round thread outlet to BS 750. flow requirements: Kv = 92 minimum 2000l/minKv = 101 maximum 2200l/min Shall be of Corrosion resistant construction, compliant withBS EN 1074-6 for disinfection products. Complete with Auto-frost drain valve and Draining stopperas standard applications in a corrosive atmosphere or sited in exposed locations shall use a stainless steel stem 1.4404 (316) and all exposedfasteners in A4 stainless steel	No.	NAFFCO	UAE	NRB	65,000.00
						NYERI	65,000.00
						EMBU	65,000.00
						GRSS	65,000.00
						NKR	65,000.00
						KSM	65,000.00
						KKMG	65,000.00
						MSA	65,000.00
							65,000.00
23b)	Outlet stand pipe	**Outlet stand pipe** Single Way Standpipe /Double Way Standpipe shall be made of either light aluminum alloy or brass with inlet to 65mm female V or round thread, and outlet with single/double 65mm femaleinstantaneous swivel outlet, cap and chains (to conform to BS 1474). Base and head made of aluminium alloy or copper alloy to BS 1490 Provided with double check valve to prevent backflow	No.	NAFFCO	UAE	NRB	45,000.00
						NYERI	45,000.00
						EMBU	45,000.00
						GRSS	45,000.00
						NKR	45,000.00
						KSM	45,000.00
						KKMG	45,000.00
						MSA	45,000.00
23(c)	Poker and key	**Poker and key** Constructed of aluminium alloy to BS 1490Shaft tube shall be of mild steel	No.	NAFFCO	UAE	NRB	25,000.00
						NYERI	25,000.00
						EMBU	25,000.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	25,000.00
						NKR	25,000.00
						KSM	25,000.00
						KKMG	25,000.00
						MSA	25,000.00
23(d)	**Poker**	**Poker** Poker for item No. 23 (a) above	No.	NAFFCO	UAE	NRB	12,500.00
						NYERI	12,500.00
						EMBU	12,500.00
						GRSS	12,500.00
						NKR	12,500.00
						KSM	12,500.00
						KKMG	12,500.00
						MSA	12,500.00
23(e)	**Key**	**Key** Key for item No. 23 (a) above	No.	NAFFCO	UAE	NRB	12,500.00
						NYERI	12,500.00
						EMBU	12,500.00
						GRSS	12,500.00
						NKR	12,500.00
						KSM	12,500.00
						KKMG	12,500.00
						MSA	12,500.00
23(f)	**Dividing breech**	**Dividing breech** Dividing Breech having 63mm Male Instantaneous Inlet &2 nos. 63mm Female Instantaneous Outlet Made using quality grade gun metal, aluminum or stainless steel 304 Size: 1" to 5 ½"	No.	NAFFCO	UAE	NRB	45,000.00
						NYERI	45,000.00
						EMBU	45,000.00
						GRSS	45,000.00
						NKR	45,000.00
						KSM	45,000.00
						KKMG	45,000.00
						MSA	45,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
23(g)	**Collecting breech**	**Collecting breech** Collecting Breech having 1 no. 63mm Female InstantaneousInlet and 2 nos. 63mm Male Instantaneous Outlet Made using quality grade gun metal, aluminium or stainless steel 304 Size: 1" to 5 ½"	No.	NAFFCO	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
24(a)	**Fluorine Free (FF) Foam Concentrate 3%**	**Fluorine Free (FF) Foam Concentrate 3%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C · Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 20 Litres Container	Litres	NAFFCO	UAE	NRB	31,800.00
						NYERI	31,800.00
						EMBU	31,800.00
						GRSS	31,800.00
						NKR	31,800.00
						KSM	31,800.00
						KKMG	31,800.00
						MSA	31,800.00
24(b)	**Fluorine Free (FF) Foam Concentrate 6%**	**Fluorine Free (FF) Foam Concentrate 6%** · Appearance Clear mobile liquid · Environmentally safe! No fumes or odors · Specific gravity @ 20°C 0.99-1.01 · PH 8-9 · Viscosity @ 20°C 2 Cp · Maximum continuous storage 50°C · Maximum intermittent storage 60°C · Effect of freeze/thaw is None · Lowest use temperature 0°C	Litres	NAFFCO	UAE	NRB	237,800.00
						NYERI	237,800.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		· Sediment as shipped 0.1% · Sediment after ageing 0.1% · Inductions Rate 3% · Expansions Ratio 7:1 · Drainage Time 25% for 3 Minutes · 210 Litres Container				EMBU	237,800.00
						GRSS	237,800.00
						NKR	237,800.00
						KSM	237,800.00
						KKMG	237,800.00
						MSA	237,800.00
25 (a)	**Fluoro Protein foam 3%**	**Fluoro Protein foam 3%** Proprietary mixture of protein hydrolysate, fluorosurfactants, inorganic salts, and water(Chloroprene) conforming to Underwriters Laboratories Standard UL162, latestedition Appearance…… Dark brown liquidDensity 1.15 g/ml... ± 0.03 pH .....6.0 – 8.0 Viscosity .....10 ± 4 centistokes Freezing Point ..... 5 °F (–15 °C) Sediment Volume.....0.20% maximum	Litres	NAFFCO	UAE	NRB	240,000.00
						NYERI	240,000.00
						EMBU	240,000.00
						GRSS	240,000.00
						NKR	240,000.00
						KSM	240,000.00
						KKMG	240,000.00
						MSA	240,000.00
25 (b)	**Fluoro Protein foam 6%**	**Fluoro Protein foam 6%** Fluoro Protein foam in 20 lts containers marked G.K to BSEN3/BS1449/BS1004 or equivalent	No.	NAFFCO	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
26	**Water/Foam Trailers 900Litres**	Water/Foam Trailers 900Litres Water Foam Trailer suitable for mounting in conformation with Kenyan Road regulations. The trailer chassis shall be constructed from rolled steel with galvanized finish. The foam concentrate tank(s) shall be lined in epoxy and include baffle plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent	No.	AGRI 68412	UAE	NRB	3,500,000.00
						NYERI	3,500,000.00
						EMBU	3,500,000.00
						GRSS	3,500,000.00
						NKR	3,500,000.00
						KSM	3,500,000.00
						KKMG	3,500,000.00
						MSA	3,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes and auto overrun brakes as we as jockey wheel and for industrial fully adjustable stabilizers. The form concentrate tank(s) shall be of total capacity 900 litres and shall have self-inducing foam/water monitor, mounted/bolted onto the top of the tank, with the following features; Foam production of 1800 litres/min at a water flow of 180litres/min and water inlet pressure of 5 bar. Approximate running time-minutes Foam throw from branchpipe-14metres					
27	**Mobile foam Generator**	Mobile foam Generator Mobile foam trolley unit on 2No. solid rubber wheels minimum 400mm dia. comprising a chemically resistant minimum 120 litres glass fibre foam concentrate tank and with hose storage compartment. The unit shall comprise of: 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-off valve capable of producing 1800 litres/min of foam with a water flowof 180 litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above.	No.	SW 1060 MATTS TYPE MF 140	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00 8,500,000.00
28	**Graz mist hydrants**	Graz mist hydrants Water-Mist generating hydrant station for production of water mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc The hydrant system shall be capable of water usage rate of 6 liters /minute to produce droplets of max. 25 microns. The hydrant shall be suitable for connection to both water and pressurized air supply each at 2.0 bar pressure to produce 4 Cu Metres of mist per minute. The installation shall comprise: -	No.	TELESTO TYPE 1246	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,500,000.00 4,500,000.00 4,500,000.00 4,500,000.00 4,500,000.00 4,500,000.00 4,500,000.00 4,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Drum/ Winder and 30 metres long x 20mm diam. Air-Water Hose Jet complete with mist nozzle suitable for production of 4 Cu Metres of mist per minute of max. 25 microns at a water flow rateof 6 litres/min. Instantaneous connection outlets for both water and compressed air C/W isolation valves, including a set of flow andpressure controls. Sheet metal cabinet for housing of the above equipment. The cabinet shall be of robust construction with legs suitable for grouting into a concrete ground level slab, and shall have a breakable transparent glass door. Production of 4 cu Metres of mist per minute of max. 25 microns at a water flow rate of 6 litres/min, with the mist being mist suitable for extinguishment of fires involving valuable goods, electronics, live electrical equipment with voltages up to 240 KV etc FOAM PRODUCTION Production of 1800 litres/min of foam with a water flow of 180 litres/ min. at 5 bar inlet pressure The unit shall comprise the following:- Diesel/Petrol pump to power the Water Pump and the Air Compressor, Water Pump capable of duty 10 Litres/ minute at deliverypressure of 4 bar at 3 metres lift Compressor capable of duty 140 CFM at & 7.0 Bar delivery pressure Water (minimum 200 Litres.) and Diesel fuel (Minimum120 Litres) storage tanks, Drum/ Winder C/W 60 metres Air-Water Hose Jet equipped with mist generating Nozzle capable of production of 4 Cu Metres of mist per minute of max. 25 microns at awater flow rate of 6 Litres/min. 1No. 40mm dia x 15 metres long synthetic fire suction hose C/W Instantaneous connectors foam inductor and to a 65mm. dia. Firehydrant Stand pipe outlet A Variable Foam Concentrate pick-up Inductor with on-offvalve capable of producing 1800 Litres/min of foam with a water flow of 180 Litres/ min. at 5 bar inlet pressure Stainless Steel Foam Pick-Up tube coupled to a reinforcedPVC pick- up hose Low Expansion foam branch pipe capable of foam throw ofminimum 14 metres with the inductor conditions mentioned above. 120 Litres Foam Concentrate tankControls and Control Panel					

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The above components shall be housed in a strong framed wrap around chassis with sheet metal side panels and be complete with lifting lugs for loading onto a light truck.					
29	**Portable compact mist and foam units**	**Portable compact mist and foam units** Self- Contained portable Water-Mist/and foam generating unit made of lightweight aluminium plastic lined cylinders capable of foam/ mist production to EN3 and EN1866 water jet capacity reach - 16 m horizontal and 10 m vertical Operating time 44 seconds (based on 10 litre back pack) Single nozzle for all applications including electrical fires to 1000 volts	No.	Telesto	UAE	NRB	3,800,000.00
						NYERI	3,800,000.00
						EMBU	3,800,000.00
						GRSS	3,800,000.00
						NKR	3,800,000.00
						KSM	3,800,000.00
						KKMG	3,800,000.00
						MSA	3,800,000.00
30	**Stationary mist system**	Stationary mist system Mist Nozzles with Colliding Jets Long-Range Mist Nozzles Water Supply (Minimum 2-3 Bar) Pressurized Air Supply (Minimum 2 -3 Bar) System of Detector Communication System between detectors and nozzles	No.	Telesto Model 6342-2	UAE	NRB	4,500,000.00
						NYERI	4,500,000.00
						EMBU	4,500,000.00
						GRSS	4,500,000.00
						NKR	4,500,000.00
						KSM	4,500,000.00
						KKMG	4,500,000.00
						MSA	4,500,000.00
31	**Portable ground monitor nozzle**	**Portable ground monitor nozzle** Portable automatic action Ground Monitor Nozzle capable of flow of 2000 litres/ min. at 7.0 bar water inlet pressure. The monitor shall be of gun-metal construction with base and 4No. Stainless steel foldable legs with carbide tipped spikes. The monitor shall have a carrying handle and a hand wheel for adjustment of vertical inclination of the nozzle The monitor shall be complete with: Dual - Pressure 500GPM Max Force, Automatic Nozzle Pivoting outlets allowing 20 degrees of motion either side of Centre and 40 degree of motion from 10 degrees above horizontalto 50 degrees	No.	Blitz Fire Safe Tak-11	UAE	NRB	2,500,000.00
						NYERI	2,500,000.00
						EMBU	2,500,000.00
						GRSS	2,500,000.00
						NKR	2,500,000.00
						KSM	2,500,000.00
						KKMG	2,500,000.00
						MSA	2,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Butterfly Valve with automatic operation capable of cutting off flow thereby reducing reaction force should the monitor start to tipfor any reason.					
32	**Lifting pads – Up to 4000Kgs**	Lifting pads – Up to 4000Kgs Set of 2No Lifting Bags suitable for lifting Cars, Buses, Vans, Emergency bracing in work pits, floating sunken loads etc, without damage to thin walled vehicle bodywork. The bags shallbe manufactured in reinforced Neoprene Nylon Fabric in 8no. loops and shall satisfy the following conditions: - Operation Pressure-1.0 Bar No single point loaded more than 1000g/cm2 Variable operating pressure from 0.1 through 0.5 bar to 1 Bar Bursting pressure 4.5 times the MAX. allowableworking pressure Lifting Power-58KN Lifting Height 48Cm/18 InchDiameter 61 cm/24 Inch Testing Pressure – 4.0 bar The set shall come complete with: - 2No. oil resistant Inflation Hoses each 5 metres long. 1No. dual safety controller fitting for separate control of the 2No.Lifting Bags C/W 2No. safety valves 1No. Pressure Reducer- 200/300 bar, adjustable up to 10bar, with protection cap, locking valve and 2 metre long Compressed Air Hose. Air Bags Pressurization Kit as described below AIR BAGS PRESSURIZATION KIT MSA The Air Bags set shall be supplied complete with a Pressurization Kit for inflation of the bags. The kit shall comprise the following:- ➢ 2No. 300bar Capacity 6 litres Compressed Air Bottles strapped onto a compact carrier frame, ➢ Bottle connector 300 bar C/W Pressure Regulator, Safety Valve 8 Bar with dead man control ➢ 2no. Auto – Retracting inflation hoses each 15 metres long. The carrier frame shall be wheeled and sled type combi chassis,	No.	SITCO Model 3467-11-20	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	1,700,000.00 1,700,000.00 1,700,000.00 1,700,000.00 1,700,000.00 1,700,000.00 1,700,000.00 1,700,000.00
33(a)	**Collapsible fuel/water & liquid foam tanks(10,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (10,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge)	No.	CP 4000	UAE	NRB NYERI EMBU	4,000,000.00 4,000,000.00 4,000,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		10,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.				GRSS	4,000,000.00
						NKR	4,000,000.00
						KSM	4,000,000.00
						KKMG	4,000,000.00
						MSA	4,000,000.00
33(b)	**Collapsible fuel/water & liquid foam tanks(50,000 gallons)**	**Collapsible fuel/water & liquid foam tanks (50,000 gallons)** Collapsible fuel/water & liquid foam tanks with fittings (filing & discharge) 50,000 gallons capacity. The tank should be specially heat sealed and designed for high strength in severe outdoor exposure. It should resist UV, abrasion, puncture and pressure loads. The seam design should ensure that no weeping or leakage can occur.	No.	CP 9000	UAE	NRB	8,500,000.00
						NYERI	8,500,000.00
						EMBU	8,500,000.00
						GRSS	8,500,000.00
						NKR	8,500,000.00
						KSM	8,500,000.00
						KKMG	8,500,000.00
						MSA	8,500,000.00
34	**Plastic box First aid kits (firefighting)**	**Plastic box First aid kits (firefighting)** Plastic box First aid kit (fire Fighting) complete with the following: - 20No. individually wrapped sterile adhesive dressings (assorted sizes) 2No. sterile eye pads) 4No. individually wrapped triangular bandages) 6No. safety pins 6No. medium sized individually wrapped sterile unmedicated wound dressings (12cm x 12cm)) 2No. large sterile individually wrapped unmedicated wounddressings (18cm x 18cm) vii) 1No. pair of disposable gloves	No.	Health Care CP 364	UAE	NRB	15,000.00
						NYERI	15,000.00
						EMBU	15,000.00
						GRSS	15,000.00
						NKR	15,000.00
						KSM	15,000.00
						KKMG	15,000.00
						MSA	15,000.00
35	**Canvas rubber lined lay flat hose**	**Canvas rubber lined lay flat hose** 150mm dia. x 25 meters long, with alloy joints and Victaulic couplings and rubber seals to the BS6391 Type 3 specification with instantaneous couplings to BS366 wired on	No.	Flexco		NRB	135,000.00
						NYERI	135,000.00
						EMBU	135,000.00
						GRSS	135,000.00
						NKR	135,000.00
						KSM	135,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Shall have high chemical resistance, abrasion resistance, lightweight and be flexible				KKMG	135,000.00
						MSA	135,000.00
36	**Knapsack firefighting 20 liters with mixing nozzles**	**Knapsack firefighting 20 litres with mixing nozzles** Knapsack Fire Fighting unit comprising of high resistant 20 liter Polyethylene tank with reinforced chassis. The unit shall have nylon padded carrying straps with self-regulating buckles for strapping onto the fire-fighter's back. The unit shall include a brass hand pump and delivery hose and tube C/W an adjustable nozzle for adjustment for short and long jet discharges	No.	Guarany	UAE	NRB	75,000.00
						NYERI	75,000.00
						EMBU	75,000.00
						GRSS	75,000.00
						NKR	75,000.00
						KSM	75,000.00
						KKMG	75,000.00
						MSA	75,000.00
37	**Drip torches 5 liters**	**Drip torches 5 liters** Drip torch of tank capacity 5 liters, suitable for safe and easy setting of prescribed burns. The unit shall comprise a StainlessSteel tank and have a curved discharge pipe and a protected Asbestos wick. The carrying handle and the drip pipe to the tank shall be of aluminum metal. The tank shall be complete with a threaded filling cap for fuel loading.	No.	Guarany	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
38	**Pick-up Truck Fire Fighting Set complete with 400 lts Tank**	Pick-up Truck Fire Fighting Set complete with 400 lts Tank Pick-up Truck Fire Fighting Set for quick access to fire locations. The set shall be compact, practical and light weight suitable for setting up in any Pick-Up truck. The set shall comprise of the following:- Low profile PVC flexible water tank C/W internal baffles for maximum stability of the carrying Pick-Up the tank shall be of minimum 400 liters capacitySelf-priming pump with 2 - Stroke Petrol Engine Foam Inductor Kit with minimum 4 liter foam concentratetank capacity Suction and Discharge Hoses	No.	Guarany	UAE	NRB	4,500,000.00
						NYERI	4,500,000.00
						EMBU	4,500,000.00
						GRSS	4,500,000.00
						NKR	4,500,000.00
						KSM	4,500,000.00
						KKMG	4,500,000.00
						MSA	4,500,000.00
39	**Fire beaters / Fire Swatter / McLeod/ Pulaski set**	**Fire beaters / Fire Swatter / McLeod / Pulaski set**	No.	Guarany	UAE	NRB	65,000.00
						NYERI	65,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The set shall comprise 1No. of items of each of the following items; Fire swatter constructed of heavy canvas material withangled iron support frame attached to a 1.52metre fire resistant wooden handle Rake and Adze hoe in one combination, with 12 gauge steelhoe C/W 1.24 meter Fire Resistant wooden handle Mattock and Axe in one combination tool , made of highgrade tempered steel and with approximately 910-mm long fire resistant wooden handle				EMBU	65,000.00
						GRSS	65,000.00
						NKR	65,000.00
						KSM	65,000.00
						KKMG	65,000.00
						MSA	65,000.00
40	**Power Chain Saw**	**Power Chain Saw** Petrol Engine Powered Chain Saw suitable for cutting of trees and complete with all features necessary for safe operation and having the following specifications: . Displacement (CC) 25. 4 Form of Carburetor - DiaphragmMaxed Fuel Ratio 25.1 Tank Capacity 0.23 LtsLength – 250mm All to BS 6916 part II 1989	No.	Yongsia	UAE	NRB	150,000.00
						NYERI	150,000.00
						EMBU	150,000.00
						GRSS	150,000.00
						NKR	150,000.00
						KSM	150,000.00
						KKMG	150,000.00
						MSA	150,000.00
41	**Hydraulic rescue tools complete set**	**Hydraulic rescue tools complete set** Hydraulic Rescue Hand Tools set comprising of hand tools suitable for Spreading, Cutting and Pulling to the following specifications: Top Expansion Capability 38 - 47KN Working surface Capability 68 - 114KNPull 38KN Expansion surface 620mmHydraulic combi Shears Fast stop safe tie-in 360° adjustable and moveable handle Hand pump two pole operation of high pressure and low pressure. The hand pump set shall come complete with 5 metershose and coupling for connection to the tools and shall be as manufactured by WEBER or approved equivalent.	No.	Roters Lucas SP35	UAE	NRB	850,000.00
						NYERI	850,000.00
						EMBU	850,000.00
						GRSS	850,000.00
						NKR	850,000.00
						KSM	850,000.00
						KKMG	850,000.00
						MSA	850,000.00
42		**Booster pump for hydraulic hose reel**	No.	Naffco	UAE	NRB	350,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Booster pump for hydraulic hose reel	Electric driven booster pump suitable for water pumping duty of 4 cubic meters per hour against 25 meters static pressure. The pump shall have the following as standard:- Tank 24 litre diaphragm/ pressure Vesle, 5 Metres long flexible hose C/W connectors to suction outlet. Pressure switch for off-on operation,Pressure gauge 7 Bar (100PSI) Electric Cable 1. 5 Meters C/W plug for connection to asocket outlet.				NYERI	350,000.00
						EMBU	350,000.00
						GRSS	350,000.00
						NKR	350,000.00
						KSM	350,000.00
						KKMG	350,000.00
						MSA	350,000.00
43	**Trailer water bowser 2000 liters capacity**	Trailer water bowser 2000 liters capacity Mounted in conformation with Kenyan Road regulations.The trailer chassis shall be constructed from rolled steel with galvanized finish. The water tank shall be 2000 liters cylindrical welded onto the trailer bed and with internal baffles plates to prevent water surge when towing. The tank shall include a 250mm. dia. quick release auto vent fill lid and sight glass level as standard. The trailer should include full road lighting c/w lenses protection guards, auto-reverse breaking system, cantilever hand brakes andauto overrun brakes as well as jockey wheel and four industrial,fully adjustable stabilizers.	No.	SSG/500 AGRI	UAE	NRB	3,500,000.00
						NYERI	3,500,000.00
						EMBU	3,500,000.00
						GRSS	3,500,000.00
						NKR	3,500,000.00
						KSM	3,500,000.00
						KKMG	3,500,000.00
						MSA	3,500,000.00
44	**Fire Fighting aluminum extension ladders**	**Fire Fighting aluminum extension ladders** 2.50M Long x Internal Width 360mm aluminum type extension ladder	No.	NAFFCO	UAE	NRB	195,000.00
						NYERI	195,000.00
						EMBU	195,000.00
						GRSS	195,000.00
						NKR	195,000.00
						KSM	195,000.00
						KKMG	195,000.00
						MSA	195,000.00
45	**Disaster pouch (Treated Casualty bag)**	**Disaster pouch (Treated Casualty bag)** Full- Length- Adult size Zip Disaster Pouch fabricated from heavy duty Vinyl- Coated Nylon fabric / laminated polyester fabric. The pouch shall have six (8No.) padded carrying handles and shall be	No.	SEPCO CPA	UAE	NRB	5,800.00
						NYERI	5,800.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		of dimensions 2000mm long x 850 mm wide Capacity: 675 # Lift Zipper shall be completely sewn with nylon thread for greater durability. Each pouch shall contain bio-hazard tag. All seams shall be dielectrically sealed to prevent leakage. Burst strength of material (lbs./sq.) 206 lbs. Each pouch shall be individually packaged in a 24" x 24" heavy duty viscera bag. Mil Thickness - 12 mil					
						EMBU	5,800.00
						GRSS	5,800.00
						NKR	5,800.00
						KSM	5,800.00
						KKMG	5,800.00
						MSA	5,800.00
46	**H/D rubber gloves**	**H/D rubber gloves** Multipurpose gloves made of PVC Fully lined with a Soft cotton tricot Length 350mm Size large (10)	No.	CRMO T1461	UAE	NRB	4,800.00
						NYERI	4,800.00
						EMBU	4,800.00
						GRSS	4,800.00
						NKR	4,800.00
						KSM	4,800.00
						KKMG	4,800.00
						MSA	4,800.00
47	**Firefighters Protective Suit**	**Firefighters Protective Suit** Firefighters Protective Clothing to be as NOMEX OMEGA Firefighting Suit **or equivalent and approved** to EN 469, comprising: **Tunic:** with torch loop, radio loop and 2 Internal Pockets. **Trousers:** Chest height with braces, padded knee & 2 external pockets	No.	CORMO 6413	UAE	NRB	280,000.00
						NYERI	280,000.00
						EMBU	280,000.00
						GRSS	280,000.00
						NKR	280,000.00
						KSM	280,000.00
						KKMG	280,000.00
						MSA	280,000.00
48	**Fireman's Fire Fitting clothing (Fire Tunic)**	**Fireman's Fire Fitting clothing (Fire Tunic)** Fireman's Fire Fitting clothing (Fire Tunic) as TOPSPEC FIREAMN'S TUNIC manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside,	No.	CORMO 541B2	UAE	NRB	65,000.00
						NYERI	65,000.00
						EMBU	65,000.00
						GRSS	65,000.00
						NKR	65,000.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		with 2 oz Probanâ cotton lining **or equivalent and approved**				KSM	65,000.00
						KKMG	65,000.00
						MSA	65,000.00
49	**Fire-fighting rescue action top 9sizes Boots**	**Fire-fighting rescue action top 9sizes Boots** Fire-fighting rescue action top 9sizes Boots (Sizes 38-48) to CSN EN 345 S3 HRO specification. Complete with lining, hydrophobized leather antistatic construction, rubber outsole with steel anti-perforation insert, resistant to oil, fuels, acids and anatomic 300o C temperature, replaceable washable innersole, stiffened with steel toe cap.	No.	CORMO F641	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
50	**Head Helmets**	**Head Helmets** suitable for Fire Fighting and Rescue services and having the following features: Shell manufactured from Flame Retardant material withgood shock absorbing qualities, longitudinal ribs and interior ventilation channels Interior Basket in flame retardant material and allowing foradjustment for head size and shape (from 52 to 63 cm) high shock absorbing quality and non-irritating lining Flame Retardant cotton material chinstrap with quickrelease snap connection Retractable face protector visor in flame retardant polycarbonate material, Scratch resistant and with anti-foggingprotection Neck protection of genuine leather material with separableshell connection	No.	BIC CORMO T412	UAE	NRB	48,000.00
						NYERI	48,000.00
						EMBU	48,000.00
						GRSS	48,000.00
						NKR	48,000.00
						KSM	48,000.00
						KKMG	48,000.00
						MSA	48,000.00
51	**Breathing apparatus**	**Breathing apparatus** Breathing apparatus suitable for strapping as a back pack complete with waist and chest straps. The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN137 CLASS II standards.	No.	BIC CORMO BT 6424	UAE	NRB	345,000.00
						NYERI	345,000.00
						EMBU	345,000.00
						GRSS	345,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The apparatus shall be complete with a positive pressure Face Mask Self-contained breathing apparatus (SCBA) shall contain: facemask, flow regulator, reducer, 1No. 6 litres / 300 bar cylinder with compressed air for 45 minutes nominal duration and be c/w charging connection outlet, and back frame with harness				NKR	345,000.00
						KSM	345,000.00
						KKMG	345,000.00
						MSA	345,000.00
52	Ear mutts	**Ear mutts** Ear protection mutts suitable for protection against dangerous noise levels. The equipment shall have the following features:- Durable, Lightweight, Non- Electrical conductivity plastic material Universal fit headband Soft Foam filled cushionsLarge ear cup openings	No.	BIC CORMO T641	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00
53	Leggings	**Leggings** Lower legs protection leggings suitable for fire fighting and rescue services and having the following features; Pull on fitting ,with adjustable elastic bracesKnee protection Suitable for sewing onto both trouser legsReflective strips	No.	BIC CORMO C426	UAE	NRB	65,000.00
						NYERI	65,000.00
						EMBU	65,000.00
						GRSS	65,000.00
						NKR	65,000.00
						KSM	65,000.00
						KKMG	65,000.00
						MSA	65,000.00
54	Gas Masks	**Gas Masks** suitable for protection against dangerous gases and having the following features: Built in speech diaphragm to aid in communicationRubber face piece Poly Carbonate lens for high impact resistance Universal fit to fit different head sizes	No.	BIC CORMO 7424TC	UAE	NRB	15,500.00
						NYERI	15,500.00
						EMBU	15,500.00
						GRSS	15,500.00
						NKR	15,500.00
						KSM	15,500.00
						KKMG	15,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Filters for protection against high speed particles				MSA	15,500.00
55	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot**	**Fully heat protection suit aluminized complete with overall, hood, three finger mitten and over boot** Made using the aluminized FR Fabric, Fire Proof, ThermalInsulate, Penetration resist of radiation Heat sect type conforming to EN 1486	No.	CORMO RPG 97	UAE	NRB	325,000.00
						NYERI	325,000.00
						EMBU	325,000.00
						GRSS	325,000.00
						NKR	325,000.00
						KSM	325,000.00
						KKMG	325,000.00
						MSA	325,000.00
56	**Fire fluorescent waist coat**	**Fire fluorescent waist coat** Fireman's Fire Fighting clothing Waist Coat as manufactured from Nomexâ III 180gm/m2 or 265gm/m2 material waterproofed with Neoprene inside, with 2 oz Probanâ cotton lining and with fluorescent material	No.	GAPCO C46	UAE	NRB	28,500.00
						NYERI	28,500.00
						EMBU	28,500.00
						GRSS	28,500.00
						NKR	28,500.00
						KSM	28,500.00
						KKMG	28,500.00
						MSA	28,500.00
57	**Hydraulic Pressure tester complete with kits components for fire extinguishers**	**Hydraulic Pressure tester complete with kits components for fire extinguishers** With adaptors up to 6" diameter lines and upto 2400 ft of hose atone time. With 1 ½ " Manifold Assy to allow for fast filling of the hoses from the Hydrant or stand Pipe Twin Piston pump pressure upto 500PSI at a 3 GPM Flow Rate	No.	HPY 36L3	UAE	NRB	920,000.00
						NYERI	920,000.00
						EMBU	920,000.00
						GRSS	920,000.00
						NKR	920,000.00
						KSM	920,000.00
						KKMG	920,000.00
						MSA	920,000.00
58(a)	**15mm dia. Marine Ropes**	**15mm dia. Marine Ropes** 1 No. Roll of 15mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	342,000.00
						NYERI	342,000.00
						EMBU	342,000.00
						GRSS	342,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	342,000.00
						KSM	342,000.00
						KKMG	342,000.00
						MSA	342,000.00
58(b)	**20mm dia. Marine Ropes**	**20mm dia. Marine Ropes** 1 No. Roll of 20mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	439,000.00
						NYERI	439,000.00
						EMBU	439,000.00
						GRSS	439,000.00
						NKR	439,000.00
						KSM	439,000.00
						KKMG	439,000.00
						MSA	439,000.00
58(c)	**25mm dia. Marine Ropes**	**25mm dia. Marine Ropes** 1 No. Roll of 25mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	Seamens		NRB	589,000.00
						NYERI	589,000.00
						EMBU	589,000.00
						GRSS	589,000.00
						NKR	589,000.00
						KSM	589,000.00
						KKMG	589,000.00
						MSA	589,000.00
58(d)	**32mm dia. Marine Ropes**	**32mm dia. Marine Ropes** 1 No. Roll of 32mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	751,000.00
						NYERI	751,000.00
						EMBU	751,000.00
						GRSS	751,000.00
						NKR	751,000.00
						KSM	751,000.00
						KKMG	751,000.00
						MSA	751,000.00
58(e)	**50mm dia. Marine Ropes**	**50mm dia. Marine Ropes**	No.	SEAMENS	UAE	NRB	1,200,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		1 No. Roll of 50mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions				NYERI	1,200,000.00
						EMBU	1,200,000.00
						GRSS	1,200,000.00
						NKR	1,200,000.00
						KSM	1,200,000.00
						KKMG	1,200,000.00
						MSA	1,200,000.00
58(f)	**65mm dia. Marine Ropes**	**65mm dia. Marine Ropes** 1 No. Roll of 65mm diameter x 70meter long Marine Ropes suitable for use in sea, river and special conditions	No.	SEAMENS	UAE	NRB	1,350,000.00
						NYERI	1,350,000.00
						EMBU	1,350,000.00
						GRSS	1,350,000.00
						NKR	1,350,000.00
						KSM	1,350,000.00
						KKMG	1,350,000.00
						MSA	1,350,000.00
59	**Oxygen Generating Mask**	**Oxygen Generating Mask** Mask for protection of exposed facial dimensions capable of protection from various natural disasters resulting from Fire Hazards i.e. smoke, dangerous fumes, hot gases ETC, allowing for evacuation to safer areas. Self-contained unit made of rubber or plastic material with comfortable mask and one oxygen generator in a single pack or two generators in a duo pack The material shall be odorless and flame retardant VO grade to UL94 standards Generator shall have capacity to supply minimum average 4 Litres/min flow of oxygen(within 12 seconds of actuation) for about 20 minutes The mast shall have the following features. Rubber face piece Polycarbonate lens for high impact resistanceUniversal fit to fit different head sizes Self-serving breathing hole which does not utilize external air Oxygen generating chemical cartilage for generation of therequisite Oxygen	No.	CILLICO EGM 43-11	UAE	NRB	25,000.00
						NYERI	25,000.00
						EMBU	25,000.00
						GRSS	25,000.00
						NKR	25,000.00
						KSM	25,000.00
						KKMG	25,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Minimum use time for the mask to be minimum 10 minutes for fast breathing and 30 minutes for slow breathing				MSA	25,000.00
60	**Battery Powered Rope Ascender**	**Battery Powered Rope Ascender** Shall be powered by high density lithium battery and be suitable for scaling heights and with the following features: Robe grab system to EN 1891 and weigh 1.5kg with dimensions of 40x30x25cm Shall be able to work within 200kg safe load Shall have an automatic switch to monitor overload Speed adjustment range of 0 to 22m /min and emergency speed= 0.5m/s Temperature working range -200C to 500C Raising a weight of minimum 450kg at a speed of not lessthan 3metres per second. Rope/Climbing Cable assembly capable of ascending a100metres High Storied building. Rechargeable Battery capable attaining 90% of maximumcharge within 5 minutes Operation control shall be both manual trigger on hand grip buttons and by remote controller.	No.	FAST ROPE	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,200,000.00 4,200,000.00 4,200,000.00 4,200,000.00 4,200,000.00 4,200,000.00 4,200,000.00 4,200,000.00
61	**Field Mobile Tough Notebook Computer**	Field Mobile Tough Notebook Computer Fully Rugged Tough Notebook/Laptop Computer designed for Military Police, Fire professionals with 13.3inch Display/Screen withthe following specifications: Microsoft Windows XP professional Intel Core 7 Duo Processor L2400 mobile technology (2MBL2 Cache, 1.66 GHZ, 667MHZ FSB) Intel 945GM Express Chipset RAM512 MB(4GB Max), UMA 128MB, 80GB Hard Drive (7200RPM) Combo Drive DVD Multi Drive Built-in-Intel PRO/Wireless 3945BG network connection 802. 11. a/b/g/weight 3.8Kg max.	No.	EXXON CP30	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	840,000.00 840,000.00 840,000.00 840,000.00 840,000.00 840,000.00 840,000.00 840,000.00
62	**Unifold shelter**	**Unifold shelter** Foldable Fabric and Tent Frame Structure with 8 different shelter sizes ranging from 10'x6' to 11.5'x22' - ideal for decontamination, triage or command post uses; which when unfolded forms into a full enclosure comprising roof, sidewalls, floor and end walls, ready for occupation by	No.	FERNOMIR 1027	UAE	NRB NYERI EMBU GRSS NKR	380,000.00 380,000.00 380,000.00 380,000.00 380,000.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		people, equipment and supplies all assembled within seconds. Shall weigh less than 140lbs and capable of being stored in 6x8ftarea Shall not have air power fragile mechanisms Shall have easy to cut access holes for below ground operations The unifold structure shall be foldable into a flat pancake for easy storage and transport. Length - 6metres Width - 3 metres Height of Side wall - 1.7 metres Height of apex of roof - 2.4metres The unifold shelter should fold into a flat pancake Max. 1.8m x 1..8mx 0.6metre thick. The shelter should be complete with a door, a window and clip pointsfor hanging items. Material of construction should be water proof and the assembled structure shall be capable of withstanding wind speeds of 70miles per hour The unit shall come complete with a re-usable storage bag for transportation and storage.				KSM KKMG MSA	380,000.00 380,000.00 380,000.00
63	Emergency Sleeping Bag	**Emergency Sleeping Bag** Re-usable Emergency Survival protection bag for outdoor use toprovide protection from harsh natural elements. Size (vacuum packed): 21 x 11 x 4 cm. Volume: 0.9 Litres. Weight: 385 grams. Size (unpacked): 2.1 metres. Made of a layer of aluminized PVC bonded to a layer of thin non- woven nylon fibers. The seams shall be reinforced with the same multilayer material for added strength. The bag shall have an air layer formed by corrugations to form channels between outer and inner layers for provision of air gap insulation. The inner and outer surfaces of the bag shall be metalized to reflect ambient heat and retain radiated body heat emissions (optimal heat absorption). The bag shall be fully waterproof, windproof and re-usable and shall have approximate dimensions of 84" x 36"	No.	NEXTCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	7,500.00 7,500.00 7,500.00 7,500.00 7,500.00 7,500.00 7,500.00 7,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		when unfolded; and be foldable into a compact unit. The maximum weight of the bag shall be 0.8kg.					
64(a)	**Unisol Solar Lamps – JS20**	Unisol Solar Lamps – JS20 Solar cell: 1 watt, No of leds:20, Battery: Rechargeable NimH, Operation:3 way Switch with Night Lamp facility, Accessories:A6v Electrical charger, which can be used to charge thelantern in case of deficient sunlight, Size:26cmx17cmx17cmLight Hours:4-5hrs	No.	SOLAR SCR001	UAE	NRB	377,000.00
						NYERI	377,000.00
						EMBU	377,000.00
						GRSS	377,000.00
						NKR	377,000.00
						KSM	377,000.00
						KKMG	377,000.00
						MSA	377,000.00
64(b)	**Unisol Solar Lamps – JS20-Mob**	**Unisol Solar Lamps – JS20** Solar cell: 1 watt, No of leds:20, Battery: Rechargeable NimH, Operation:3 way Switch with Night Lamp facility, Accessories:A6v Electrical charger, which can be used to charge thelantern in case of deficient sunlight, Size:26cmx17cmx17cmLight Hours:4-5hrs	No.	SOLAR CAR	UAE	NRB	390,000.00
						NYERI	390,000.00
						EMBU	390,000.00
						GRSS	390,000.00
						NKR	390,000.00
						KSM	390,000.00
						KKMG	390,000.00
						MSA	390,000.00
64(c)	**Unisol Solar Lamps –SK30**	**Unisol Solar Lamps –SK30** Solar cell: 1 watt, No of leds:30 Battery: Rechargeable NimH Operation:3 way Switch with Night Lamp facility Accessories:A6v Electrical charger, which can be used to charge the lantern in case of deficient sunlight Size:33cmx23cmx23cmLight Hours:4-5hrs	No.	SOLAR CAP SCR-90	UAE	NRB	370,000.00
						NYERI	370,000.00
						EMBU	370,000.00
						GRSS	370,000.00
						NKR	370,000.00
						KSM	370,000.00
						KKMG	370,000.00
						MSA	370,000.00
64(d)	**Unisol Solar Lamps –SK30-Mob**	**Unisol Solar Lamps –SK30-Mob** Solar cell: 1 watt, No of leds:30 Battery : Rechargeable NimH Operation:3 way Switch with Night Lamp facility Accessories:A7.5v Electrical charger, which can be used to charge the lantern in case of deficient sunlight, a mobile cord will also be provided with 4 pins to charge the mobile phone Size:33cmx23cmx23cm Light Hours:5-6hrs(without using the mobile phone charging facility) Mobile Charging facility:45 minutes of mobile charging gives30-40 minute of talk time ,after which you would get 4-5hrs of light output	No.	SOLAR CAP SCR-005	UAE	NRB	450,000.00
						NYERI	450,000.00
						EMBU	450,000.00
						GRSS	450,000.00
						NKR	450,000.00
						KSM	450,000.00
						KKMG	450,000.00
						MSA	450,000.00
65	**Fire Sentry**	**Fire Sentry** Ionization type detector complete with: Test button to check alarm circuits Low battery indicator which beeps when battery needs replacementLoud piercing (85db) horn	No.	SISCO	UAE	NRB	1,290,000.00
						NYERI	1,290,000.00
						EMBU	1,290,000.00
						GRSS	1,290,000.00
						NKR	1,290,000.00
						KSM	1,290,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Flashing Red LED light which indicates alarm is receiving power Twist off mounting bracket to provide fast easy installation & battery replacement 9 volt battery operated smoke alarm				KKMG	1,290,000.00
						MSA	1,290,000.00
66	**Emergency Mobile Bridge**	**Emergency Mobile Bridge** Emergency Mobile Bridge with the following specifications: Capacity 50 Tons (50,000 Kgs) Length/span -26 metres Long Construction type Hole & PegMaterial - Aluminium Alloy Construction time - 4 Hours The kit shall also allow for cross linkage to give any variation in width up to 26 Meter width to create a bridge of 26 metres long x 26 meters wide	No.	Model 12B4 Bridging Equipment	UAE	NRB	48,500,000.00
						NYERI	48,500,000.00
						EMBU	48,500,000.00
						GRSS	48,500,000.00
						NKR	48,500,000.00
						KSM	48,500,000.00
						KKMG	48,500,000.00
						MSA	48,500,000.00
67	**Floto-pump**	**Floto-pump** Pressure to 105 PSI Capacity to 140 GPM Forestry (HP) Pressure to 170PSS Capacity to 60 GPM 8 HP/133CC 4.7(1h-1.5h)	No.	CPC-4923 SISCO	UAE	NRB	350,000.00
						NYERI	350,000.00
						EMBU	350,000.00
						GRSS	350,000.00
						NKR	350,000.00
						KSM	350,000.00
						KKMG	350,000.00
						MSA	350,000.00
68	**Lifebuoy used with remote control**	**Lifebuoy used with remote control** Size 200x207x120 (mm) 2.5 Knots DC700 4 Blades 6CH Digital FM Radio Control NI-MH (6 CELL)7.2 VCD 3800mA NI-MH 12DC (INPUT)	No.	4-TEC UPESAVE BK-101	UAE	NRB	4,800,000.00
						NYERI	4,800,000.00
						EMBU	4,800,000.00
						GRSS	4,800,000.00
						NKR	4,800,000.00
						KSM	4,800,000.00
						KKMG	4,800,000.00
						MSA	4,800,000.00
69	**Fire Mobile crane**	**Fire Mobile crane** Horizontal and Vertical system (For high rise building fire and limited working space/limited access where fire trucks cannot access)	No.	TESCO TB689 234	UAE	NRB	14,200,000.00
						NYERI	14,200,000.00
						EMBU	14,200,000.00
						GRSS	14,200,000.00
						NKR	14,200,000.00
						KSM	14,200,000.00
						KKMG	14,200,000.00
						MSA	14,200,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
70	**Mammoth Matting**	**Mammoth Matting** Shall be made from polypropylene/reinforced rubber with high strength, durability and resistance against chemicals and uv lights complete with framework of 6x15mm steel beams with wood timber inserts Measuring 4m wide and 30m long Capable of climbing steep gradients up to 25 degreesCapable of being used on all types of soil Capacity :60 tons	No.	Gosco MMA B63	UAE	NRB	3,500,000.00
						NYERI	3,500,000.00
						EMBU	3,500,000.00
						GRSS	3,500,000.00
						NKR	3,500,000.00
						KSM	3,500,000.00
						KKMG	3,500,000.00
						MSA	3,500,000.00
71	**Aluminium truck way Matting**	**Aluminium truck way Matting** Sheet dimension Width : 4590mm Length :17 metres Capacity :60 tons Material should be aluminium Anchoring Pin/Hole/Steel locking bolt on road surface side ofmatting	No.	Anglessy Fau	UAE	NRB	3,800,000.00
						NYERI	3,800,000.00
						EMBU	3,800,000.00
						GRSS	3,800,000.00
						NKR	3,800,000.00
						KSM	3,800,000.00
						KKMG	3,800,000.00
						MSA	3,800,000.00
72	**Location/ Monitoring system**	**Location/Monitoring system** The search cam system combines a miniature video camera with a spotlight as well as a sensitive microphone to provide rescuers to look and listen into the voids of a collapsed structure	No.	SMCO	UAE	NRB	2,500,000.00
						NYERI	2,500,000.00
						EMBU	2,500,000.00
						GRSS	2,500,000.00
						NKR	2,500,000.00
						KSM	2,500,000.00
						KKMG	2,500,000.00
						MSA	2,500,000.00
73 (a)	**Pyrogen fire Suppression Generators(Ex Series)**	**Pyrogen fire Suppression Generators(Ex Series)** EXA – Z1 :Aerosol Mass, 100g Generator mass: 1.0 Max. protected Volume, 1 m3 Length: 122mm Diameter: 64mm Canister Material S/S, Nozzle Outlet Lateral Discharge Time, 30s. Ignition Resistance 2.0-3.0, Minimum all fire current :1.2@12ms, Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB	2,800,000.00
						NYERI	2,800,000.00
						EMBU	2,800,000.00
						GRSS	2,800,000.00
						NKR	2,800,000.00
						KSM	2,800,000.00
						KKMG	2,800,000.00
						MSA	2,800,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
73 (b)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 10R :Aerosol Mass, 1000g Generator mass 9.3 Max. protected Volume, 10m3 Length: 200mm Diameter: 220mm Canister Material M/S, Nozzle Outlet Radial Discharge Time: 30s. Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00
73(c)	**Pyrogen fire Suppression Generators**	**Pyrogen fire Suppression Generators** EXA – 50 :Aerosol Mass, 5000g Generator mass 28.5 Max. protected Volume, 50 m3 Length: 450mm Diameter: 310mm Canister Material M/S, Nozzle Outlet Lateral Discharge Time: 50s Ignition Resistance: 2.0-3.0 Minimum all fire current :1.2@12ms Minimum Activation Voltage :3.6Vdc	No.	SUSCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	3,800,000.00 3,800,000.00 3,800,000.00 3,800,000.00 3,800,000.00 3,800,000.00 3,800,000.00 3,800,000.00
74	**Emergency Security Safety Barriers**	**Emergency Security Safety Barriers** **Type**: NMSB XVI 16' Mobile Hydraulic-dual buttress housing barrier system. **Deployment Positioning**: Once mobilized at site, to be lowered in position by 3(one front & two rear) manual jacks, leveled utilizing levelers at base barrier. Should consist of four (4) concrete jersey barrier, two (2) units placed behind each of the two Mobile/portable integrated buttress housing totaling a weight of 18,000 Ibs with four concrete barriers. **Road Blockers Physical dimensions :** HPU Cabinet - 640/940mm W x 670mm D x 1300mm H 2m Road blocker - 2510mm W x 1770mm D x 1000mm H **Road Blockers Basic Power requirements**: 3-Phase 415VAC, 50Hz, 20 amps (other voltages are available) Control Voltage S.E.L V 24 v **Road Blocker Performance**: Loading - 30 Tonnes **PAS 68 Impact absorption**: 1852KJ (fully operational immediately after impact) Full PAS 68 Classification: V/7500(N2/80/90:0/17.0 TestedModel 800mmHx2.0mW Road Blockers Speed of operation - typically 6 Seconds toraise or lower Emergency Fast Raise option - <1 second to raise Operating temperature	No.	Nasatua NMSB	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		range -25 deg C - +70 deg C Hydraulic Back Up System to provide six half cycles in the event of power failure. **Construction**: The supporting framework shall be constructed from fully welded, heavy gauge, steel angle and boxsection completely encased with steel sheets to provide a self-shuttered module. Sub-surface fixing points shall ensure the blocker iscompletely secured to its foundation.					
75	**Incinerator Assy 10,000kg**	**Incinerator Assy 10,000kg** **Installed heating capacity**: 1, 200,000Kcal/hr. **Hearth area** :1.8m2 **Hearth Loading** :85Kg/m2 **Changing door** :350 mm (W).350mm(H) with hinged refractory lined: **Ash door**:350 mm (W).200mm(H) with hinged refractory lined **Air Port** :One set **View Port**: One **Burner**: One 1.20.000 Kcal/hr HSD fired, ignition burner with FD fan, fuel pumps flame, control & burner control system, ignition unit etc. **Material of construction**: Shell - Boiler quality to IS 2002 Gr A Insulation: a) Castable refractories high alumina capable of withstanding 1400 degree centigrade. Outer chamber with air jacket. b) Mineral Wool c) Glass wool **Damper** :Butterfly type & Manual **Electric Motor** :TEFC Squirrel cage induction motor continuous rating with 'F' class insulation (non flameproof) **Skin temperature** :35°C above ambient **Mode of operation**: Fully automatic with alarm buzzer **Mating System burner with Automating nozzle**: Pressure jetautomatic burners with automatic **Operating pressure Draught fan**: Negative pressure though induced **Fuel Tank**:100 litre with inspection cover drain valve, gauge and pipe lines Necessary Maintenance spares, concomitant accessories,tooling and gauges have to be supplied with Incinerator System Supplier shall have to arrange free training for user staff inoperation and maintenance Supplier shall have to provide related drawings/diagrams(civil, mechanical and electrical etc.)electrical load and electrical circuitry	No.	Crawford	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00 96,000,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
77	**Emergency suction delivery hose**	**Emergency suction delivery hose** Shall be made from PU with highly chemical resistant hose of 2" diameter at suction and 10m length Shall be UV stabilized Complete with male /female camlock	No.	SUSCO	UAE	NRB	68,900.00
						NYERI	68,900.00
						EMBU	68,900.00
						GRSS	68,900.00
						NKR	68,900.00
						KSM	68,900.00
						KKMG	68,900.00
						MSA	68,900.00
78	**Trailer mounted communication system complete with station electronic equipment**	**Trailer mounted communication system complete with station electronic equipment** Interoperability system capable of patching 700MHz, 800MHz, UHF and VHF frequencies together without reprogramming and ability to dispatch trailer using system as a console Shall have extensive storage for critical response equipment and accessories Length:14ftWidth:7ft Weight (max. load):3,500 lbs Chassis: Welded steel box frame with non-slip plating deckand weather/vandal resistant housings Stabilization: Heavy duty adjustable outriggersTowing Connections:2 inch ball and ring Vehicle Status: Light trailer capable of being pulled by anystandard pickup truck to comply with all DoT and TC road-going trailer licensing requirements Electrical System:12v lighting, braking and PowerGeneration for Critical Communications **Communications Tower Construction**: Girder frame - steel Minimum of 30' tower with mounting for radio antennas, PTZ cameras, weather station and/or other systems. Secure cabling for radio, video, VSAT Satellite, and ITnetworking Height: Retracted horizontal length: 12 feetFully Extended height: 42 feet Deployment Mechanism: Electric raise, extend and lowerRoad Clearance:7 feet **Wireless Communications System** Frequency:2.4 GHz Bandwidth:11 MHz Range:1,000ft to .5 miles Encryption: 128bit AirFortress®, 256bit AES and Triple DES **Camera** -Video camera system with 360 degree viewingand pan/tilt/zoom capabilities.	No.	SILICO	UAE	NRB	17,500,000.00
						NYERI	17,500,000.00
						EMBU	17,500,000.00
						GRSS	17,500,000.00
						NKR	17,500,000.00
						KSM	17,500,000.00
						KKMG	17,500,000.00
						MSA	

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Digital video recording on board with large storagecapabilities and remote access. Ability to control radio patching, controls, and remote videoviewing of the mast camera through secure VSAT internet connection Functions: Pan, Tilt, Zoom, Patrol, Motion Detection,Motion Reporting, Two-way audio communications Mechanical Zoom:26X					
79	**Field mobile hospital**	The **Field Hospital** system complex shall consist of the following elements: **One Operating Theatre (Surgical) Module** installed into two Rigid purpose built ISO Containers. The Module provides an autonomous surgical operating theatre complete with operating facilities, and Air-conditioning. **One Pre Op Container** Installed into a single ISO Container. The shelter provides autonomous intensive care facilities complete with facilities and air-conditioning to meet the standards for intensive care in a mobile environment. **One Medical Staff Preparatory Container** in a single ISO Container. **One Generator Container** **One Utilities Container** providing Water and Waste Management **Three inflatable Ward Tents** 7m x 5m x 2.5m **One inflatable Ward Tent** 5m x 5m x 2.5m **Three inflatable Ward Tent** 17m x 8m x 4m	No.	SILICO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	23,000,000.00 23,000,000.00 23,000,000.00 23,000,000.00 23,000,000.00 23,000,000.00 23,000,000.00 23,000,000.00
80	**Floor Material-Tarpaulin (4mx5m)**	**Floor Material- Tarpaulin (4mx5m)** heavy weight PVC-tarpaulin Permanently flame retardant material - flame-retardant properties able to persist after soaking or washing. Length :65m width: 250cm density:720 g/m²thickness: 3mm 100% recyclable synthetic material capable of flatness after roll-out, dimensional stability, wear & tear resistance, c/w accessories	No.	TARPO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	15,500.00 15,500.00 15,500.00 15,500.00 15,500.00 15,500.00 15,500.00 15,500.00
81	**Trailer mounted automated latrines complete for four people c/w generator andlights**	**Trailer mounted automated latrines complete for four people c/w generator and lights** Manufactured from Structural Grad Aluminium · Height Internal 2.2mOverall 2.6m · Width 2.4m	No.	Silico	England	NRB NYERI	3,500,000.00 3,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		· Depth 2.0m · Weight 700kgs · POWER:10amp power outlet · WATER: Mains water pressure (Gravity Feed - needs 6m head) · DRAINAGE: Sewer / Septic Connection (optional) Macerating pump via hose to waste holding tank Capable of pumping waste to 50m from unit and up to 11m above the unit				EMBU GRSS NKR KSM KKMG MSA	3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00 3,500,000.00
82	**Winch**	**Winch** **Vehicle-Recovery Winch** for heavy winching needs Shall have (5,440 kg) pulling capacity Shall come with 125' of 3/8" (38 m of 9.5mm) wire ropeand roller fairlead Remote with 12' (3.7 m) lead	No.	FISCO	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	18,500,000.00 18,500,000.00 18,500,000.00 18,500,000.00 18,500,000.00 18,500,000.00 18,500,000.00 18,500,000.00
83	**Crane**	**Crane** **Hoisting capacity:** 10 tonnes **Crane span:** 19 + 0.2metres **Longitudinal travel of crane:** 70+ 0.5metres **Lifting range:** 6.5metres(hook height) **Main hoist speed:** 3.0m/min **Long travel speed:** 20.0m/min **Cross travel speed:** 16.0m/min **Creep speed:** pre-settable minimum 10% to 100% in steps of 10% full speeds by VVVF **Duty class of crane(as per IS:807-206):** M7 Shall come complete with : Bridge structure with platform and hand railing Travelling mechanism for long and cross travel shall include wheels, runway rails, end stops with spring/rubber buffers and wheel stops Trolleys Hoisting mechanism Service platform on both sides of crab girder Brake mechanism for long travel, cross travel and hoisting Pendant control and wireless remote operation for all movements Electric motors, control gear and switch gear AC variable frequency controls for all motions of the crane Lighting fixtures and accessories for cranes Earthing for all electrical equipment in the crane	No.	FHAM CRANE 12	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	12,500,000.00 12,500,000.00 12,500,000.00 12,500,000.00 12,500,000.00 12,500,000.00 12,500,000.00 12,500,000.00
84	**Field kitchen trailer**	**Field kitchen trailer** Shall consist of: 1 x 150 Litre Double Walled Kettle2 x 20 Litre Water Heaters	No.	FERWISE	England	NRB NYERI EMBU GRSS	6,500,000.00 6,500,000.00 6,500,000.00 6,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Revised Chassis with Height Adjustable Tow Bar Equipment for Diesel Operation (including upgraded burner) Platform for Carrying a Generator Generator Cover Spare Tyre & Wheel Wedge Toolset Shelter/Transportation Cover – Military Green (or UN White) **Optional LPG Variant** ses Liquid Petroleum Gas (LPG) as Pressure 2 Bar, Max Flow 2.1 kg/h rner Equipped with Power Control/Shut-off Valve, Flame Safety Device and Pierzo-electric Ignition as Burner Made of Stainless Steelurner is Installable without Tools. Gas Pipe with Quick Connector as Tubing and Valves Installed on Trailer Body as Cylinder Holder in Front of Trailer. Position for Two (2) x 11Kgs Gas Cylinders essure Regulator for Gas Cylinder with Press-on Valve, diam 35mm according to EN 12864 E Marked and Type Approved in Accordance with Gas ApplianceDirective 90/396/EEC				NKR KSM KKMG MSA	6,500,000.00 6,500,000.00 6,500,000.00 6,500,000.00
85	**Syphon Hose**	**Syphon Hose** is used with boats, autos, lawn mowers, tractors, motorcycles, stopped up sinks and tubs, water beds, aquarium and fish tank maintenance, ponds, pools, hot tubs and home brewery's to safely transfer gasoline, diesel fuel, kerosene, light weight oil, water, thinners, paint and more Either Self-Priming Syphon Hose or manual suction siphon, it shall come with: 6 feet of FDA grade poly tubing, hose adaptor and High quality brass fitting for excellent longevity Shall have a 3-1/2 gallon per minute flow rate, depending on the liquid being transferred.	No.	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	13,890 13,890 13,890 13,890 13,890 13,890 13,890
86	**Vaccine refrigerator**	**Vaccine refrigerator** Mains powered version that works on as little as 2½ hours power per day, or a solar 'direct drive' model that doesn't need a battery to maintain cooling performance overnight. In severe power outages, both models keep vaccines at safe temperatures for extended periods without any power whatsoever – 10 days or more at 32°C ambient, and even longer at lower temperatures.	No.	UDAYA	England	NRB NYERI EMBU	1,500,000.00 1,500,000.00 1,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Model **AC (Mains) DC(Solar)** W: 89cm W: 89cm Size (cm): D: 76cm D: 76cm H: 185cm H: 185cm Gross storage capacity 124L 124L (litres): Vaccine storage 99L 99L capacity (litres): Holdover time 43°C: 250 hours 184 hours (>10 days) (>7 Days) Holdover time 32°C: 309 hours (>12 days)* 288 hours 43°C 32°C Solar arrayPower consumption: < 4 hours < 2½ 370W dep supply per day hours geographic supply per day 200W to ending on al location Minimum rated ambient 10°C 5°C temperature: Refrigerant: R134a R600a (CFC free) (CFC/HFC Insulation: CFC/HFC free CFC/HFC	(12 days)*			GRSS	1,500,000.00
						NKR	1,500,000.00
						KSM	1,500,000.00
						KKMG	1,500,000.00
						MSA	1,500,000.00
87	**3 way valve**	**3 way valve** The purpose of a 3-way control valve is to shut off water flow in one pipe while opening water flow in another pipe, to mix water from two different pipes into one pipe, or to separate water from one pipe into two different pipes. Shall have capacity of air supply pressures up to 5.0 bars (72 psig),allowing valve shutoff at high pressure drop A 3-way valve shall be provided with an electrical, pneumaticor thermal actuator. **Valve Body Size;** DN 25, 40, 50, 80, 100 **Pressure Rating**: PN 10 / 16 / 25 / 40 per EN 1092-1 **End Connections**: Flanged raised face per EN 1092-1 **Valve Body Materials**:1.0619 steel 1.4409 stainless steel **Bonnet Materials:**1.4409 stainless steel	No.	Silico	England	NRB	65,000.00
						NYERI	65,000.00
						EMBU	65,000.00
						GRSS	65,000.00
						NKR	65,000.00
						KSM	65,000.00
						KKMG	65,000.00
						MSA	65,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Flow Direction: Converging and Diverging					
88	**Mist type nozzles**	**Mist type nozzles** Stainless steel/ Brass body Connecting thread:1/8 Flow rate: 200 ml/min Spray angle:18°	No.	Udaya	England	NRB	150,000.00
						NYERI	150,000.00
						EMBU	150,000.00
						GRSS	150,000.00
						NKR	150,000.00
						KSM	150,000.00
						KKMG	150,000.00
						MSA	150,000.00
89	**Firefighting motorcycle**	**Firefighting motorcycle** Propellant: Compressed atmospheric air Pressure source: 6.8 litres breathing apparatus tank made of aluminium inner and carbon composite outer for 300 bar pressure Working pressure: Preset at 20 bars Nozzle: dual nozzle Nozzle pressure: 13 bars Lance measurements: 104 cm long, 4 kg Spray options: Micro-drops or jet stream of aspirated foam as selected by operator with instant change Stream options: Continues stream or manual pulsing Range: 11 meters Drop size (micro-drops): 7-100 microns Water/foam tank: 2 x 25 liter stainless steel water/foam tanks, sufficient for 136 seconds on constant spray Flow: 22 liters per min. (micro-drops), 110 liters per min. (aspirated foam) Recommended foam solution: 3% AR-AFFF (alcohol resistant) foam solution, premixed in water Foam expansion rate: Low expansion rate, approximately 1:5 Hose: 30 meter ½" hose on reel with manual rewind **Hose type**: Oil and temperature resistant (-40° C up to +100° C) according to EN 854 Corrosion resistance: Water tank – stainless steel type 1.4462 (werkstoff no.)/ UNS S 31803 (ASTM) **Safety features**: Two pressure safety valves (26 bars and 40 bars) Non-return valve between pressure regulator andwater/foam tank **Accessories**: Lance with cavity spear, lance with cleaning nozzle, flat jet spray adapter for penetration of forest floor, filling kit, fully certified tailor-	No.	BMW FIRE EXPRESS	UAE	NRB	4,500,000.00
						NYERI	4,500,000.00
						EMBU	4,500,000.00
						GRSS	4,500,000.00
						NKR	4,500,000.00
						KSM	4,500,000.00
						KKMG	4,500,000.00
						MSA	4,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		made fire suits appropriate for riding motorcycles **Motorcycle:** Model: BMW R 1200 RT - police version Engine capacity: 1,170 cc Output: 81 Kw (110 HP) at 7,500 rpm Maximum torque: 115 Nm at 6,000 rpm Dimensions (D x W x H) : 223 x 91 x 143 cm Weight:359 kg (fully loaded) **Driving limitations**: Maximum speed limit is 180 km/h Water/foam tanks must either be completely full or completely empty when driving Riders must receive special training Regular control of technical condition of the motorcycle must be performed **Firefighting capability:** Able to fight class A, B, C and E fires Tested according					
90	**All-terrain vehicle**	**All-terrain vehicle** Vehicles driven like a motorcycle, but the extra wheels give more stability at slower speeds. Typically equipped with four) wheels, though six-wheel models exist for specialized applications. Engine sizes of ATVs currently range from 49 to 1,000 cc 15 HP engine 220cc typical for fire fighting 13HP Pump mounted at the rear(manual or automatic start) with output of 600 l/min at operating pressure of 8 bars Complete with accessories: 20m long 4 no. hermaphrodite connection delivery hoses,2" branch nozzle, rubber lined 40m hose reel 100 litre foam tank6 litre premix AFF 2 no portable fire extinguishers(dry powder) Fireman's axe, spanner, key and bar 7m long suction hose with strainer battery	No.	Fire Express Polaris	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00 2,300,000.00
91	**Emergency dewatering pumping units**	**Emergency dewatering pumping units** Provides a quick and easy solution in case of flooded basements, garages and residential buildings. The kit is composed of a stainless steel drainage electric pump and a 6 meters long flexible hose complete with quick coupling, all inside a plastic box that can be usedto store the kit on a shelf when not in use, or as a strainer during operation. **Specifications**: Head: up to 7 m Power supply: single-phase	No.	UDAYA	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00 9,500,000.00
92	**Fire Ball**	**Fire Ball**	No.	Udaya	England	NRB	13,600.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Ball-shaped extinguisher weighing 1.3 kg complete with fixing wall bracket. Shall have capacity to cover and contain fires within a space of 9.12m3 – the operational effective radius is 1.296 meters Able to have useful lifespan of 5 (five) years				NYERI	13,600.00
						EMBU	13,600.00
						GRSS	13,600.00
						NKR	13,600.00
						KSM	13,600.00
						KKMG	13,600.00
						MSA	13,600.00
93	**Air Diffuser Pack**	**Air Diffuser Pack Contents:** 1x Air Diffuser Machine Wall Mounted 2x40m Refills Containing Solution 2xWick to insert into each refill. Made of lime wood and shall have polyester powder coated white/silver finishes Shall come in 2-10pack packaging complete with non-visiongrilles(satin silver finish) Packaged in shrink wraps and fitted with removable plastic covers Complete with opposed blade dumpers Plenum boxes shall be made of polystyrene and galvanized sheet steel	No.	Bio- Chem	England	NRB	28,000.00
						NYERI	28,000.00
						EMBU	28,000.00
						GRSS	28,000.00
						NKR	28,000.00
						KSM	28,000.00
						KKMG	28,000.00
						MSA	28,000.00
94	**De watering pumps for flooding heavy duty trailer mounted**	**De watering pumps for flooding heavy duty trailer mounted** Available in 4x4, 6x6 and 8x8-inch versions, automatic, dry-priming trash pump for contractors, dewatering firms, sewage-bypass operations, mine or quarry operators, municipalities, and industrial operations. Units shall be self-contained in either skid or trailer configurations Range : 0.75 Hp To 75.0 Hp Head : Up To 100 Mtr. Capacity : Up To 450 M3/Hr Solid Size: Up To 35 Mm (Suspended Solid) Speed : 2850 Rpm/1440 Rpm Control : Thermistor & Moisture (Optional) **Material Of Construction** Pump Casing : C.I. /S.S./ Alu.(Optional) Impeller : C.I./S.S.316/Cf8m/S.S.410/S.S.304 Shaft : S.S.410/S.S.431	No.	UDAYA	England	NRB	2,500,000.00
						NYERI	2,500,000.00
						EMBU	2,500,000.00
						GRSS	2,500,000.00
						NKR	2,500,000.00
						KSM	2,500,000.00
						KKMG	2,500,000.00
						MSA	2,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Motor Body : C.I. (Ej Series) , S.S. /M.S. (Mj Series) , M.S. Fabricated (Vdx Series) / As Per Req. Mech. Seal : Tungsten Carbide/Tungsten Carbide or As per Application Hardware: Stainless Steel Rubber Part : Nitrile / Witon Rubber /As per Req. Application.					
95	**Generator Distribution Panels**	**Generator Distribution Panels** To provide electric-power distribution for 3-phase electrical equipment. Ability to deliver electric power for up to eight 60 amp rectifier-welders operating on 240, 380, 480 or 600 volt, 3-phase power 1600 Amps • 208-600Vac, 50/60Hz rated • MEC 20 Microprocessor-based Engine/Generator Controller • Digital AC/DC Instrumentation • Optional remote annunciator Stainless Steel Construction **Specifications** 240, 380, 480 or 600 volt electric power distribution 8 - 60 amp, 3 phase receptacles with 50 amp breakers1 - 9 connection terminal board with 20 amp breaker 1 - 225 amp, 600 volt main breaker CSA Approved	No.	Vicks	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	150,000.00 150,000.00 150,000.00 150,000.00 150,000.00 150,000.00 150,000.00 150,000.00
96	**Rotax Firetec**	**Rotax Firetec** **Engine Specifications** Rotax Model 185 cc Maximum power: 10 HP (7.46kW) Engine : 2-cycle, air cooled single cylinder with cast iron sleeve Starting system: Recoil with backup manual rope starter Ignition system: Electronic ignition Stroke: 2.40" (61 mm) Bore: 2.44" (62 mm) Displacement:185 cc (11.29 cubic inches) Lubrication :Oil in fuel mixture	No.	Firetec	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	375,000.00 375,000.00 375,000.00 375,000.00 375,000.00 375,000.00 375,000.00 375,000.00
97		**Multi Power Mobile Fire Pump** Pump unit specifications	No.	Udaya	England	NRB	8,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	Multi Power Mobile Fire Pump	•12-16, detachable 4-stage centrifugal pump end •Quick release pump clamp •Lightweight aluminium alloy pump parts •Anodized pump parts for corrosion resistance •Stainless steel shaft •Mechanical rotary seal •Automatic overspeed safety switch •Painted steel frame •2" (51mm) suction threads •1 ½" (38mm) discharge threads •Fuel consumption 4.5 L hour) Length 23" (58cm) Width 12" (31cm) Height 16 ¼" (41cm) Weight58lbs (26.3kg)				NYERI	8,500,000.00
						EMBU	8,500,000.00
						GRSS	8,500,000.00
						NKR	8,500,000.00
						KSM	8,500,000.00
						KKMG	8,500,000.00
						MSA	8,500,000.00
98	**Portable Fire Detector Tester**	**Portable Fire Detector Tester** Wireless and battery powered complete with protective carrying bag Made of fibre glass with four section telescopic pole complete with extension pole Shall have a universal detector removal tool and aerosol smoke dispenser Capable of detecting fixed temperature to rate of rise and combination up to 900 C Shall have capacity to remove, replace and test smoke detector up to 23 ft.	No.	PRDT	England	NRB	185,000.00
						NYERI	185,000.00
						EMBU	185,000.00
						GRSS	185,000.00
						NKR	185,000.00
						KSM	185,000.00
						KKMG	185,000.00
						MSA	185,000.00
99	**Air Tent For Disaster Control Point**	**Air Tent For Disaster Control Point** Shall be made from highly breathable and strong cotton /polyester fabric Heavy duty 75-150D fabric with fully taped seems Shall have 4-8 persons capacity Shall have 1 door per 1 room and 4 mesh windows Complete with internal pre-attached pole system	No.	DCP-11	England	NRB	1,850,000.00
						NYERI	1,850,000.00
						EMBU	1,850,000.00
						GRSS	1,850,000.00
						NKR	1,850,000.00
						KSM	1,850,000.00
						KKMG	1,850,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	1,850,000.00
100	**Petrol Engine Driven Water Pump 2" BSP**	**Petrol Engine Driven Water Pump 2" BSP** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 4.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kg	No.	NAFFCO	UAE	NRB	280,000.00
						NYERI	280,000.00
						EMBU	280,000.00
						GRSS	280,000.00
						NKR	280,000.00
						KSM	280,000.00
						KKMG	280,000.00
						MSA	280,000.00
100 (a)	**Cold fire extinguishers 9.5 Litres Cold fire extinguisher**	**Cold fire extinguishers** **9.5 Litres Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the	No.	NAFFCO	UAE	NRB	27,000.00
						NYERI	27,000.00
						EMBU	27,000.00
						GRSS	27,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container				NKR	27,000.00
						KSM	27,000.00
						KKMG	27,000.00
						MSA	27,000.00
(b)	**5.7 liters Cold fire extinguisher**	**5.7 liters Cold fire extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water , thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	NAFFCO	UAE		24,000.00
(c)	**Heavy duty steel mounting brackets above Units**	**Heavy duty steel mounting brackets above Units**	No.	NAFFCO	UAE	NRB	9,000.00
						NYERI	9,000.00
						EMBU	9,000.00
						GRSS	9,000.00
						NKR	9,000.00
						KSM	9,000.00
						KKMG	9,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	9,000.00
(e)	4 Litre Extinguisher	**4 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) •Considered an acceptable substitute to toxic foams and Halon. ▪Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable •Unique Thermal Insulation capability. Helps to minimize heat exhaustion. •Prevents re-ignition when properly applied. •Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. •Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. •No messy Cleanup is required. •Cold Fire is non-slip. •Indefinite Shelf Life when stored in closed container	No.	NAFFCO	UAE	NRB NYERI EMBU GRSS KSM KKMG MSA	9,000.00 9,000.00 9,000.00 9,000.00 9,000.00 9,000.00 9,000.00
(f)	3 Litre	**3 Litre Extinguisher** •UL Classified Wetting Agent for Class A and B fires. •EPA-SNAP (Significantly New Alternative Policy Program) Listed. •Capable of suppressing multiple classes of fire ABDK Fires •Considered an acceptable substitute to toxic foams and Halon. Non Toxic. •Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable	No.	NAFFCO	UAE	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	6,000.00 6,000.00 6,000.00 6,000.00 6,000.00 6,000.00 6,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
(g)	**2 Litre Extinguisher**	**2 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
(h)	**1 Litre Extinguisher**	**1 Litre Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon.	No.	NAFFCO	UAE	NRB	3,800.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, and thereby reducing water damage and water supply needs. ▪ No messy Cleanup is required. ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container					
						NYERI	3,800.00
						EMBU	3,800.00
						GRSS	3,800.00
						NKR	3,800.00
						KSM	3,800.00
						KKMG	3,800.00
						MSA	3,800.00
(i)	**50 Kg Cold Fire Trolley Type Fire Extinguisher**	**50 Kg Cold Fire Trolley Type Fire Extinguisher** ▪ UL Classified Wetting Agent for Class A and B fires. ▪ EPA-SNAP (Significantly New Alternative Policy Program) Listed. ▪ Capable of suppressing multiple classes of fire ABDK Fires ▪ Considered an acceptable substitute to toxic foams and Halon. ▪ Non Toxic. ▪ Non Corrosive—product can be dumped directly into booster tank. No need to flush out lines. ▪ 100% Biodegradable ▪ Unique Thermal Insulation capability. Helps to minimize heat exhaustion. ▪ Prevents re-ignition when properly applied. ▪ Encapsulates and breaks down hydrocarbons thereby reducing hydrocarbon smoke and increasing visibility. ▪ Enhances penetration capability of water, extinguishing the fire faster, using less water, thereby reducing water damage and water supply needs. ▪ No messy Cleanup is Required . ▪ Cold Fire is non-slip. ▪ Indefinite Shelf Life when stored in closed container	No.	NAFFCO	UAE		
						NRB	105,000.00
						NYERI	105,000.00
						EMBU	105,000.00
						GRSS	105,000.00
						NKR	105,000.00
						KSM	105,000.00
						KKMG	105,000.00
						MSA	105,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
(j)	**Mounting Brackets for Above units**	**Mounting Brackets for Above units**	No.	NAFFCO	UAE	NRB	9,000.00
						NYERI	9,000.00
						EMBU	9,000.00
						GRSS	9,000.00
						NKR	9,000.00
						KSM	9,000.00
						KKMG	9,000.00
						MSA	9,000.00
102 (a)	**Cold Fire Foaming Nozzle**	**Cold Fire Foaming Nozzle** Short to medium range of up to about 10 feet and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	NAFFCO	UAE	NRB	7,800.00
						NYERI	7,800.00
						EMBU	7,800.00
						GRSS	7,800.00
						NKR	7,800.00
						KSM	7,800.00
						KKMG	7,800.00
						MSA	7,800.00
(b)	**Cold Fire Wand Nozzle**	**Cold Fire Wand Nozzle** Made to fight fires at a very close distance and is typically used primarily by professionals. Recommended use of this nozzle is only for specifically trained personnel.	No.	NAFFCO	UAE	NRB	10,500.00
						NYERI	10,500.00
						EMBU	10,500.00
						GRSS	10,500.00
						NKR	10,500.00
						KSM	10,500.00
						KKMG	10,500.00
						MSA	10,500.00
(c)	**Cold Fire Aspirating Nozzle**	**Cold Fire Aspirating Nozzle** Helps aerate when spaying and by doing so makes more foam.	No.	NAFFCO	UAE	NRB	9,000.00
						NYERI	9,000.00
						EMBU	9,000.00
						GRSS	9,000.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Together with standard units and at the correct pressure, it can be used to spray up to about 20 feet. This is the most user friendly and versatile nozzle, which makes it the most, recommended one for general use.				NKR	9,000.00
						KSM	9,000.00
						KKMG	9,000.00
						MSA	9,000.00
103 (a)	Cold fire Spray	**Cold fire Spray** Easy to use spray can Lightweight, convenient size Environmentally safe! No fumes or odors Biodegradable, nontoxic, non-corrosive Leaves no mess, stain or residue! No special cleanup required Prevents re-ignition Quickly and effectively suppresses: Class A (wood/paper/furnishings) & Class B (grease/oil) spot fires Used on surfaces such as wood, paper, cotton, furnishings, fabrics, carpeting, curtains, packaging materials and storage boxes Kitchen stove grease fires; barbeque grill flare-ups; fireplace sparks and embers; fires ignited by candles; cigarettes/cigar fires; campfires; car, boat use Available in the following sizes: **Cold Fire Ultimate Spray Can (340g)**	No.	NAFFCO	UAE	NRB	3,000.00
						NYERI	3,000.00
						EMBU	3,000.00
						GRSS	3,000.00
						NKR	3,000.00
						KSM	3,000.00
						KKMG	3,000.00
						MSA	3,000.00
(b)	Cold Fire Pre-Mix 1 Litre Pump Spray	**Cold Fire Pre-Mix 1 Litre Pump Spray**	No.	NAFFCO	UAE	NRB	12,000.00
						NYERI	12,000.00
						EMBU	12,000.00
						GRSS	12,000.00
						NKR	12,000.00
						KSM	12,000.00
						KKMG	12,000.00
						MSA	12,000.00
(c)	0.5 Litres Spray Can Holster	**0.5 Litres Spray Can Holster** made from 100% real leather, nylon threads or metal studs	No.	NAFFCO	UAE	NRB	4,500.00
						NYERI	4,500.00
						EMBU	4,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						GRSS	4,500.00
						NKR	4,500.00
						KSM	4,500.00
						KKMG	4,500.00
						MSA	4,500.00
(a)	**Cold Fire Concentrate 1 Litre Ext. Refill**	**Cold Fire Concentrate 1 Litre Ext. Refill** This concentrate will refill a 9.5 litres extinguisher a 10% mixture for fire suppression and ultimate cooling properties	No.	NAFFCO	UAE	NRB	7,500.00
						NYERI	7,500.00
						EMBU	7,500.00
						GRSS	7,500.00
						NKR	7,500.00
						KSM	7,500.00
						KKMG	7,500.00
						MSA	7,500.00
(b)	**Cold Fire Concentrate 20 Litres Bucket**	**Cold Fire Concentrate 20 Litres Bucket** • Appearance Clear mobile liquid • Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes	No.	NAFFCO	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
(c)	**Cold Fire Concentrate 210 Litres Drum**	**Cold Fire Concentrate 210 Litres Drum** • Appearance Clear mobile liquid	No.	NAFFCO	UAE	NRB	24,000.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		• Environmentally safe! No fumes or odors • Specific gravity @ 20°C 0.99-1.01 • PH 7.5-9 • Viscosity @ 20°C 2 Cp • Maximum continuous storage 50°C • Maximum intermittent storage 60°C • Effect of freeze/thaw is None • Lowest use temperature 0°C • Sediment as shipped 0.1% • Sediment after ageing 0.1% • Inductions Rate 3% • Expansions Ratio 7:1 • Drainage Time 25% for 3 Minutes					
						NYERI	24,000.00
						EMBU	24,000.00
						GRSS	24,000.00
						NKR	24,000.00
						KSM	24,000.00
						KKMG	24,000.00
						MSA	24,000.00
104 (a)	**Fire Block**	**Fire Block** a specially formulated, environmentally friendly product which is used to retard fire in all Class A materials. It forms a thermal insulation barrier that prevents dangerous flames from spreading. Fire Block also inhibits the development of toxic hydrocarbon smoke Available in the following sizes: PH : 7.0 Concentrate Boiling Point : 212°F **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Biodegradability : 100% in 21 days under ideal conditions **Fire Block 1 Litre**	No.	NAFFCO	UAE	NRB	7,500.00
						NYERI	7,500.00
						EMBU	7,500.00
						GRSS	7,500.00
						NKR	7,500.00
						KSM	7,500.00
						KKMG	7,500.00
						MSA	7,500.00
(b)	**Fire Block 20 Litres Bucket**	**Fire Block 20 Litres Bucket**	No.	NAFFCO	UAE	NRB	40,000.00
						NYERI	40,000.00
						EMBU	40,000.00
						GRSS	40,000.00
						NKR	40,000.00
						KSM	40,000.00
						KKMG	40,000.00


ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						MSA	40,000.00
(c)	**Fire Block 210 Litres Drum**	**Fire Block 210 Litres Drum**	No.	NAFFCO	UAE	NRB	240,000.00
						NYERI	240,000.00
						EMBU	240,000.00
						GRSS	240,000.00
						NKR	240,000.00
						KSM	240,000.00
						KKMG	240,000.00
						MSA	240,000.00
105 (a)	**Motor Max**	**Motor Max** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F Available in the following capacities: **Motor Max 1 Litre Bottle** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes	No.	NAFFCO	UAE	NRB	1,500.00
						NYERI	1,500.00
						EMBU	1,500.00
						GRSS	1,500.00
						NKR	1,500.00
						KSM	1,500.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Appearance: Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F				KKMG	1,500.00
						MSA	1,500.00
(b)	**Motor Max 20 Liters Bucket**	**Motor Max 20 Liters Bucket** Works to reduce water temperature, the temperature of internal engine components, it minimizes hot spots in engines, and in turn the passenger compartment and engine bay temperatures are reduced Non-toxic and biodegradable. It is non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components. **pH:** pH is neutral 7.0 **Flash Point:** Negligible **Boiling Point:** 400°C **Odor:** Mild, fresh scent. Does not contain d-limonenes **Appearance:** Opaque in color **Water Solubility:** Complete **Shelf Life:** Indefinite when stored in closed containers between 28°F - 120°F	No.	NAFFCO	UAE	NRB	35,000.00
						NYERI	35,000.00
						EMBU	35,000.00
						GRSS	35,000.00
						NKR	35,000.00
						KSM	35,000.00
						KKMG	35,000.00
						MSA	35,000.00
106	**Odor Seal**	**Odor Seal** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	NAFFCO	UAE	NRB	9,800.00
						NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00
						MSA	9,800.00
(b)	**Odor Seal 20 Litres Bucket**	**Odor Seal 20 Litres Bucket** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor	No.	NAFFCO	UAE	NRB	90,000.00
						NYERI	90,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order : Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification					
						EMBU	90,000.00
						GRSS	90,000.00
						NKR	90,000.00
						KSM	90,000.00
						KKMG	90,000.00
						MSA	90,000.00
(c)	**Odor Seal 210 Liters Drum**	**Odor Seal 210 Liters Drum** 100% Plant and Water based solution that encapsulates odor producing sources eliminating the odor immediately. It is also is a great Degreaser. It breaks down grease and eliminates grease odors. Available in the following capacities: PH 7.5 in concentrate form Boiling Point 212°F Order: Mild fresh scent. Does not contain d-limonene's Shelf Life: Indefinite when stored in closed containers between 32°F and 120°F Biodegradability : 100% Oil Emulsification	No.	NAFFCO	UAE	NRB	450,000.00
						NYERI	450,000.00
						EMBU	450,000.00
						GRSS	450,000.00
							450,000.00
						KSM	450,000.00
						KKMG	450,000.00
						MSA	450,000.00
107	**John Dee Firefighting Engine**	**John Dee Firefighting Engine** 1500 CREW EXPRESS4X4 (140 in WB 5 FT 7 IN box) 5.7L V8 HEMI MDS VVT Engine 6-Spd Automatic 65RFE Transmission Monotone Paint Cloth 40/20/40 Bench Seat - Black/Diesel Gray Class IV Receiver Hitch Rear Back-up Camera Air Suspension - 4-Corner 32 Gallon Fuel Tank Anti-Spin Differential Rear Axle Premium Display Package Popular Equipment Group Power Black Trailer Tow Mirrors Remote Start and Security Group Trailer Brake Control Dealer added Sport Hood upper glove box door sport headlights	No.	**John Dee** 1500 CREW EXPRESS	UAE	NRB	7,500,000.00
						NYERI	7,500,000.00
						EMBU	7,500,000.00
						GRSS	7,500,000.00
						NKR	7,500,000.00
						KSM	7,500,000.00
						KKMG	7,500,000.00
						MSA	7,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
108 (a)	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	**Agro Tunnel C/w 1000 Litres Portable Water Tank**	No.	AGAM	England	NRB	650,000.00
						NYERI	650,000.00
						EMBU	650,000.00
						GRSS	650,000.00
						NKR	650,000.00
						KSM	650,000.00
						KKMG	650,000.00
						MSA	650,000.00
(b)	**Inflatable Cold Storage**	**Inflatable Cold Storage** Suitable for storage ,production, packaging and preparing food during emergencies 3 sizes-single, double and triple Single 4.8m x 6.8m x2.8m Double 9.8m x 6.8m x2.8m Triple 14.4m x 6.8m x2.8m Assembly time 1 ½ hours Power supply needed 32amp single phase or 16amp 3 phase Chill temp +2^{0}C t0 +8^{0}C	No.	Supcool	England	NRB	850,000.00
						NYERI	850,000.00
						EMBU	850,000.00
						GRSS	850,000.00
						NKR	850,000.00
						KSM	850,000.00
						KKMG	850,000.00
						MSA	850,000.00
(c)	**Green House Kit Assy**	**Green House Kit Assy** (Width x Length) 8 1/2' x 6 1/2', 8 1/2' x 10', and 8 1/2' x 14' shall include a PVC frame and 6 mil thermal polyethylene plastic covering (both UV protected), exhaust fan, hinged door with lockable latch, built-in shelving, and anchors	No.	Agam	England	NRB	650,000.00
						NYERI	650,000.00
						EMBU	650,000.00
						GRSS	650,000.00
						NKR	650,000.00
						KSM	650,000.00
						KKMG	650,000.00
						MSA	650,000.00
(d)	**Green house Irrigation Kit**	**Green house Irrigation Kit** Perfect for the average 8' x 6' greenhouse.	No.	Agam	England	NRB	350,000.00
						NYERI	350,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Shall contain a pressure reducing connector, 20m of hose, two Aqua Pods, and 10 stakes. This kit will water up to four growing bags or 10 individual plants.				EMBU	350,000.00
						GRSS	350,000.00
						NKR	350,000.00
						KSM	350,000.00
						KKMG	350,000.00
						MSA	350,000.00
(f)	**Dam/Pond lining**	**Dam/Pond lining** Are used primarily to prevent the loss of water from storage ponds and dams. These storage ponds can be for dairy farm waste ponds, stock watering, irrigation and firefighting □ shall be able to: withstand severe heat temperature fluctuations (- 45°C to +130°C) □ Withstand prolonged ozone exposure to the sunlight □ Combine strength and durability □ Puncture resistant-UV treated □ Elongation of 400% (Flexible able to conform over rocks) □ Tear resistant □ Fish and Plant friendly □ Environmentally friendly (should not break down underneath the ground)	No.	Genap	England	NRB	2,500.00
						NYERI	2,500.00
						EMBU	2,500.00
						GRSS	2,500.00
						NKR	2,500.00
						KSM	2,500.00
						KKMG	2,500.00
						MSA	2,500.00
(g)	**Water Pump, Petrol Engine**	**Water pump Petrol engine** 4 stroke unleaded petrol engine pump with recoil start Can only be used for pumping clean water. (Water not for human consumption) 5.0 HP pump rating giving very fast flow rates of up to 500 Litres/minute Total head 26 metres (wet line), 7 metres suction lift (dry line) 2.5 litre unleaded petrol reservoir 2" BSP hose tails plus suction strainer Dimensions: 515mmW x 385mmD x 450mmH Total dry weight: 22 kgs	No.	SSP	England	NRB	450,000.00
						NYERI	450,000.00
						EMBU	450,000.00
						GRSS	450,000.00
						NKR	450,000.00
						KSM	450,000.00
						KKMG	450,000.00
						MSA	450,000.00
(h)	**Delivery Hose for (g) above**	**Delivery Hose for (g) above** Rubber lined hose all sizes 4 bar working pressure	No.	SSP	England	NRB	5,505.00
						NYERI	5,505.00
						EMBU	5,505.00
						GRSS	5,505.00




ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
						NKR	5,505.00
						KSM	5,505.00
						KKMG	5,505.00
						MSA	5,505.00
(i)	Ditch lining	**Ditch lining** Concrete canvas made of a 3-dimensional fibre matrix containing a specially formulated dry concrete mix. A PVC backing on one surface to ensure the material is water proof. Once hydrated the material remain should remain flexible and workable for 2 hours (subject to ambient temperatures) and gain 80% of its 28 day strength in the first 24 hours. 3 thicknesses, 5, 8 and 13mm. standard roll width of 1.0m 5mm mas kg/ M^2 Density(unset)kg/M^3 1500	No.	Genap	England	NRB	8,500.00
						NYERI	8,500.00
						EMBU	8,500.00
						GRSS	8,500.00
						NKR	8,500.00
						KSM	8,500.00
						KKMG	8,500.00
						MSA	8,500.00
(j)	Floating Modular cube	**Floating Modular cube** Dimensions L x W x H(500mmx500mmx400mm) Live load 93kgF/M^2 material :HDPE Top Area 0.25 M^2 Tensile strength Upper 20000N	No.	Duraline	England	NRB	25,000.00
						NYERI	25,000.00
						EMBU	25,000.00
						GRSS	25,000.00
						NKR	25,000.00
						KSM	25,000.00
						KKMG	25,000.00
						MSA	25,000.00
109	**JCB Firefighting Engine**	**JCB Firefighting Engine Technical Specs** • 4-Door DRW 4×4 Chassis • Power Stroke 6.7L V-8, 300-HP Diesel Engine • 6-speed Automatic Transmission Heavy Duty 3/16" Aluminum Body with Roll Up Doors • stainless steel running boards • Two (2) rear SCBA back bucket seats EMS compartment with shelf between rear seats • Grill Guard with 12,000-lb Winch • One (1) trailer hitch with electrical connections, rear	No.	**JCB**	England	NRB	7,500,000.00
						NYERI	7,500,000.00
						EMBU	7,500,000.00
						GRSS	7,500,000.00
						NKR	7,500,000.00
						KSM	7,500,000.00
						KKMG	7,500,000.00
						MSA	7,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		• One (1) Single bottle Air bottle compartment, right side wheel well area • One (1) Dual bottle Air bottle compartment, right side wheel well area • Attic ladder/Pike Pole storage with rear access, upper raised area • Turtle tile on floors and /or shelves and trays of compartments • Stokes basket/backboard storage, front transverse compartment • One (1) Air bag rack, left side • Fire Extinguisher Rack, right side • One (1) Hinged Pegboard tool board, right side • Two (2) Vertical Pull out tool boards, right side Floor mounted console for emergency switches with map/binder storage, cab Class 1 Total system manager for electrical load management on-board battery charger Super Auto Eject 120-volt shoreline Code 3 Electronic Siren with 100-watt speaker Two (2) Air horns, front bumper One (1) hand held spotlight, cab Four (4) 12-volt LED telescopic lights Smart Power Hydraulically driven 5500-watt Generator with 120-volt system Two (2) Electric cord reels with 100-ft of 12/3 cord and junction box LED Warning Light Package Chevron pattern striping, rear 7' 11" Overall height 26' 2" Overall length 200.2 " Wheelbase 84" Cab to Axle 7,000 FAWR 14,700 RAWR 19,500 GVWR					
110	**Portable Data System (MRT)**	**Portable Data System(MRT)** System Characteristics: TAMCN: A25607G NSN:7010-09-000-2546 (Block I-Disposal) NSN:7010-01-524-4120(Block II-Phasing Out MRT-A) NSN:7010-01-571-6450(Block II-Sustaining MRT-B) Spectrum: Operates per DoD Directive 4650.1 Mobility: Man-Portable Power: Internal and operating in a range of +15 to +24 Volts of Direct Current (VDC) (T). Operation will be from an external Alternating Current (AC)/DC adapter or a +15 Volts (V) battery system. The circuit steady-state voltage shall be between 23 and 33 VDC.	No.	OMAHA	JAPAN	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,200,000.00 9,200,000.00 9,200,000.00 9,200,000.00 9,200,000.00 9,200,000.00 9,200,000.00 9,200,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Distance: Dependent on Laser Range Finder/Radio used Operational Mode: Day, Night, Limited-Visibility Conditions Encryption: Dependent on the radio Processor: Intel® Core™ i7processor, 64-bit architecture System Memory: 4 GB expandable to 8 GB Mass Storage: 128 GB solid state hard drive (SSHD) Display: 10.4" XGA LCD Audio: Single channel In/Out, AC'97 compatible, Integrated speakers (2x) VGA Output: Via sealed HD-15 connector. Secondary display resolutions up to 1600 x 1200 pixels Video In:RS-170 analog video capture, MPEG4 hardware compression, Local playback, LAN broadcast					
111	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	AFRO-MIX	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	9,000,000.00 9,000,000.00 9,000,000.00 9,000,000.00 9,000,000.00 9,000,000.00 9,000,000.00 9,000,000.00
112	**CC Shelters**	Pre-deployment (Crate) dimensions Unit Length (m) Width (m) Height (m) Weight (m) CCS25 2.61 2.30 1.13 1900 CCS50 2.90 2.24 1.70 3100 Post deployment dimensions Unit Length (m) Width (m) Height (m) Internal Area (m3) CCS25 5.00 5.60 2.45 25.00 CCS50 9.50 5.60 2.60 50.00 General Specifications Unit Water Requirement (L) Deployment Time (min) Cot Space Available CCS25 2.61 2.30 1.13 CCS50 2.90 2.24 1.70	No.	CCL	England	NRB NYERI EMBU GRSS NKR KSM KKMG MSA	4,800,000.00 4,800,000.00 4,800,000.00 4,800,000.00 4,800,000.00 4,800,000.00 4,800,000.00 4,800,000.00
113 (a)	**Dura line Plastic Modular Molded Cube**	Standard Size: L500mm, W500mm, H400mm Weight: 7.00kg Live Load: 93kgf /about 372kgF/m2 Material: HDPE Free Board: 37.5cm	No.	Duraline	England	NRB NYERI EMBU GRSS NKR	25,000.00 25,000.00 25,000.00 25,000.00 25,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Top Area: 0.25m2 Tensile Strength: Upper 20,000N				KSM	25,000.00
						KKMG	25,000.00
						MSA	25,000.00
(b)	**Concrete Impregnated Fabric**	CC Thickness (mm) Batch Roll Size (sqm) Bulk Roll Size (sqm) Roll Width CC5 5 10 200 1.0 CC8 8 5 125 1.1 CC13 13 N/A 80 1.1	No.	CCL	England	NRB	9,800.00
						NYERI	9,800.00
						EMBU	9,800.00
						GRSS	9,800.00
						NKR	9,800.00
						KSM	9,800.00
						KKMG	9,800.00
						MSA	9,800.00
114	**Emergency Bridge**	Length when folded is 10.4 metres and the length when unfolded is 20 metres. The bridge is a Class 50 so it is capable of supporting 50 Tons when deployed. The width of tract being 1.14 metres wide. Track element is self-supporting; height folded is 1.55 metres and unfolded is 0.83 metres. (OPTION) Two Bridges width tol is 3.27 metres with each track being 1.14 metres wide. The resultant gap between the tracks being approximately 900mm. Each track element is self-supporting but is held in position by cross braces that link two tracks together.	No.	ALGONGUM	England	NRB	12,500,000.00
						NYERI	12,500,000.00
						EMBU	12,500,000.00
						GRSS	12,500,000.00
						NKR	12,500,000.00
						KSM	12,500,000.00
						KKMG	12,500,000.00
						MSA	12,500,000.00
115	**Flammable Liquid Pumps**	Deutz Vio F10L413F 188Kw @ 2300RPM Pump Tangile type CMH 80/315-5 five stage Centrifugal Pump delivering 125m3h @ 28 bar Capacity 120m3 per hour @ 28 bar	No.	Afromix	England	NRB	9,000,000.00
						NYERI	9,000,000.00
						EMBU	9,000,000.00
						GRSS	9,000,000.00
						NKR	9,000,000.00
						KSM	9,000,000.00
						KKMG	9,000,000.00
						MSA	9,000,000.00
116		58 M-Antenna area= 6m2	No.	NAFFCO	UAE	NRB	8,500,000.00




ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
	MP 2006 designed 60M tower range	2 M-Antenna diameter= 0.6m2 56M-Antenna area=6m2 0.3 M- Antenna diameter=0.07m2				NYERI	8,500,000.00
						EMBU	8,500,000.00
						GRSS	8,500,000.00
						NKR	8,500,000.00
						KSM	8,500,000.00
						KKMG	8,500,000.00
						MSA	8,500,000.00
117	**Portable Monitoring, Recording and Data Transmitting System.**	HDD rack stacked for data backup. -Built in LCD monitor for instant playback. -Unit erupted power supply for continuous operation. -Supported by 3 Axis mount for safe transportation and positioning. -Secured with a lighting rod. -Uber friendly trailer-toeing capability -Wireless video data transmission and antenna. Details -CCTV Cameras The solid uses up to 4 PTZ cameras. The built in fan/heater and the IP66 weather proof housing offers maximum protection from all weather conditions. -Wireless Antenna Wireless video data transmission and antenna **-Warning light** The light turns to red and warns the battery level status. -Taillight To provide the safety and distance estimation from the following cars in driving, two backlights are equipped. -Landing jack The heavy duty 3 axis mount safely supports the solid during operation and transportation. -DVR The uninterrupted power supply and mobile DVR allows for continuous recording. **-LCD Monitor & Keyboard** All viewing operations are independently controlled with built in keyboard controller which is conveniently located and securely stored in the trailer. **-System & Pole-moving switches** For system power on/off, pull up/down and its height adjustment. -Copular The hauling loop is specially designed to be user friendly for trailer towing purposes. -Digital charging system	No.	OMAHA	JAPAN	NRB	12,500,000.00
						NYERI	12,500,000.00
						EMBU	12,500,000.00
						GRSS	12,500,000.00
						NKR	12,500,000.00
						KSM	12,500,000.00
						KKMG	12,500,000.00
						MSA	12,500,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		The charging connector is easily accessible for charging and powering the solid.					
118	**Air Tent For Disaster Control Point**	Inspection Pole Length – Min. about 1,180 mm / Max.; Testable Detector – Heat rate of rise fixed Temperature; Smoke – Ionization Smoke Detector; Battery Charging Time 5 Hours		NAFFCO	UAE	NRB	1,850,000.00
						NYERI	1,850,000.00
						EMBU	1,850,000.00
						GRSS	1,850,000.00
						NKR	1,850,000.00
						KSM	1,850,000.00
						KKMG	1,850,000.00
						MSA	1,850,000.00
119	**All-Terrain Vehicle**	To be self-contained c/w pump driven unit, to have a 160 litre tank for water and 12 liter tank for foam. The pump to be operating at 37bar. The vehicle to be as per EN 3-7 standard	No.	NAFFCO	UAE	NRB	2,400,000.00
						NYERI	2,400,000.00
						EMBU	2,400,000.00
						GRSS	2,400,000.00
						NKR	2,400,000.00
						KSM	2,400,000.00
						KKMG	2,400,000.00
						MSA	2,400,000.00
120 (a)	**Hawk Thermal Imaging Camera**	**Detector array resolution: 640 x 512 pixels** **Detector pitch: 16µm** **Field of view: 1.8o horizontal x 1.44o vertical (narrow)** **24o horizontal x 19.2o vertical (wide) continuous zoom** **Detector technology: CMT** **Band: : 3.7µm-: 4.95µm** **Physical dimensions: 373 x 108 x 100mm** **Operational temperature: 82-88K** **Video output: HCCIR/STANAG 3350, PAL-1 compatible** **Auto focus: on demand** **Frame rate: 25Hz** **Focus distance range: ∞ to 10m narrow field of view; ∞ to 10m wide field of view**	No.	FLIR SWEDEN	Sweden	NRB	115,000,000.00
						NYERI	115,000,000.00
						EMBU	115,000,000.00
						GRSS	115,000,000.00
						NKR	115,000,000.00
						KSM	115,000,000.00
						KKMG	115,000,000.00
						MSA	115,000,000.00
(b)	**Horizon Thermal Imaging Camera**	**Detector array resolution: 1280 x 720 (HD)** **Detector pitch: 12µm** **Field of view: 11 x 6.2o to 0.0 x 0.5o (HD)** **Detector technology: CMT** **Band: : 3.7µm-: 4.95µm** **Focal length: 80-960mm**	No.	FLIR SWEDEN	Sweden	NRB	115,000,000.00
						NYERI	115,000,000.00
						EMBU	115,000,000.00
						GRSS	115,000,000.00
						NKR	115,000,000.00
						KSM	115,000,000.00
						KKMG	115,000,000.00
						MSA	115,000,000.00
121	a		No.	NAFFCO	UAE	NRB	2,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Water bottles complete with carrier				NYERI	2,000.00
						EMBU	2,000.00
						GRSS	2,000.00
						NKR	2,000.00
						KSM	2,000.00
						KKMG	2,000.00
						MSA	2,000.00
	b	Knapsack food containers with a capacity of 20kg	No.	LERON	England	NRB	39,000.00
						NYERI	39,000.00
						EMBU	39,000.00
						GRSS	39,000.00
						NKR	39,000.00
						KSM	39,000.00
						KKMG	39,000.00
						MSA	39,000.00
	c	Canvas floor material	No.	TARPO	UAE	NRB	6,500.00
						NYERI	6,500.00
						EMBU	6,500.00
						GRSS	6,500.00
						NKR	6,500.00
						KSM	6,500.00
						KKMG	6,500.00
						MSA	6,500.00
	d	Stretcher foldable	No.	Naffco	UAE	NRB	13,000.00
						NYERI	13,000.00
						EMBU	13,000.00
						GRSS	13,000.00
						NKR	13,000.00
						KSM	13,000.00
						KKMG	13,000.00
						MSA	13,000.00
	e	10000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	950,000.00
						NYERI	950,000.00
						EMBU	950,000.00
						GRSS	950,000.00
						NKR	950,000.00
						KSM	950,000.00
						KKMG	950,000.00
						MSA	950,000.00
	f	80000ltrs bladder tank complete with fittings	No.	CHEMGUARD	England	NRB	2,600,000.00
						NYERI	2,600,000.00
						EMBU	2,600,000.00
						GRSS	2,600,000.00
						NKR	2,600,000.00
						KSM	2,600,000.00
						KKMG	2,600,000.00
						MSA	2,600,000.00
	g		No.	CHEMGUARD	England	NRB	1,650,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		40000ltrs bladder tank complete with fittings				NYERI	1,650,000.00
						EMBU	1,650,000.00
						GRSS	1,650,000.00
						NKR	1,650,000.00
						KSM	1,650,000.00
						KKMG	1,650,000.00
						MSA	1,650,000.00
	h	Hydromaster Propelling Unit	No.	Hydromaster	UAE	NRB	11,900,000.00
						NYERI	11,900,000.00
						EMBU	11,900,000.00
						GRSS	11,900,000.00
						NKR	11,900,000.00
						KSM	11,900,000.00
						KKMG	11,900,000.00
						MSA	11,900,000.00
	i	Rubber speed hump	No.	SAFE ROADS	England	NRB	132,500.00
						NYERI	132,500.00
						EMBU	132,500.00
						GRSS	132,500.00
						NKR	132,500.00
						KSM	132,500.00
						KKMG	132,500.00
						MSA	132,500.00
	j	Cabin pressure test trolley	No.	SAFE ROADS	England	NRB	8,680,000.00
						NYERI	8,680,000.00
						EMBU	8,680,000.00
						GRSS	8,680,000.00
						NKR	8,680,000.00
						KSM	8,680,000.00
						KKMG	8,680,000.00
						MSA	8,680,000.00
	k	**Flexible Delineator Post**	No.	SAFE ROADS	England	NRB	134,000.00
						NYERI	134,000.00
						EMBU	134,000.00
						GRSS	134,000.00
						NKR	134,000.00
						KSM	134,000.00
						KKMG	134,000.00
						MSA	134,000.00
	l	Crash cushion system	No.	SAFE ROADS	England	NRB	3,920,000.00
						NYERI	3,920,000.00
						EMBU	3,920,000.00
						GRSS	3,920,000.00
						NKR	3,920,000.00
						KSM	3,920,000.00
						KKMG	3,920,000.00
						MSA	3,920,000.00
	m		No.	SAFE	England	NRB	99,500.00



ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		End Terminal (material SS400)		ROADS		NYERI	99,500.00
						EMBU	99,500.00
						GRSS	99,500.00
						NKR	99,500.00
						KSM	99,500.00
						KKMG	99,500.00
						MSA	99,500.00
	n	Rolling Guard Barrier	No.	SAFE ROADS	England	NRB	8,200.00
						NYERI	8,200.00
						EMBU	8,200.00
						GRSS	8,200.00
						NKR	8,200.00
						KSM	8,200.00
						KKMG	8,200.00
						MSA	8,200.00
	o	Plastic Jersey Barrier	No.	SAFE ROADS	England	NRB	50,000.00
						NYERI	50,000.00
						EMBU	50,000.00
						GRSS	50,000.00
						NKR	50,000.00
						KSM	50,000.00
						KKMG	50,000.00
						MSA	50,000.00
	p	Field water pamp 6" complete with diesel engine	No.	SHAKTI	UAE	NRB	4,250,000.00
						NYERI	4,250,000.00
						EMBU	4,250,000.00
						GRSS	4,250,000.00
						NKR	4,250,000.00
						KSM	4,250,000.00
						KKMG	4,250,000.00
						MSA	4,250,000.00
	q	Field De-water pump unit 6"	No.	SHAKTI	UAE	NRB	5,100,000.00
						NYERI	5,100,000.00
						EMBU	5,100,000.00
						GRSS	5,100,000.00
						NKR	5,100,000.00
						KSM	5,100,000.00
						KKMG	5,100,000.00
						MSA	5,100,000.00
	r	Field De-water hose c/w victolic coupling 6" x 7ft	No.	SHAKTI	UAE	NRB	148,000.00
						NYERI	148,000.00
						EMBU	148,000.00
						GRSS	148,000.00
						NKR	148,000.00
						KSM	148,000.00
						KKMG	148,000.00
						MSA	148,000.00
	s		No.	WEC	UAE	NRB	47,900,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		Field water osmosis water treatment plant				NYERI	47,900,000.00
						EMBU	47,900,000.00
						GRSS	47,900,000.00
						NKR	47,900,000.00
						KSM	47,900,000.00
						KKMG	47,900,000.00
						MSA	47,900,000.00
	t	Field tower lights 2.5 metres long	No.	MPMC	England	NRB	2,900,000.00
						NYERI	2,900,000.00
						EMBU	2,900,000.00
						GRSS	2,900,000.00
						NKR	2,900,000.00
						KSM	2,900,000.00
						KKMG	2,900,000.00
						MSA	2,900,000.00
	u	20m Steel Structure Mast Tower	No.	MPMC	England	NRB	4,300,000.00
						NYERI	4,300,000.00
						EMBU	4,300,000.00
						GRSS	4,300,000.00
						NKR	4,300,000.00
						KSM	4,300,000.00
						KKMG	4,300,000.00
						MSA	4,300,000.00
	v	30m Steel Structure Mast Tower	No.	MPMC	England	NRB	5,700,000.00
						NYERI	5,700,000.00
						EMBU	5,700,000.00
						GRSS	5,700,000.00
						NKR	5,700,000.00
						KSM	5,700,000.00
						KKMG	5,700,000.00
						MSA	5,700,000.00
	w	Bucket toilet	No.	NAFFCO	UAE	NRB	3,900.00
						NYERI	3,900.00
						EMBU	3,900.00
						GRSS	3,900.00
						NKR	3,900.00
						KSM	3,900.00
						KKMG	3,900.00
						MSA	3,900.00
	x	Turntable firefighting platform surface –Mounted 88Meter high including a rotable 45-degree main bucket 10x4 axle configuration	No.	NAFFCO	UAE	NRB	271,000,000.00
						NYERI	271,000,000.00
						EMBU	271,000,000.00
						GRSS	271,000,000.00
						NKR	271,000,000.00
						KSM	271,000,000.00
						KKMG	271,000,000.00
						MSA	271,000,000.00
	y		No.	NAFFCO	UAE	NRB	39,000.00

ITEM NO.	DESCRIPTION	SPECIFICATION	Unit of Issue	Brand	Country of Origin	Location	Unit Price
		AFF Foam 20ltrs				NYERI	39,000.00
						EMBU	39,000.00
						GRSS	39,000.00
						NKR	39,000.00
						KSM	39,000.00
						KKMG	39,000.00
						MSA	39,000.00

N.B.:

1. All supplies covered by this contract are for express use of the Government and are not for sale.
2. **ORDERS:** - Orders will be placed directly with the contractor by means for an official Purchase Order(s) quoting the contract number and the correct price(s).
3. **DELIVERY:** - Orders should be executed by the contractor within seven (7) days or on the date specified on the Purchase Order(s).
4. **PAYMENT:** - Invoice(s) must be received from the supplier immediately on delivery of goods. Payments should be made within thirty (30) days after receipt of the invoice(s).
5. **COMPLAINTS:** - With regard to improper fulfillment of the contract terms, complaints should be made in the first instance with the contractor. In case no satisfactory solution is obtained from the contractor, the Ministry / Department concerned should refer the matter in writing to the Principal Secretary, Ministry of Transport, Infrastructure, Housing, Urban Development and Public Works, State Department for Public Works, who will take up the matter with the contractor.

Maj. Gen. (Rtd.) Dr. Gordon O. Kihalangwa, CBS
PRINCIPAL SECRETARY